





Owning a Formula 1 car will immediately make you look good but won't automatically make you win podiums unless you perfect your driving skills.

A Precision Rifle is similar, the rifle is just as good as its shooter's skills. Enviromental data gathering, advanced ballistic calculation and wind reading are hard to master. The synergy between the shooter, his rifle, the ammo and the shooting conditions must be absolutely perfect in order to make the shot count.

At Cadex we pride ourselves at manufacturing the absolute best sniper rifle money can buy, but also at being able to train beginner to advanced level shooters. It's not a coincidence that 3 of the 5 longest sniper kills ever recorded have been by Canadian shooters. Latest achievement being done at 3450m (3871 yards). There's no doubt that Canada has some of the best snipers trainers in the world and has perfected this art.

Our team is composed of former military snipers. Our instructors can provide training in Canada or overseas. Their track records vary between Special Forces training, Law Enforcement training up to recreational shooters interested to jump in the PRS/ELR game. Training is offered in English or French at their installations or in the end-users country if needed. We are equipped with the best gear on the market, guns, optics, ammo, steel or electronic targetry, etc.

The dream of hitting a target at extreme range is not far away. If you want to be part of the best you must train with the best. Contact us to be put in contact with our team.

Rob Furlong, former Canadian Sniper and President of Rob Furlong's Marksmanship Academy (RFMA) is looking forward to push your limits.



# EXTREME RANGE SUPREMACY®

## WE ARE PROUD TO HAVE BEEN AWARDED ISO 9001:2015 CERTIFICATION

By achieving this level of certification, we have demonstrated that we consistently meet high quality standards. We would also like to take this opportunity to express our sincere thanks to our customers for their continued commitment and loyalty. We look forward to bringing our business to new heights in the years to come and putting the emphasis of quality assurance and innovation.




New products .....	3-4
R7 modularity.....	5-6
Hunting rifles.....	7-10
Precision rifles .....	11-28
ELR rifles .....	29-32
Warranty, ammunition & colors.....	33-36
Chassis systems .....	37-56
Barrels, actions & accessories.....	57-91
Carbine & shotgun accessories .....	92-98
Electro-optic .....	99-112
Machine gun equipment.....	113-122
Breaching equipment .....	123-126
Vehicle equipment .....	127-130
Cadex armor .....	131-134
Special order products.....	135-136
Spec sheets.....	137-142
Cadex R&D solutions .....	143
Promotional materials.....	144
Contact us .....	145-146



# NEW PRODUCTS

## BOLT FACES | P.59-60

### CDX-SS SEVEN S.T.A.R.S.



### CDX-R7 HUNTING SERIES



## CUSTOM ACTION | P.59



## LEFT HANDED

Left handed  
CDX-R7 actions  
and rifles



## SINGLE SHOT ACTIONS | P.62

CDX-40 and CDX-50 actions



## NEW HUNTING CALIBERS | P.7-8

### CDX-R7 CRBN

CALIBER	BARREL LENGTH	TWIST RATE
270 Win	24"	1:9
270 WSM	24"	1:9
28 Nosler	26"	1:9
300 RUM	26"	1:8

Bartlein® Carbon Fiber Barrel

## NEW HUNTING CALIBERS | P.9-10

### CDX-R7 SPTR

CALIBER	BARREL LENGTH	TWIST RATE
308 Win	20"	1:10
270 Win	24"	1:9
270 WSM	24"	1:9
30-06 SPRG	24"	1:10
28 Nosler	26"	1:9
300 RUM	26"	1:8

Ultra-Lite Stainless Steel Barrel

## NEW ELR CALIBER | P.31-32

### CDX-50 TREMOR®

CALIBER	BARREL LENGTH	TWIST RATE
416 Barrett®	32" and 40"	1:9

## NEW CALIBER | P.23-28

### CDX-MC KRAKEN® & CDX-300 LITE/TAC

CALIBER	BARREL LENGTH	TWIST RATE
300 RUM	26"	1:8

## TIKKA® T1x RIMFIRE

STRIKE NUKE EVO chassis: P.41-42  
LITE COMP chassis: P.47-48  
FIELD COMP chassis: P.49-50

## CDX-SS SEVEN S.T.A.R.S. | P.11-14

### CDX-SS SEVEN S.T.A.R.S. PRO

- 223 Rem
- 6 BR Norma
- 6 Dasher
- 6 Creedmoor
- 6.5x47 Lapua
- 6.5 Creedmoor
- 308 Win



### CDX-SS SEVEN S.T.A.R.S. COVERT

- 223 Rem
- 300 Blackout
- 6.5 Creedmoor
- 308 Win



SEVEN S.T.A.R.S.  
Sport & Tactical Application Rifle System


## COMPETITION CHASSIS | P.39-40

### STRIKE PRO



NRA Blue & USMC Red  
Cerakote new colors

## ELR SINGLE SHOT RIFLES | P.29-32



375 EnABELR - 36" | 375 CT - 36" | 416 Barrett® - 40"

## TACTICAL 50BMG | P.31-32

### CDX-50 TREMOR® TACTICAL 20.6"



## AMMUNITION



Ammunition  
by



P.34

## TRIGGER | P.69

DX2 EVO straight shoe trigger



# NEW PRODUCTS

## PRO BUTTSTOCK | P.56

PRO folding stock conversion kit



## GEN 2 SCOPE MOUNTS | P.71

New generation



## TOP RING | P.72

Rear bubble with cosine  
indicator  
30mm - 34mm - 35mm




## QUICK DETACH SCOPE MOUNTS | P.71

1.500" (30mm - 34mm - 35mm)



## MONOPOD RETROFIT KIT | P.87



Fits current and older models

## UNIVERSAL 9" NVD RAIL | P.91



## FALCON AES | P.81

Falcon AES bipod (Arca Elite System)



## FALCON LITE AES | P.82

Falcon Lite AES bipod (Arca Elite System)



## BIPOD SKI FEET | P.84



## ELR BIPOD EXTENDER | P.30



## TORQUE LIMITERS FIELD KIT



P.70

## 870 M-LOK FORE-END | P.98



## CDX CARBON TRIPOD | P.80



## VERTICAL GRIP | P.55



Rubberized

## TRIMMABLE MAG LATCH



Perfect to fine-tune  
your mag placement

P.64

## PRO WEIGHTS

PRO fore-end weights (3)



P.12

## CHASSIS WEIGHTS | P.89-90

10-32 chassis  
weights (2)



M-LOK stackable  
chassis weights (2)



## HARD CASE | P.73-74

Hunting series hard case featuring the Cadex logo



## MUZZLE BRAKE

MX1  
416 Barrett®



P.77

## BREAK-AWAY FLIP-UP | P.104

NEW  
TAN  
COLOR



Break-Away  
activated



# CDX-R7 MODULARITY

## BIG GAME HUNTING



CDX-R7 CRBN



CDX-R7 SPTR



## PRS COMPETITION



CDX-R7 LCP

Folding stock



CDX-R7 FCP



## PRS COMPETITION



CDX-R7 SHP



CDX-R7 PRO (Special request only)

Folding stock



## LAW ENFORCEMENT



CDX-R7 CPS

Takedown stock



CDX-R7 LITE (Special request only)

Folding stock







FEATURES/SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- DLC coated 4 lug bolt with ultra-fast 50° short bolt throw. Standard low profile hunting knob.
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable pinned top rail in 0 MOA (aluminum), 20 or 30 MOA (stainless steel).
- DX2 EVO single/two stage selectable trigger.
- Bartlein® carbon fiber match grade barrel (stainless steel inner core). Hunting style muzzle brake included.
- Tundra Strike synthetic Monte-Carlo rifle stock with aluminum bedding blocks. Rubberized inserts at grip and fore-end locations for better handling.
- Comfortable high density neoprene cheek pad.
- Cerakote non-reflective coating.
- AICS magazine compatible (short and long action).

MORE FEATURES


- Complete rifle stock
  - Action / Actions table
  - Accessories / Spec sheet
- P. 37-38**  
**P. 60 / 141**  
**P. 54, 91 / 137**

Hunting hard case included (P. 73-74 )



See the complete spec sheet P. 137				
Model	Caliber	Barrel length	Twist rate	Magazine capacity
CDX-R7 CRBN SA (short action)	6.5 Creedmoor	24"	1:8	5
	6.5 PRC	24"	1:8	3
	308 Win	24"	1:10	5
	270 WSM	24"	1:9	3
CDX-R7 CRBN LA (long action)	300 WSM	24"	1:10	3
	270 Win	24"	1:9	5
	28 Nosler	26"	1:9	5
	300 PRC	26"	1:8	5
	300 RUM	26"	1:8	5
	338 Lapua Mag	26"	1:9½	5

\*Higher capacity magazines sold separately



CDX-R7 CRBN (CARBON)

After spending years perfecting our multiple tactical and long range platforms, it was time for Cadex to diversify its selection. This is why we added two rifles oriented towards the performance hunter.

The CDX-R7 CRBN rifle is designed with back country hunters in mind. Unlike other manufacturers out there aiming at the absolute lightest materials available, Cadex oriented this rifle towards a perfect balance between weight reduction and no compromise on stability. We equipped the CDX-R7 CRBN model with the best carbon fiber barrel on the market: Bartlein®.

If you are looking for a reliable hunting rifle of a superior craftsmanship, fit and finish than what is offered from mass production gun makers, the CDX-R7 CRBN is what you've been searching for.

See all colors available P. 35-36







# CDX-R7 SPTR (SPORTER)

After spending years perfecting our multiple tactical and long range platforms, it was time for Cadex to diversify its selection. This is why we added two rifles oriented towards the performance hunter.

Not everyone is a firm believer in carbon fiber barrels. Some people are more conservative and they prefer a traditional stainless steel barrel. For this reason, we designed the CDX-R7 SPTR, a variant equipped with a sporter profiled stainless steel barrel. We added some longitudinal flutes for weight reduction, faster cooling and nicer look. The CDX-R7 SPTR shares the same features as the CDX-R7 CRBN except the barrel type, which makes it more affordable.

If you are looking for a reliable hunting rifle of a superior craftsmanship, fit and finish than what is offered from mass production gun makers, the CDX-R7 SPTR is what you've been searching for.

See all colors available P. 35-36

See the complete spec sheet P. 137				
Model	Caliber	Barrel length	Twist rate	Magazine capacity
CDX-R7 SPTR SA (short action)	6.5 Creedmoor	24"	1:8	5
	6.5 PRC	24"	1:8	3
	308 Win	20" / 24"	1:10	5
	270 WSM	24"	1:9	3
CDX-R7 SPTR LA (long action)	300 WSM	24"	1:10	3
	270 Win	24"	1:9	5
	30-06 SPRG	24"	1:10	5
	28 Nosler	26"	1:9	5
	300 PRC	26"	1:8	5
	300 RUM	26"	1:8	5
	338 Lapua Mag	26"	1:9½	5

\*Higher capacity magazines sold separately



## FEATURES/SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- DLC coated 4 lug bolt with ultra-fast 50° short bolt throw. Standard low profile hunting knob.
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable pinned top rail in 0 MOA (aluminum), 20 or 30 MOA (stainless steel).
- DX2 EVO single/two stage selectable trigger.
- Cadex sporter profiled stainless steel barrel. Hunting style muzzle brake included.
- Tundra Strike synthetic Monte-Carlo rifle stock with aluminum bedding blocks. Rubberized inserts at grip and fore-end locations for better handling. Comfortable high density neoprene cheek pad.
- Cerakote non-reflective coating.
- AICS magazine compatible (short and long action).
- Longitudinal barrel flutes for weight reduction, rigidity, faster cooling and nicer look.

## MORE FEATURES

- Complete rifle stock P. 37-38
- Action / Actions table P. 60 / 141
- Accessories table / Spec sheet P. 54, 91 / 137

Hunting hard case included (P. 73-74)







# CDX-SS SEVEN S.T.A.R.S. PRO

The CDX-SS SEVEN S.T.A.R.S. PRO is the latest addition to our growing line-up of products intended for PRS shooting. It is the ultimate rifle for persevering amateurs dreaming of podiums at regional matches. The CDX-SS PRO combines the SEVEN S.T.A.R.S. (Sport and Tactical Application Rifle System) action with the STRIKE PRO chassis and legendary Bartlein® 5R single point cut technology barrel. The CDX-SS SEVEN S.T.A.R.S. PRO delivers amazing accuracy right out of the box and is packed with all features needed for positional shooting games where every second matters. Engineered to reliably ignite small and large rifle primers, it is available in most top performing Open and Tactical class short action calibers as well as in 223 Rem for affordable training.

This competition rifle features a 17" long built-in Arca Elite System (AES) rail, 10 M-LOK mounting slots at 3, 6 and 9 o'clock, a barricade stop, the PRO folding tool-free adjustable rear stock, a multi-position adjustable trigger guard, tunable height ambidextrous extended magazine latch and rubberized vertical grip. Popular optional items such as M-LOK weights, right/left thumb rest and full length night vision bridge can be purchased separately.

See all colors available P. 35-36



## BORN TO WIN

See the complete spec sheet P. 137				
Model	Caliber	Barrel length	Twist rate	Magazine capacity
CDX-SS SEVEN S.T.A.R.S. PRO	223 Rem	26"	1:8"	10
	6 BR Norma	26"	1:7½"	12
	6 Dasher	26"	1:7½"	12
	6 Creedmoor	26"	1:7½"	10
	6.5x47 Lapua	26"	1:8"	10
	6.5 Creedmoor	26"	1:8"	10
	308 Win	26"	1:10"	10



\*Riflescope, scope mount, NVD bridge, ELR bag rider, M-LOK stackable weights, thumb rest and bipod sold separately

- DLC COATING
- M-LOK
- REM 700 CLONE
- AICS
- MX2-ST

### FEATURES/SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- DLC coated 3 lug bolt with fast 60° bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately). Fast dismantle firing pin using the supplied tool.
- 20 MOA stainless top rail with unique localization system. Optional full length night vision bridge.
- Selectable single/two stage DX2 EVO trigger with position adjustable straight trigger shoe.
- Bartlein® stainless 1.238" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.
- Rock solid reverse folding stock mechanism with free-play adjustable hinge system to remove loosening that may develop over time.
- Cerakote non-reflective coating.
- Funnel magwell for faster mag change.
- MX2-ST Tactical muzzle brake included.


- New PRO tool-free fully adjustable buttstock and neoprene cheek rest.
- Ultra rigid one-piece lower receiver and fore-end, with 17" long built-in Arca Elite System (AES), barricade stop and 10 M-LOK mounting slots at 3, 6 and 9 o'clock.
- Adjustable forward/rearward trigger guard with rubberized vertical grip.
- Ambidextrous extended magazine latch with fine-tunable height feature for optimized cartridge feeding.
- Compatible with an infinite selection of M-LOK and aftermarket competition accessories.
- Minimum flex fore-end, capable to secure up to 5.8 lbs of optional weights, for minimized recoil, optimum balance and rigidity.

### MORE FEATURES

- Complete rifle stock **P. 39-40**
- Action / Actions table **P. 59 / 141**
- Accessories table / Spec sheet **P. 54 / 137**

### Compatible optional accessories

<td><td><td><td><td><td><td><td><td></td></td></td></td></td></td></td></td></td>	<td><td><td><td><td><td><td><td></td></td></td></td></td></td></td></td>	<td><td><td><td><td><td><td></td></td></td></td></td></td></td>	<td><td><td><td><td><td></td></td></td></td></td></td>	<td><td><td><td><td></td></td></td></td></td>	<td><td><td><td></td></td></td></td>	<td><td><td></td></td></td>	<td><td></td></td>	<td></td>	
<td><td><td></td></td></td>	<td><td></td></td>	<td></td>							



Fore-end with built-in Arca Elite System (AES) - Bottom view



Shown with optional thumb rest (#03127-A2056-K1) and ELR bag rider (#03127-950-K1)






# CDX-SS SEVEN S.T.A.R.S. COVERT

The CDX-SS SEVEN S.T.A.R.S. COVERT is a compact rifle similar to the CDX-R7 CPS. They both achieve the same purpose, which is concealability for short/medium distances target engagement. This new rifle combines an ultra-short 11" fluted barrel with a Covert Slim Titanium Suppressor small enough to fit within the chassis M-LOK fore-end tube. This fore-end tube is shorter than on other Cadex rifles while still maintaining a fully functional 19" Picatinny top rail for optics and night vision device mounting. It features the folding buttstock of the Strike PRO chassis which allows for fast tool-free stock adjustments. Cadex also offers a version equipped with 16.5" barrels in order to comply with the 26" minimum overall length regulations in many countries.

See all colors available P. 35-36



**SEVEN S.T.A.R.S.**  
Sport & Tactical Application Rifle System

See the complete spec sheet P. 137					
Model	Caliber	Barrel length	Twist rate	Magazine capacity	
CDX-SS SEVEN S.T.A.R.S. COVERT	223 Rem	11" / 16.5"	1:8"	10	
	300 Blackout	11" / 16.5"	1:8"	10	
	6.5 Creedmoor	16.5"	1:8"	10	
	308 Win	16.5"	1:10"	10	



\*Riflescope, scope mount, Arca tripod adaptor, Arca Elite System and bipod sold separately

- DLC COATING
- M-LOK
- REM 700 CLONE
- AICS
- MX2-ST

## FEATURES/SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- DLC coated 3 lug bolt with fast 60° bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately). Fast dismantle firing pin using the supplied tool.
- Selectable single/two stage DX2 EVO trigger.
- Bartlein® stainless 1.238" straight taper fluted match grade barrel with 5R single point cut rifling technology.
- New PRO tool-free fully adjustable buttstock and neoprene cheek rest.
- Rock solid reverse folding stock mechanism with free-play adjustable hinge system to remove loosening that may develop over time.

- Cerakote non-reflective coating.
- 20 MOA full length top rail with unique localization system. Short M-LOK fore-end with Picatinny rails at 3, 6 and 9 o'clock. MLOK Flush Cup Adaptor included.
- 11" barrel variant folds under 25" length while 16.5" model folds under 29" with muzzle brake.
- AICS magazine compatible.
- MX2-ST Tactical muzzle brake included on 16.5" variant.
- Compatible with an infinite selection of M-LOK accessories.

## MORE FEATURES






















- Action / Actions table **P. 59 / 141**
- Accessories table / Spec sheet **P. 54 / 137**

Easy to carry compact package (bag not included)



Folded position

## Compatible optional accessories

 <p>PRO 1/4" spacer kit (4) (#03127-A2057-K4)</p>	 <p>Bean bag rider (#03127-269-K1)</p>	 <p>ELR bag rider (#03127-950-K1)</p>	 <p>Monopod rail with flush cup (#03127-A173-K1)</p>	 <p>Centre bipod rail (#03127-A019)</p>	 <p>Centre accessory rail kit (#03127-A083-K2)</p>	 <p>Hard case</p>
 <p>M-LOK stackable weights (#03127-949ML-K2)</p>	 <p>Spare magazines</p>	 <p>M-LOK Bipod/Sling adaptor (#03127-957ML)</p>	 <p>M-LOK AES Picatinny rail kit (#AES-PRK430)</p>	 <p>Scope mount</p>	 <p>M-LOK 9" bipod rail (#03127-K015ML)</p>	 <p>Padded rifle sling (#3850-K002)</p>
 <p>MX1 muzzle brake</p>	 <p>Cadex vertical grip (#03127-2007-BLK)</p>	 <p>Arca tripod adaptor (#03127-960-K1)</p>	 <p>RC2 tripod adaptor (#03127-962-K1)</p>	 <p>Falcon QD (#7431-K015)</p>	 <p>Falcon Lite SP (#7431-K102SP)</p>	 <p>Covert Slim Titanium suppressor (#6426-A023)</p>





# CDX-R7 SHP SERIES

The CDX-R7 SHP Series are precision rifles designed for shooters who prefer a traditional style stock to chassis systems. These rifles feature Cadex's fully adjustable synthetic stock called the Strike Nuke Evo. The ergonomics of this stock are a great blend between the stability offered by tactical stocks and lightweight hunting stocks. This stock features a built-in aluminum micro-chassis system for improved accuracy. This rifle out of the box will compete with any custom gun.



See all colors available P. 35-36

See the complete spec sheet P. 138				
Model	Caliber	Barrel length	Twist rate	Magazine capacity
CDX-R7 SHP SA (short action)	6 Creedmoor**	26"	1:7½	10
	6.5 Creedmoor**	16.5" / 20" / 24" / 26"	1:8	10
	6.5 PRC	24" / 26"	1:8	7
	308 Win**	*16.5" / 20" / 24" / 26"	*1:10 / 1:11¼	10
CDX-R7 SHP LA (long action)	300 PRC	26"	1:8	5
	300 Norma Mag	26"	1:8	5
	338 Lapua Mag	27"	1:9½	5

\*\*Available in left handed



\*Riflescope, scope mount, M-LOK bipod rail and bipod sold separately



## FEATURES/SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- DLC coated 4 lug bolt with ultra-fast 50° short bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately).
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable pinned top rail in 0, 20 or 30 MOA (stainless steel).
- Selectable single/two stage DX2 EVO trigger.
- Easy and unique do-it-yourself rebarreling system.
- Includes one 1/4" spacer.
- Cadex 1.238" straight taper fluted match grade button rifling barrel. Optional Bartlein® single point cut rifling fluted barrel also available on special request.
- Strike Nuke EVO with built-in aluminum micro-chassis.
- Cerakote non-reflective coating.
- M-LOK fore-end. Optional night vision rail system.
- AICS magazine compatible (short and long action).
- MX2-ST Tactical muzzle brake included.

## MORE FEATURES

- Complete rifle stock **P. 41-42**
- Action / Actions table **P. 60 / 141**
- Accessories table / Spec sheet **P. 54 / 138**

## Compatible optional accessories

NUKE 1/4" spacer kit (3) (#03127-K016-K3)	Buttstock spacer 1 1/4" (#03127-265-K1) (NSN#: 1005-20-010-6213)	ELR bag rider (#03127-950-K1)	Bean bag rider (#03127-269-K1)	Standard monopod rail (#02528-012-K1) (NSN#: 1005-20-009-5553)	Monopod rail with flush cup (#03127-A173-K1)	MX1 muzzle brake	Hard case
M-LOK NVD rail system (#03127-695-K1)	M-LOK Flush cup adaptor (#03127-A174ML)	M-LOK Bipod/Sling adaptor (#03127-957ML)	M-LOK 3" modular rail (#03127-A078ML)	M-LOK 3.5" aluminum bipod rail (#03127-A002ML)	M-LOK AES Picatinny rail kit (#AES-PRK430)	M-LOK stackable weights (2) (#03127-949ML-K2)	M-LOK 9" bipod rail (#03127-K015ML)






## CDX-R7 CPS SERIES

The Cadex CDX-R7 CPS Series is designed around the ultra-fast CDX-R7 action. Law Enforcement agencies around the world are in need of a compact type short/medium range sniper rifle package, capable to be discreetly carried to their spotting location without alarming the population. The takedown push-button system on the QD Skeleton buttstock makes it very compact and easy to carry. In the case of a threat in crowded areas, the CDX-R7 CPS is a guardian angel.

See all colors available P. 35-36

See the complete spec sheet P. 138				
Model	Caliber	Barrel length	Twist rate	Magazine capacity
CDX-R7 CPS SA (short action)	6.5 Creedmoor	16.5" / 20"	1:8	10
	308 Win	16.5" / 20"	1:10	10



### FEATURES/SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- DLC coated 4 lug bolt with ultra-fast 50° short bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately).
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable pinned full length 20 MOA top rail.
- Selectable single/two stage DX2 EVO trigger.
- Bartlein® 1.238" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.

- Field QD (quick detach) chassis with ultra-fast buttstock takedown system.
- Cerakote non-reflective coating.
- Accessory rails at 3, 6 and 9 o'clock.
- AICS magazine compatible (short and long action).
- MX2-ST Tactical muzzle brake included.

### MORE FEATURES

- Action / Actions table **P. 60 / 141**
- Accessories table / Spec sheet **P. 54 / 138**

### Fast takedown shooting platform



Easy to carry, compact package

Only 28¼"



\*Riflescope, scope mount, bipod, and suppressor sold separately

### Compatible optional accessories







# CDX-R7 LCP SERIES

The CDX-R7 LCP Series includes all features required by the most demanding PRS competitive shooters. Its folding stock mechanism is a charm when it comes to cleaning and transport. The lightning fast R7 action with its 4 lug 50° bolt throw is a must to save time on PRS stages. Based on a Rem 700 footprint and combined with a medium contour Bartlein® Single Point Cut match grade fluted barrel for optimum performance. Compatible with M-LOK accessories.



See the complete spec sheet P. 138				
Model	Caliber	Barrel length	Twist rate	Magazine capacity
CDX-R7 LCP SA (short action)	6 Creedmoor**	26"	1:7½	10
	6.5 Creedmoor**	24" / 26"	1:8	10
	6.5 PRC	24" / 26"	1:8	7
	308 Win**	20" / 24" / 26"	1:11¼	10
CDX-R7 LCP LA (long action)	300 PRC	26"	1:8	5
	300 Norma Mag	26"	1:8	5
	338 Lapua Mag	27"	1:9½	5

\*\*Available in left handed



\*Riflescope, scope mount, M-LOK bipod rail and bipod sold separately

REM 700 CLONE

DLC COATING

AICS

BARTLEIN BARRELS, INC.

MX1

M-LOK

FOLDING STOCK

## FEATURES/SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- DLC coated 4 lug bolt with ultra-fast 50° short bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately).
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable pinned top rail in 0, 20 or 30 MOA (stainless steel).
- Selectable single/two stage DX2 EVO trigger.
- Bartlein® 1.238" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.

- Lite Competition chassis (LCP) with skeleton folding stock.
- Cerakote non-reflective coating.
- M-LOK full length competition fore-end tube with mirage mitigation technology.
- AICS magazine compatible (short and long action).
- MX1 muzzle brake included (optional MX2-ST Tactical muzzle brake sold separately).

## MORE FEATURES

- Complete rifle stock
- Action / Actions table
- Accessories table / Spec sheet

P. 47-48

P. 60 / 141

P. 54 / 138



## Compatible optional accessories

Buttstock spacer 1½" (#03127-265-K1) (NSN#: 1005-20-010-6213)	Bean bag rider (#03127-269-K1)	ELR bag rider (#03127-950-K1)	Monopod rail with flush cup (#03127-A173-K1)	Centre bipod rail (#03127-A019)	Centre accessory rail kit (#03127-A083-K2)	Hard case	Padded rifle sling (#3850-K002)
M-LOK stackable weights (2) (#03127-949ML-K2)	M-LOK Flush cup adaptor (#03127-A174ML)	M-LOK Bipod/Sling adaptor (#03127-957ML)	M-LOK AES Picatinny rail kit (#AES-PRK419)	M-LOK 3" modular rail (#03127-A078ML)	M-LOK 5" modular rail (#03127-A017ML)	M-LOK 3.5" aluminum bipod rail (#03127-A002ML)	M-LOK 9" bipod rail (#03127-K015ML)
Universal 9" NVD rail (#03127-012-K1)	Cadex vertical grip (#03127-2007-BLK)	Arca tripod adaptor (#03127-960-K1)	RC2 tripod adaptor (#03127-962-K1)	Scope mount	Monopod kit (#03127-A500)	Falcon QD (#7431-K015)	Falcon Lite SP (#7431-K102SP)

See all colors available P. 35-36






## CDX-R7 FCP SERIES

The CDX-R7 FCP Series includes most features of the CDX-R7 LCP Series model but in a fixed stock variant. The polymer detachable base of the Field Series is a solid and cost effective solution that will satisfy the most demanding shooters. The fixed skeleton stock is completely tool-free and provides weight saving from the competition models. The CDX-R7 FCP Series is the best bang for your buck. Compatible with M-LOK accessories.

See the complete spec sheet P. 138				
Model	Caliber	Barrel length	Twist rate	Magazine capacity
CDX-R7 FCP SA (short action)	6 Creedmoor**	26"	1:7½	10
	6.5 Creedmoor**	24" / 26"	1:8	10
	6.5 PRC	24" / 26"	1:8	7
	308 Win**	20" / 24" / 26"	1:11¼	10
CDX-R7 FCP LA (long action)	300 PRC	26"	1:8	5
	300 Norma Mag	26"	1:8	5
	338 Lapua Mag	27"	1:9½	5

\*\*Available in left handed



\*Riflescope, scope mount, bean bag rider, centre bipod rail, M-LOK 9" bipod rail and bipod sold separately

### FEATURES/SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- DLC coated 4 lug bolt with ultra-fast 50° short bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately).
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable pinned top rail in 0, 20 or 30 MOA (stainless steel).
- Selectable single/two stage DX2 EVO trigger.
- Bartlein® 1.238" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.
- Field Competition chassis (FCP) with skeleton fixed stock.
- Cerakote non-reflective coating.
- M-LOK full length competition fore-end tube with mirage mitigation technology.
- AICS magazine compatible (short and long action).
- MX1 muzzle brake included (optional MX2-ST Tactical muzzle brake sold separately).

### MORE FEATURES

- Complete rifle stock **P. 49-50**
- Action / Actions table **P. 60 / 141**
- Accessories table / Spec sheet **P. 54 / 138**



### Compatible optional accessories



See all colors available P. 35-36






## CDX-MC KRAKEN®

The CDX-MC KRAKEN®, is a multi-caliber rifle using an innovative (patent pending) barrel change system. This multi-caliber system features the lowest shift of point of impact (0.1 mil) between takedown and reassembly of the same barrel on the market. Cadex CDX-MC uses a traditional barrel to action threading system while incorporating a special tool designed to unscrew and torque its barrel from the breech side. A single screw secures the chassis detachable base for a fast conversion between short and long action calibers. Maintaining the same P.O.I. is critical at extreme range and the Kraken® surpasses any other multi-caliber system on the market. Add your P.O.I. off sets between each barrels in your ballistics software and you'll never have to reconfirm a zero again!

See the complete spec sheet P. 140				
Caliber	Barrel length	Twist rate	Magazine capacity	Bolt face
6 Creedmoor	26"	1:7½	10	B
6.5 Creedmoor	24" / 26"	1:8	10	B
308 Win	*16.5" / 20" / 24" / 26"	*1:10 / 1:11¼	10	B
300 PRC	26"	1:8	5	C
300 Rum	26"	1:8	5	C
300 Norma Mag	26"	1:8	5	D
338 Lapua Mag	27"	1:9½	5	D

NSN#: 1005-20-011-8160 (for CDXMC-KRKN-338-27)



\*Riflescope, scope mount and bipod sold separately

### FEATURES/SPECIFICATIONS

- Quick caliber change (2 to 3 minutes) with virtually no shift of point of impact (<0.1 mil) on the same barrel. Multi-caliber system with the lowest shift of P.O.I. on the market.
- 416 stainless steel, heavy duty 1.550" custom grade bolt action repeater with integral recoil lug.
- DLC coated 3 lug bolt with 60° short bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately).
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable 20, 30 or 45 MOA full length top rail.
- Selectable single/two stage DX2 EVO trigger.

- Cerakote non-reflective coating.
- Bartlein® 1.300" straight taper fluted match grade barrel with 5R single point cut rifling technology. Unique barrel tenon design with machined grooves to work in conjunction with the Kraken® tooling kit. Easy and unique do-it-yourself rebarreling system.
- Threaded muzzle for muzzle brake installation. Optional ¼-20 threads with suppressor band for use with a Cadex slip-on suppressor.
- Multiple caliber group bolts: Type B (.480"), C (.550") or D (.600").
- Proprietary Kraken® chassis system with folding stock (fixed variant available).

- Easy access to the conversion kit and trigger group by taking down one single captive screw.
- AICS magazine compatible (short and long action).
- MX1 muzzle brake included (optional MX2-ST Tactical muzzle brake sold separately).
- Skeleton folding stock variant available.

### MORE FEATURES

- Complete rifle stock **P. 43-44**
- Action / Actions table **P. 63 / 141**
- Accessories table / Configurator **P. 54 / 140**

### Compatible optional accessories



See all colors available P. 35-36





# CDX-LITE SERIES


The CDX-30 LITE, CDX-300 LITE and CDX-33 LITE precision rifles combine all mandatory features that an operator needs in the field. Nothing is left to chance and every detail has been designed to offer the best long range sub-minute sniper system on the market. The CDX-LITE precision rifles will be your most reliable partner. Often imitated but never equaled. One shot, one kill... Then extract safely.



See the complete spec sheet P. 139				
Model	Caliber	Barrel length	Twist rate	Magazine capacity
CDX-30 LITE	6 Creedmoor	26"	1:7½	10
	6.5 Creedmoor	24" / 26"	1:8	10
	6.5 PRC	24" / 26"	1:8	7
CDX-300 LITE	308 Win	20" / 24" / 26"	1:11¼	10
	300 PRC	26"	1:8	5
CDX-33 LITE	300 Rum	26"	1:8	5
	300 Norma Mag	26"	1:8	5
	338 Lapua Mag	27"	1:9½	5



\*Riflescope, scope mount and bipod sold separately  
\*Shown with optional suppressor band



## FEATURES/SPECIFICATIONS

- 416 stainless steel, heavy duty 1.550" custom grade bolt action repeater.
- 3 lug bolt with ultra-smooth 60° short bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately).
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable 20, 30 or 45 MOA full length top rail.
- Bartlein® 1.300" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.
- Threaded muzzle for muzzle brake installation. Optional ¾-20 threads with suppressor band for use with a Cadex slip-on suppressor.



- Selectable single/two stage DX2 EVO trigger.
- Lite Strike chassis system with folding stock (fixed variant available).
- Cerakote non-reflective coating.
- Mirage mitigation technology fore-end tube.
- AICS magazine compatible (short and long action).
- MX1 muzzle brake included (optional MX2-ST Tactical muzzle brake sold separately).
- Skeleton folding stock variant available.

## MORE FEATURES

- Complete rifle stock **P. 45-46**
- Action / Actions table **P. 61 / 141**
- Accessories table / Spec sheet **P. 54 / 139**



## Compatible optional accessories





See all colors available P. 35-36





\*Shown with optional tactical bolt knob

See the complete spec sheet P. 139				
Model	Caliber	Barrel length	Twist rate	Magazine capacity
CDX-30 TAC	6 Creedmoor	26"	1:7½	10
	6.5 Creedmoor	24" / 26"	1:8	10
	6.5 PRC	24" / 26"	1:8	7
CDX-300 TAC	308 Win	20" / 24" / 26"	1:11½	10
	300 PRC	26"	1:8	5
CDX-33 TAC	300 Rum	26"	1:8	5
	300 Norma Mag	26"	1:8	5
	338 Lapua Mag	27"	1:9½	5



# CDX-TAC SERIES

The CDX-30 TAC, CDX-300 TAC and CDX-33 TAC precision rifles are cost efficient solutions for law enforcement agencies or the civilian market that do not see an advantage in a folding stock mechanism. Same reliability and accuracy combined into a well-proven package at a fraction of the cost.



\*Riflescope, scope mount and bipod sold separately

## FEATURES/SPECIFICATIONS

- 416 stainless steel, heavy duty 1.550" custom grade bolt action repeater.
- 3 lug bolt with ultra-smooth 60° short bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately).
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable 20, 30 or 45 MOA full length top rail.
- Bartlein® 1.300" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.
- Threaded muzzle for muzzle brake installation. Optional ¾-20 threads with suppressor band for use with a Cadex slip-on suppressor.
- Selectable single/two stage DX2 EVO trigger.
- Field Tactical chassis system with fixed stock.
- Cerakote non-reflective coating.
- Mirage mitigation technology fore-end tube.
- AICS magazine compatible (short and long action).
- MX1 muzzle brake included (optional MX2-ST Tactical muzzle brake sold separately).

## MORE FEATURES

- Complete rifle stock **P. 51-52**
- Action / Actions table **P. 61 / 141**
- Accessories table / Spec sheet **P. 54 / 139**



## Compatible optional accessories


See all colors available P. 35-36





# CDX-40 SHDW

The CDX-40 SHDW is the Cadex Precision Rifle chambered in either 375 EnABELR or 375/408 CT. These ultimate calibers were designed for extreme range shooting and anti-materiel up to 2 miles with proper training and shooting conditions. Push your limits even further with the CDX-40 SHDW. Renowned by the ELR community as the best extreme range platform on the market.

Now available in single shot variants for ELR competition.



See the complete spec sheet P. 139			
Caliber	Barrel length	Twist rate	Magazine capacity
375 CT*	29" / 32" / 36"	1:7 / 1:10	7 or SINGLE SHOT
375 EnABELR	32" / 36"	1:7	7 or SINGLE SHOT
408 CT*	29" / 32"	1:13	7

\*CheyTac is a registered trademark of CheyTac USA Inc. Cadex Defence is not affiliated with, endorsed by or sponsored by CheyTac USA.

REPEATER  
or SINGLE SHOT

DLC  
COATING

MX1

BARTLEIN  
BARRELS, INC.

FOLDING  
STOCK



\*Riflescope, scope mount and bipod sold separately  
\*Shown with optional suppressor band installed on a 32" barrel

## FEATURES/SPECIFICATIONS

- 416 stainless steel, heavy duty 1.600" custom grade bolt action repeater.
- DLC coated 3 lug bolt with 60° short bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately).
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable 20, 40 or 60 MOA full length top rail.
- Bartlein® 1.350" straight taper fluted match grade barrel with single point cut rifling technology. 29" for military application, 32" for long range performance or 36" Single Shot for ELR competition.
- Very low recoil calibers compared to 50 BMG.
- Threaded muzzle for muzzle brake installation. Optional suppressor band for use with a Cadex slip-on suppressor.



Single Shot ELR configuration - 36" barrel - NRA Blue color (other colors available P.35-36)

Shown with optional ELR bag rider, scope mount, riflescope, ELR bipod extender and Falcon bipod with ski feet

- Easy and unique do-it-yourself rebarreling system.
- Dual Strike chassis system with folding stock (fixed variant available).
- Cerakote non-reflective coating.
- Mirage mitigation technology fore-end tube.
- Selectable single/two stage DX2 EVO trigger.
- MX1 muzzle brake included.
- DSSF 7 round magazine offering the longest cartridge overall length in the industry.
- Skeleton folding stock variant available.

## MORE FEATURES

- Complete rifle stock
- Action / Actions table
- Accessories table / Spec sheet

P. 43-44  
P. 62 / 141  
P. 54 / 139

## Compatible optional accessories

Buttstock spacer 1 1/4" (#03127-265-K1) (NSN#: 1005-20-010-6213)	Bean bag rider (#03127-269-K1)	ELR bag rider (#03127-950-K1)	Monopod rail with flush cup (#03127-A173-K1)	Centre accessory rail kit (#03127-A083-K2)	Centre bipod rail (#03127-A019)	Hard case	Padded rifle sling (#3850-K002)
Arca tripod adaptor (#03127-960-K1)	RC2 tripod adaptor (#03127-962-K1)	ELR bipod extender (#03127-A1129-K1)	Monopod kit (#03127-A500)	Falcon QD (#7431-K015)	Scope mount	Suppressor 375/408 (#6426-A004)	AES Picatinny rail kit (#AES-PRK432)

See all colors available P. 35-36





# CDX-50 TREMOR®

The CDX-50 TREMOR®, a 50 caliber Precision Rifle built to Military Spec, is capable of delivering a huge payload accurately while maintaining very manageable recoil. The CDX-50 is a lightweight bolt action rifle that brings new technology to the 50 BMG of years gone by. Don't get fooled by semi-automatic rifles shooting at best 2.5 MOA... This is the ultimate extreme range anti-materiel rifle. Now available in 416 Barrett® repeater or single shot for military purpose or ELR competition.



See the complete spec sheet P. 139

Caliber	Barrel length	Twist rate	Magazine capacity
416 Barrett® *	32"	1:9	5 or SINGLE SHOT
50 BMG	20.6" / 29" / 32"	1:15	5
10x100 BWA	TBC	TBC	TBC

NSN#: 1005-20-010-4018 (for CDX50-DUAL-50-29-TAN)  
\*Barrett® is a registered trademark of Barrett Firearms Mfg., Inc.  
Cadex Defence is not affiliated with, endorsed by or sponsored by Barrett Firearms Mfg., Inc.



\*Riflescope, scope mount and bipod sold separately



## FEATURES/SPECIFICATIONS

- 416 stainless steel, heavy duty 1.960" custom grade bolt action repeater.
- DLC coated 4 lug bolt with 50° ultra-short bolt throw. Standard round bolt knob (optional tactical bolt knob sold separately).
- ¼ turn tool-free bolt disassembly for an easy access to the firing pin.
- Bartlein® 1.680" straight taper fluted match grade barrel with single point cut rifling technology. 29" for military application, 32" for long range performance or 36" Single Shot for ELR competition.
- Threaded muzzle for muzzle brake installation. Optional suppressor band for use with a Cadex slip-on suppressor. Easy and unique do-it-yourself rebarreling system.



Shown with optional ELR bag rider, scope mount, riflescope, ELR bipod extender and Falcon bipod with ski feet

Single Shot ELR configuration - 40" barrel - USMC Red color (other colors available P.35-36)

- Interchangeable 20, 40 or 60 MOA full length top rail.
- Dual Strike chassis system with folding stock.
- Cerakote non-reflective coating.
- Mirage mitigation technology fore-end tube.
- SSSF 5 round magazine. Easiest 50 BMG magazine change in the industry.
- Selectable single/two stage DX2 EVO trigger.
- MX1 muzzle brake included.
- Skeleton folding stock variant available.

## MORE FEATURES

- Complete rifle stock
- Action / Actions table
- Accessories table / Spec sheet

P. 43-44  
P. 62 / 141  
P. 54 / 139

## Compatible optional accessories

Arca tripod adaptor (#03127-960-K1)	RC2 tripod adaptor (#03127-962-K1)	ELR bipod extender (#03127-A1129-K1)	Monopod kit (#03127-A500)	MX2-ST 50 BMG (#3850-439-ST)	Scope mount	Suppressor 50BMG or Compact suppressor 50 BMG	AES Picatinny rail kit (#AES-PRK432)

See all colors available P. 35-36



# LIMITED LIFETIME WARRANTY

At Cadex Defence we take a great sense of pride in the products that we design and produce as well as our customer service. If you are experiencing any problems, we appreciate your understanding with the situation and we will do what is right to help you as we really care for our customers.

We warrant products manufactured by Cadex Inc. to be free of defects in material or workmanship/ manufacturing for **one year** following the initial owner's purchase. Cadex Defence reserves the right to cover under warranty, at its own discretion, its products for the **lifetime** of the product if we feel that it didn't meet our high standards of performance. Cadex reserves the right to use its discretion to warranty its products in special scenarios that have or may present themselves that are not noted in this document.

Cosmetic wear and normal wear items including but not limited to the barrel, extractors, ejectors, and springs are not covered by the warranty and it is the responsibility of the owner to assure the weapon is properly maintained.

Your Cadex Defence product was manufactured to perform properly with the original parts as designed. Altering or modifying parts is dangerous and will void the warranty. It is your responsibility to make sure any parts you install are made for this firearm, installed correctly, and that neither the originals nor the replacement parts are altered or changed. Firearms are complex precision tools with many parts that must operate correctly with other parts in order to maintain proper and safe operation. Putting your firearm together improperly or with incorrect or modified parts can result in a damaged firearm, serious personal injury, or death to you and/or others through malfunction. Always have a qualified armorer or gunsmith work on your Cadex Defence system or other firearms.

You can contact us via email or toll free at the contact information listed below.

Please have the following information ready:

- |                    |                     |
|--------------------|---------------------|
| - Product Model    | - Serial Number     |
| - Date of Purchase | - Point of Purchase |
| - Name             | - Address           |
| - Email            | - Phone number      |

#### CADEX INC.

755 Avenue Montrichard, St-Jean-sur-Richelieu, Quebec, Canada, J2X 5K8

[customerservice@cadexinc.com](mailto:customerservice@cadexinc.com)

450-348-6774 (CANADA) • 802-466-4003 (USA)

Toll free: 1-888-348-6774



#### A message from the owner

For Cadex, customer satisfaction is very important.

If you experience a problem with one of our dealers or distributors don't wait for the situation to get worse before bringing it to our attention. We firmly believe that with good communication and a little goodwill from both sides we will be able to find a solution to your problem.

Please contact us as soon as possible if you ever encounter any issues with one of our products.

- Serge Dextraze, Cadex CEO

# CADEX AMMUNITION



At Cadex Defence, we understand that a precision rifle can only be as precise as the ammunition that is fired in it. For the same reason that race cars do not run on conventional fuel, performance rifles require performance ammunitions to deliver their best precision and accuracy. For a long time, we've been using off-the-shelf match grade ammunitions with decent to impressive results, but consistency was often lacking from lot-to-lot. Maximum accuracy used to be only reached by hand loaders since they were capable to fine tune their ammunition to their firearms. These days are over with **Ultimate Ammunition™**.

Ultimate Ammunition™ emerged a few years ago from developing a close working relationship with NATO Special Operations Forces in Europe. Made by shooters for shooters with precision, repeatability and terminal effect in mind, they developed the most accurate and reliable ammunition thanks to their state-of-the-art in-house ballistic test range and 2-mile ELR outdoor test facility.

Cadex Defence decided to team up with Ultimate Ammunition® for the development of customized ammunition specific to our rifles and specs. They selected the best components available for military use. The end result is cartridges that are not only "weapon specific" but also "mission specific" capable of delivering performances exceeding our expectations.

Subsonic, Armor Piercing, APFI, APRE (Nano Explosive), low penetration. The possibilities are infinite.

- |                 |               |
|-----------------|---------------|
| • 308 Win       | • 375 EnABELR |
| • 6.5 Creedmoor | • 375/408CT   |
| • 300 Norma Mag | • 50 BMG      |
| • 338 Lapua Mag |               |



Loaded using Peterson Cartridge®  
Match-Grade Brass Rifle Casings



Contact Cadex Defence for more information on customized ammunition by **Ultimate Ammunition™**



# AVAILABLE COLORS

## BEST-SELLING COLORS

### HYBRID COLORS

Black barreled action combined with your choice of chassis color



Hybrid Tan/Black (HTB)



Hybrid Green/Black (HOD)



Hybrid Stealth Shadow (HSB)



Hybrid Grey/Black (HGB)



Hybrid White/Black (HWB)



Hybrid Bronze/Black (HBB)



Hybrid Orange/Black (HOR)



Hybrid Robin's Egg Blue (HEB)

Visit our website for high resolution pictures  
[www.cadexdefence.com](http://www.cadexdefence.com)

New colors: NRA Blue & USMC Red

### SOLID COLORS



Black (BLK)



Tan (TAN)



O.D. Green (ODG)



Stealth Shadow Vortex (SSV)



Sniper Grey (GRY)



Stormtrooper White (WHT)



Burnt Bronze (BRZ)



Hunter Orange (ORG)



Robin's Egg Blue (EGG)

# AVAILABLE COLORS

	PRECISION RIFLES		CHASSIS SYSTEM	
	CERAKOTE COATINGS		SHERWIN-WILLIAMS	
STANDARD COLORS	BLK	C-102 Graphite Black	BLK	Polane Dead Flat Black (F63B75301)
	TAN	H-308 CADEX Tan	TAN	Polane Flat Dark Earth (F63TXH6123-8716)
	ODG	H-232 Magpul® O.D. Green	ODG	Polane O.D. Green (F63TXG6099-8716)
	SSV	C-293 Vortex Bronze	CERAKOTE COATINGS	
	GRY	H-234 Sniper Grey	SSV	C-293 Vortex Bronze
SPECIAL COLORS	WHT	H-297 Stormtrooper White	WHT	H-234 Sniper Grey
	BRZ	H-148 Burnt Bronze	WHT	H-297 Stormtrooper White
	ORG	H-218 Hunter Orange	BRZ	H-148 Burnt Bronze
	EGG	H-175 Robin's Egg Blue	ORG	H-218 Hunter Orange
	NRA	H-171 NRA Blue	EGG	H-175 Robin's Egg Blue
	RED	H-167 USMC Red	NRA	H-171 NRA Blue
			RED	H-167 USMC Red

\*Some exceptions may apply. Contact Cadex prior to ordering Cerakote colors\*



## BATTLE WORN SCHEMES (Available for TAN, WHITE, BRONZE, ORANGE, BLUE or RED variants only)

Each battle worn paint job is one of a kind







# TUNDRA STRIKE

The Tundra Strike rifle stock is designed with back country hunters in mind. Unlike other manufacturers out there aiming at the absolute lightest materials available, Cadex oriented this rifle stock towards a perfect balance between weight reduction, rigidity and no compromise on stability.

The Tundra Strike is an affordable rifle stock with the right features at the right place offering unbeatable value for your money. The rifle stock is polymer injected with our special recipe of fibers to produce a lightweight yet extremely stiff rifle stock blank. Within the polymer rifle stock blank are molded aluminum bedding blocks, among which the magazine housing and recoil lug pocket are CNC machined to ensure a perfect alignment. This production process is so precise that no bedding compound is required. No need to be a gunsmith to do it, it is a 2 minute installation process similar to our chassis systems. No bedding job required.

HUNTING  
STYLE

AICS

FIXED  
STOCK

See all colors available P. 35-36


## FEATURES/SPECIFICATIONS



- 1 Cadex recoil pad.
- 2 Neoprene cheek pad.
- 3 Front and rear sling stud.
- 4 Rubberized grip insert.
- 5 Oversized trigger guard and magazine release for easy manipulation with gloves.
- 6 AICS magazine type:  
Short Action: DSSF 3.055"  
Long Action: SSSF 3.715", 3.775" and 3.850" CIP
- 7 Front rubberized grip insert.
- 8 Fore-end inserts for sporter and heavy barrel included.

COMPATIBILITY CHART	SHORT ACTION CALIBERS			LONG ACTION CALIBERS		XL ACTION CALIBERS
	Bolt face "A" (.385") SHORT	Bolt face "B" (.480") STANDARD	Bolt face "C" (.550") SHORT MAGNUM	Bolt face "B" (.480") LONG STANDARD	Bolt face "C" (.550") LONG MAGNUM	Bolt face "D" (.600") SUPER MAGNUM
	204 Ruger, 222 Rem, 223 Rem, 5.56mm, 300 Whisper/ Blackout	22-250 Rem, 243 Win, 6 BR Norma, 6 Dasher, 6 Creedmoor, 6x47 Lapua, 6.5x47 Lapua, 6.5 Creedmoor, 260 Rem, 7mm-08 Rem, 308 Win	6.5 PRC, 270 WSM, 7 WSM, 300 WSM	220 Swift, 25-06 Rem, 6.5x55 Swedish, 270 Win, 30-06 SPRG	7 Rem Mag, 7 RUM, 28 Nosler, 300 Win Mag, 300 PRC, 300 RUM, 338 Win, 338 RUM	300 Norma Mag, 338 Norma Mag, 338 Lapua Mag
	MAG TYPE AICS DSSF 3.055"			MAG TYPE AICS SSSF 3.715", 3.775" or 3.850" CIP		MAG TYPE AICS SSSF 3.715", 3.775" or 3.850" CIP
	Cadex Defence®	CDX-SS SEVEN S.T.A.R.S.	CDX-SS SEVEN S.T.A.R.S., CDX-R7 SHP SA HUNTING	CDX-R7 SHP SA HUNTING	CDX-R7 SHP LA HUNTING	
Remington®	REM 700 SA			REM 700 LA		REM 700 LA
Tikka®		T3/T3x (CTR or AICS mags)	T3/T3x (AICS mags)			
Any Rem 700 Custom Clones	Contact Cadex to validate compatibility prior to order.					

MORE FEATURES  
Accessories table P. 54



Bottom view



Aluminum bedding blocks  
(No bedding required)



Rear view



\*Shown here in full black with a Rem 700 SPS and a 5 round magazine (not included)


Compatible  
optional accessories

HUNT 1/4" spacer kit (4)  
(#03127-A773-K4)

Universal 3.5" bipod rail  
(#03127-007-K1)



# BORN TO WIN




## STRIKE PRO



The Strike Pro is the latest addition to our extensive chassis line-up. It is the ultimate chassis for professional PRS shooters as well as for amateurs competing at regional matches. The Strike Pro combines all features needed for positional shooting games where every second matters. This competition chassis features a 17" long built-in Arca Elite System (AES) rail, 10 M-LOK mounting slots at 3, 6 and 9 o'clock, a barricade stop, our PRO folding tool-free adjustable rear stock, a multi-position adjustable trigger guard, tunable height ambidextrous extended magazine latch and rubberized vertical grip. Popular optional items such as M-LOK weights, right/left thumb rest and full length night vision bridge can be purchased separately.



See all colors available P. 35-36



COMPATIBILITY CHART	SHORT ACTION CALIBERS		
	Bolt face "A" (.385") SHORT	Bolt face "B" (.480") STANDARD	Bolt face "C" (.550") SHORT MAGNUM
	204 Ruger, 222 Rem, 223 Rem, 5.56mm, 300 Whisper/Blackout	22-250 Rem, 243 Win, 6 BR Norma, 6 Dasher, 6 Creedmoor, 6x47 Lapua, 6.5x47 Lapua, 6.5 Creedmoor, 260 Rem, 7mm-08 Rem, 308 Win	6.5 PRC, 270 WSM, 7 WSM, 300 WSM
	MAG TYPE AICS DSSF 3.055"		
Cadex Defence®	CDX-SS SEVEN S.T.A.R.S.	CDX-SS SEVEN S.T.A.R.S., CDX-R7 SHP SA	CDX-R7 SHP SA
Remington®	REM 700 SA		
Stiller®	PREDATOR SHORT, TAC-30		
Any Rem 700 Custom Clones	Contact Cadex to validate compatibility prior to order.		


### FEATURES/SPECIFICATIONS

- 1 New PRO tool-free fully adjustable butt stock.
- 2 Monopod rail or optional bean bag riders.
- 3 Adjustable folding hinge with offset cam to remove any possible free play.
- 4 Cadex vertical rubberized grip with forward/rearward adjustable trigger guard.
- 5 Optional right/left thumb rest kit - Not shown.
- 6 Adjustable height magazine latch for cartridge feeding fine-tuning.
- 7 Ambidextrous extended mag release.
- 8 Compatible with AICS pattern magazines or AW models if your action is AW compatible. Funnel magwell for faster mag change.
- 9 Right handed, short action calibers only.

- 10 Fits the Cadex CDX-SS SEVEN S.T.A.R.S., CDX-R7 SHP, all Rem 700 and most custom clones.
- 11 Ultra rigid one-piece monoblock lower receiver and fore-end made out of an aluminum billet.
- 12 Built-in barricade Stop.
- 13 Multiple colors available. Cerakote finish. (P.35-36)
- 14 Fully open top chassis. Optional 20 MOA full length night vision bridge available.
- 15 17" fore-end with built-in Arca Elite System (AES). Minimum flex fore-end, capable to secure up to 5.84 lbs of optional weights, for minimized recoil, optimum balance and rigidity.
- 16 10 M-LOK slots at 3, 6 and 9 o'clock.
- 17 Fits up to 1.250" diameter straight barrels.

### MORE FEATURES

- Accessories table P. 54



### Compatible optional accessories

<td><td></td><td></td><td></td><td></td></td>	<td></td> <td></td> <td></td> <td></td>						
M-LOK stackable weights (2) (#03127-949ML-K2)	PRO fore-end weights (3) (#03127-2017-K3)	M-LOK Flush cup adaptor (#03127-A174ML)	M-LOK Bipod/Sling adaptor (#03127-957ML)	M-LOK 3" modular rail (#03127-A078ML)	M-LOK 5" modular rail (#03127-A017ML)	M-LOK 3.5" aluminum bipod rail (#03127-A002ML)	M-LOK 9" bipod rail (#03127-K015ML)





# STRIKE NUKE EVO

The Cadex Strike Nuke Evo micro-chassis system is designed for shooters looking for traditional stock ergonomics while benefiting from the advantages of a chassis system. Gen2 improved design with M-LOK technology and high density fiberglass reinforced polymer. The Strike Nuke Evo stock fits the CDX-SS SEVEN S.T.A.R.S., the CDX-R7 Series actions, most Rem 700 custom action clones and some Tikka® models. The Strike Nuke Evo is Cerakote coated.

See all colors available P. 35-36

COMPATIBILITY CHART	RIMFIRES	SHORT ACTION CALIBERS			LONG ACTION CALIBERS			XL ACTION CALIBERS
	RIMFIRE	Bolt face "A" (.385") SHORT	Bolt face "B" (.480") STANDARD	Bolt face "C" (.550") SHORT MAGNUM	Bolt face "B" (.480") LONG STANDARD	Bolt face "C" (.550") LONG MAGNUM	Bolt face "D" (.600") SUPER MAGNUM	
	22 LR	204 Ruger, 222 Rem, 223 Rem, 5.56mm, 300 Whisper/Blackout	22-250 Rem, 243 Win, 6 BR Norma, 6 Dasher, 6 Creedmoor, 6x47 Lapua, 6.5x47 Lapua, 6.5 Creedmoor, 260 Rem, 7mm-08 Rem, 308 Win	6.5 PRC, 270 WSM, 7 WSM, 300 WSM	220 Swift, 25-06 Rem, 6.5x55 Swedish, 270 Win, 30-06 SPRG	7 Rem Mag, 7 RUM, 28 Nosler, 300 Win Mag, 300 PRC, 300 RUM, 338 Win, 338 RUM	300 Norma Mag, 338 Norma Mag, 338 Lapua Mag	
	MAG TYPE	MAG TYPE			MAG TYPE			MAG TYPE
	Vary based on action	AICS DSSF 3.055"			AICS SSSF 3.715", 3.775" or 3.850" CIP			AICS SSSF 3.715", 3.775" or 3.850" CIP
Cadex Defence®		CDX-SS SEVEN S.T.A.R.S.	CDX-SS SEVEN S.T.A.R.S., CDX-R7 SHP SA	CDX-R7 SHP SA	CDX-R7 SHP LA		CDX-R7 SHP LA	
Remington®		REM 700 SA			REM 700 LA			REM 700 LA
Stiller®		PREDATOR SHORT, TAC-30			PREDATOR LONG, TAC-300			
Tikka®	T1x (Rimfire)		T3/T3x (CTR or AICS mags)	T3/T3x (AICS mags)				
Vudoo®	V-22 Repeater							
Defiance Machine®		Contact Cadex to validate compatibility prior to order.						
Rem 700 Custom Clones		Contact Cadex to validate compatibility prior to order.						

## FEATURES/SPECIFICATIONS

- 1 Adjustable height recoil pad. Neoprene cheek rest.
- 2 Optional additional spacers to increase the length of pull. (L.O.P.: 13.5"-15.81") and/or 1<sup>5</sup>/<sub>16</sub>" spacer.
- 3 Tool-free spring loaded up and down cheek piece adjustment. Side to side adjustable.
- 4 Built-in flush cups for QD sling attachment (both sides).
- 5 Optional monopod rail or bean bag riders.
- 6 Optimized grip angle with comfortable thumb rest.
- 7 Oversized trigger guard and magazine release for easy manipulation with gloves.
- 8 Reinforced polymer trigger guard.
- 9 AICS magazine compatible.


## MORE FEATURES

- Accessories table P. 54

## Compatible optional accessories







FEATURES/SPECIFICATIONS

- 1

Fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.57")
- 2

Monopod rail or optional bean bag riders.
- 3

Reverse folding buttstock offers bolt handle protection and ultra-compact transport.
- 4

Finger-grooved Cadex rubberized grip.
- 5

Oversized trigger guard and magazine release for easy manipulation with gloves.
- 6

20 MOA full length dual top rail.
- 7

Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.
- 8

Detachable base provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of aluminum.
- 9

Optional centre accessory rail kit (2) - Not shown.
- 10

Spare screws.
- 11

Optional centre bipod rail.
- 12

Heavy Duty fore-end tube providing rail placement at 3, 6 and 9 o'clock.
- 13


Maximum barrel diameter 1.800".

MORE FEATURES

- Accessories table
- P. 54

DUAL STRIKE

Ultimate chassis system currently in use worldwide by Special Forces units and long range shooters. This is the most stable and ruggedized chassis system on the market. The Dual Strike chassis is built from aluminum billets to avoid any weakness commonly found in cheaper products using aluminum castings. It is the chassis model that holds the record for the longest sniper kill ever reported and the one against all other chassis are measured.



Available with Skeleton Stock

Multiple interchangeable magazine sleeves are available to fit most AICS magazines on the market

COMPATIBILITY CHART	RIMFIRES	SHORT ACTION CALIBERS			LONG ACTION CALIBERS		XL ACTION CALIBERS		
	RIMFIRE	Bolt face "A" (.385") SHORT	Bolt face "B" (.480") STANDARD	Bolt face "C" (.550") SHORT MAGNUM	Bolt face "B" (.480") LONG STANDARD	Bolt face "C" (.550") LONG MAGNUM	Bolt face "D" (.600") SUPER MAGNUM	BOLT FACE "E" (.670") SPECIALTY	BOLT FACE "F" (.825") SPECIALTY
	22 LR	204 Ruger, 222 Rem, 223 Rem, 5.56mm, 300 Whisper/Blackout	22-250 Rem, 243 Win, 6 BR Norma, 6 Dasher, 6 Creedmoor, 6x47 Lapua, 6.5x47 Lapua, 6.5 Creedmoor, 240 Rem, 7mm-08 Rem, 308 Win	6.5 PRC, 270 WSM, 7 WSM, 300 WSM	220 Swift, 25-06 Rem, 6.5x55 Swedish, 270 Win, 30-06 SPRG	7 Rem Mag, 7 RUM, 28 Nosler, 300 Win Mag, 300 PRC, 300 RUM, 338 Win, 338 RUM	300 Norma Mag, 338 Norma Mag, 338 Lapua Mag	375 EnABELR, 375 CT, 408 CT	416 Barrett®, 50 BMG
	MAG TYPE	MAG TYPE			MAG TYPE		MAG TYPE	MAG TYPE	MAG TYPE
	Vary based on action	AICS DSSF 3.055"			AICS SSSF 3.715", 3.775" or 3.850" CIP		AICS SSSF 3.715", 3.775" or 3.850" CIP	CADEX DSSF magazines	CADEX SSSF magazines
Cadex Defence®								CDX-40 SHDW	CDX-50 TREMOR®
Remington®		REM 700 SA (6-48)			REM 700 LA (6-48)		REM 700 LA (8-40)		
Stiller®		PREDATOR SHORT (6-48), TAC-30 (8-40)			PREDATOR LONG (6-48), TAC-300 (8-40)		TAC-338 (8-40)	TAC-408	
Surgeon®		S91			1086		1581XL		
McMillan®									TAC-50 (Cadex MAG2538D or McMillan® mags)
Vudoo®	V-22 Repeater								
Defiance Machine®			REBEL SA		REBEL LA				
Rem 700 Custom Clones	Contact Cadex to validate compatibility prior to order.								

NSN#: 1005-20-009-7990 (for STKDL-MCM-RH-50)

Compatible optional accessories

Monopod kit  
(#03127-A500)

Monopod rail with flush cup  
(#03127-A173-K1)

Buttstock spacer 1 1/2"  
(#03127-265-K1)  
(NSN#: 1005-20-010-6213)

ELR bag rider  
(#03127-950-K1)

Bean bag rider  
(#03127-269-K1)

9" bipod rail  
(#03127-K015)  
\*10-32 models only

Centre bipod rail  
(#03127-A019)

Centre accessory rail kit  
(#03127-A083-K2)

Cadex vertical grip  
(#03127-2007-BLK)

Arca tripod adaptor  
(#03127-960-K1)

RC2 tripod adaptor  
(#03127-962-K1)

AES Picatinny rail kit  
(#AES-PRK431)

10-32 weights  
(#03127-921-K2)

Spare  
magazines

Falcon QD  
(#7431-K015)

Falcon Lite SP  
(#7431-K102SP)

See all colors available P. 35-36





FEATURES/SPECIFICATIONS

- 1

Fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.57")
- 2

Monopod rail or optional bean bag riders.
- 3

Reverse folding buttstock offers bolt handle protection and ultra-compact transport.
- 4

Finger-grooved Cadex rubberized grip.
- 5

Oversized trigger guard and magazine release for easy manipulation with gloves.
- 6

20 MOA full length top rail.
- 7

Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.
- 8

Detachable base provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of aluminum.
- 9

Optional centre accessory rail kit (2) - Not shown.
- 10

Spare screws.
- 11

Optional centre bipod rail.
- 12

Heavy Duty fore-end tube providing rail placement at 3, 6 and 9 o'clock.
- 13

Maximum barrel diameter 1.350".

MORE FEATURES

- Accessories table
- P. 54

LITE STRIKE

The Lite Strike is the refinement of our Dual Strike flagship model. It is the same chassis system but with emphasis on weight reduction. The Lite Strike is exactly 1 pound lighter than its predecessor and features a smaller contour fore-end tube with the same rail capabilities. Its versatility makes it very popular among worldwide special forces units as it suits perfectly the various models of 7.62x51 and 338 Lapua Mag sniper rifles they deploy with.



COMPATIBILITY CHART	SHORT ACTION CALIBERS			LONG ACTION CALIBERS		XL ACTION CALIBERS
	Bolt face "A" (.385") SHORT	Bolt face "B" (.480") STANDARD	Bolt face "C" (.550") SHORT MAGNUM	Bolt face "B" (.480") LONG STANDARD	Bolt face "C" (.550") LONG MAGNUM	Bolt face "D" (.600") SUPER MAGNUM
	204 Ruger, 222 Rem, 223 Rem, 5.56mm, 300 Whisper/ Blackout	22-250 Rem, 243 Win, 6 BR Norma, 6 Dasher, 6 Creedmoor, 6x47 Lapua, 6.5x47 Lapua, 6.5 Creedmoor, 260 Rem, 7mm-08 Rem, 308 Win	6.5 PRC, 270 WSM, 7 WSM, 300 WSM	220 Swift, 25-06 Rem, 6.5x55 Swedish, 270 Win, 30-06 SPRG	7 Rem Mag, 7 RUM, 28 Nosler, 300 Win Mag, 300 PRC, 300 RUM, 338 Win, 338 RUM	300 Norma Mag, 338 Norma Mag, 338 Lapua Mag
	MAG TYPE AICS DSSF 3.055"			MAG TYPE AICS SSSF 3.715", 3.775" or 3.850" CIP		MAG TYPE AICS SSSF 3.715", 3.775" or 3.850" CIP
	Cadex Defence®	CDX-SS SEVEN S.T.A.R.S.,	CDX-SS SEVEN S.T.A.R.S., CDX-R7 SHP SA, CDX-30	CDX-R7 SHP SA, CDX-30	CDX-R7 SHP LA	CDX-R7 SHP LA, CDX-300
Remington®	REM 700 SA (6-48)			REM 700 LA (6-48)		REM 700 LA (8-40)
Stiller®	PREDATOR SHORT (6-48), TAC-30 (8-40)			PREDATOR LONG (6-48), TAC-300 (8-40)		TAC-338 (8-40)
Tikka®	T3/T3x (Tikka mags)	T3/T3x (Tikka, CTR or AICS mags)	T3/T3x (Tikka or AICS mags)	T3/T3x (Tikka mags)		
Savage Arms®	Discontinued, contact Cadex for availability. Model 10/11/12 Varmint/14/16/110/111/114/116.					

NSN#: 1005-20-011-2714 (for STKLT-PGW-RH-LA)

Compatible optional accessories

Monopod kit (#03127-A500)

Monopod rail with flush cup (#03127-A173-K1)

Buttstock spacer 1 1/4" (#03127-265-K1)  
(NSN#: 1005-20-010-6213)

ELR bag rider (#03127-950-K1)

Bean bag rider (#03127-269-K1)

9" bipod rail (#03127-K015)

Centre bipod rail (#03127-A019)

Centre accessory rail kit (#03127-A083-K2)

Cadex vertical grip (#03127-2007-BLK)

Arca tripod adaptor (#03127-960-K1)

RC2 tripod adaptor (#03127-962-K1)

AES Picatinny rail kit (#AES-PRK431)


10-32 weights (#03127-921-K2)

Spare magazines

Falcon QD (#7431-K015)

Falcon Lite SP (#7431-K102SP)





LITE COMPETITION

The Lite Competition chassis features an open top design to easily adapt most Rem 700 custom clone actions. Perfect for custom actions with integrated top rail, it incorporates a longer mirage mitigation technology fore-end for more bipod placement possibilities. The fore-end tube is compatible with an infinite selection of M-LOK accessories. Perfect for custom rifle builds and PRS competitions, it combines lots of features required by the most demanding shooters in a folding stock configuration.

M-LOK

AICS

FOLDING STOCK

See all colors available P. 35-36

COMPATIBILITY CHART	RIMFIRES	SHORT ACTION CALIBERS			LONG ACTION CALIBERS		XL ACTION CALIBERS
	RIMFIRE	Bolt face "A" (.385") SHORT	Bolt face "B" (.480") STANDARD	Bolt face "C" (.550") SHORT MAGNUM	Bolt face "B" (.480") LONG STANDARD	Bolt face "C" (.550") LONG MAGNUM	Bolt face "D" (.600") SUPER MAGNUM
	22 LR	204 Ruger, 222 Rem, 223 Rem, 5.56mm, 300 Whisper/ Blackout	22-250 Rem, 243 Win, 6 BR Norma, 6 Dasher, 6 Creedmoor, 6x47 Lapua, 6.5x47 Lapua, 6.5 Creedmoor, 260 Rem, 7mm-08 Rem, 308 Win	6.5 PRC, 270 WSM, 7 WSM, 300 WSM	220 Swift, 25-06 Rem, 6.5x55 Swedish, 270 Win, 30-06 SPRG	7 Rem Mag, 7 RUM, 28 Nosler, 300 Win Mag, 300 PRC, 300 RUM, 338 Win, 338 RUM	300 Norma Mag, 338 Norma Mag, 338 Lapua Mag
	MAG TYPE Vary based on action	MAG TYPE AICS DSSF 3.055"			MAG TYPE AICS SSSF 3.715", 3.775" or 3.850" CIP		MAG TYPE AICS SSSF 3.715", 3.775" or 3.850" CIP
	Cadex Defence®	CDX-SS SEVEN S.T.A.R.S.	CDX-SS SEVEN S.T.A.R.S., CDX-R7 SHP SA	CDX-R7 SHP SA	CDX-R7 SHP LA		CDX-R7 SHP LA
Remington®	REM 700 SA (6-48)			REM 700 LA (6-48)		REM 700 LA (8-40)	
Stiller®	PREDATOR SHORT (6-48), TAC-30 (8-40)			PREDATOR LONG (6-48), TAC-300 (8-40)		TAC-338 (8-40)	
Surgeon®	591			1086			
Tikka®	T1x (Rimfire)	T3/T3x (Tikka mags)	T3/T3x (Tikka, CTR or AICS mags)	T3/T3x (Tikka or AICS mags)	T3/T3x (Tikka mags)		
Vudoo®	V-22 Repeater						
Defiance Machine®	Contact Cadex to validate compatibility prior to order.						
Rem 700 Custom Clones	Contact Cadex to validate compatibility prior to order.						
Savage Arms®	Discontinued, contact Cadex for availability. Model 10/11/12 Varmint/14/16/110/111/114/116.						



Multiple interchangeable magazine sleeves are available to fit most AICS magazines on the market

FEATURES/SPECIFICATIONS

- 1 Tool-free fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.25")
- 2 Monopod rail or optional bean bag riders.
- 3 Reverse folding buttstock offers bolt handle protection and ultra-compact transport.
- 4 Finger-grooved Cadex rubberized grip.
- 5 Oversized trigger guard and magazine release for easy manipulation with gloves.
- 6 Optic can be mounted directly on the action using traditional scope bases, built-in action rail or optional Picatinny rail.
- 7 Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.
- 8 Detachable base provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of aluminum.
- 9 AICS magazine compatible.

MORE FEATURES


Accessories table P. 54



- 10 Optional centre accessory rail kit (2) - Not shown.
- 11 Spare screws.
- 12 Optional centre bipod rail.
- 13 A: Optional M-LOK bipod/sling adaptor. B: Optional M-LOK aluminum bipod rail. C: Optional M-LOK flush cup adaptor - Not shown (P.90).
- 14 M-LOK competition fore-end tube featuring mirage mitigation technology. Longer tube for even more bipod positioning and stability.
- 15 Maximum barrel diameter 1.350".

Compatible optional accessories





**MORE FEATURES**  
Accessories table **P. 54**



FEATURES/SPECIFICATIONS

- 1** Tool-free fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.25")

**2** Cleaning rod opening for easier cleaning.

**3** Monopod rail or optional bean bag riders.

**4** Finger-grooved Cadex rubberized grip.

**5** Oversized trigger guard and magazine release for easy manipulation with gloves.
- 6** Optic can be mounted directly on the action using traditional scope bases, built-in action rail or optional Picatinny rail.

**7** Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

**8** Detachable base provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of polymer (most models).

**9** AICS magazine compatible.
- 10** Optional centre accessory rail kit (2) - Not shown.

**11** Optional centre bipod rail (2018 and up production only).

**12** A: Optional M-LOK bipod/sling adaptor.  
B: Optional M-LOK aluminum bipod rail.  
C: Optional M-LOK flush cup adaptor - Not shown (P.90).

**13** M-LOK competition fore-end tube featuring mirage mitigation technology. Longer tube for even more bipod positioning and stability.

**14** Maximum barrel diameter 1.350".

FIELD COMPETITION

The Field Competition chassis features an open top design to easily adapt most Rem 700 custom clone actions. Perfect for custom actions with integrated top rail, it incorporates a longer mirage mitigation technology fore-end for more bipod placement possibilities. The fore-end tube is compatible with an infinite selection of M-LOK accessories. Perfect for custom rifle builds and PRS competitions, it combines lots of features required by the most demanding shooters in a more economical fixed stock configuration.

M-LOK

AICS

FIXED STOCK

COMPATIBILITY CHART	RIMFIRES	SHORT ACTION CALIBERS			LONG ACTION CALIBERS		XL ACTION CALIBERS
	RIMFIRE	Bolt face "A" (.385") SHORT	Bolt face "B" (.480") STANDARD	Bolt face "C" (.550") SHORT MAGNUM	Bolt face "B" (.480") LONG STANDARD	Bolt face "C" (.550") LONG MAGNUM	Bolt face "D" (.600") SUPER MAGNUM
	22 LR	204 Ruger, 222 Rem, 223 Rem, 5.56mm, 300 Whisper/ Blackout	22-250 Rem, 243 Win, 6 BR Norma, 6 Dasher, 6 Creedmoor, 6x47 Lapua, 6.5x47 Lapua, 6.5 Creedmoor, 260 Rem, 7mm-08 Rem, 308 Win	6.5 PRC, 270 WSM, 7 WSM, 300 WSM	220 Swift, 25-06 Rem, 6.5x55 Swedish, 270 Win, 30-06 SPRG	7 Rem Mag, 7 RUM, 28 Nosler, 300 Win Mag, 300 PRC, 300 RUM, 338 Win, 338 RUM	300 Norma Mag, 338 Norma Mag, 338 Lapua Mag
	MAG TYPE	MAG TYPE			MAG TYPE		MAG TYPE
	Vary based on action	AICS DSSF 3.055"			AICS SSSF 3.715", 3.775" or 3.850" CIP		AICS SSSF 3.715", 3.775" or 3.850" CIP
Cadex Defence®		CDX-SS SEVEN S.T.A.R.S.	CDX-SS SEVEN S.T.A.R.S., CDX-R7 SHP SA	CDX-R7 SHP SA	CDX-R7 SHP LA		CDX-R7 SHP LA
Remington®		REM 700 SA (6-48)			REM 700 LA (6-48)		REM 700 LA (8-40)
Stiller®		PREDATOR SHORT (6-48), TAC-30 (8-40)			PREDATOR LONG (6-48), TAC-300 (8-40)		TAC-338 (8-40)
Surgeon®		591			1086		
Tikka®	T1x (Rimfire)	T3/T3x (Tikka mags)	T3/T3x (Tikka, CTR or AICS mags)	T3/T3x (Tikka or AICS mags)	T3/T3x (Tikka mags)		
Vudoo®	V-22 Repeater						
Defiance Machine®		Contact Cadex to validate compatibility prior to order.					
Rem 700 Custom Clones		Contact Cadex to validate compatibility prior to order.					
Savage Arms®		Discontinued, contact Cadex for availability. Model 10/11/12 Varmint/14/16/110/111/114/116.					

Compatible optional accessories

See all colors available P. 35-36





FEATURES/SPECIFICATIONS

- 1

Tool-free fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.25")
- 2

Cleaning rod opening for easier cleaning.
- 3

Monopod rail or optional bean bag riders.
- 4

Finger-grooved Cadex rubberized grip.
- 5

Oversized trigger guard and magazine release for easy manipulation with gloves.
- 6

Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.
- 7

AICS magazine compatible.
- 8

Detachable base provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of aluminum.
- 9

20 MOA full length top rail.
- 10

Optional centre accessory rail kit (2) - Not shown.
- 11

Small contour fore-end tube providing rail placement at 3, 6 and 9 o'clock.
- 12


Maximum barrel diameter 1.350".

MORE FEATURES

- Accessories table
- P. 54

FIELD TACTICAL

The Field Tactical is a top choice for Law Enforcement units requiring a chassis system with full rail capability at a decent price point. It features a full length 20 MOA top rail and accessory rails at 3, 6 and 9 o'clock. The Field Tactical uses a fixed stock which makes it more budget friendly.



Multiple interchangeable magazine sleeves are available to fit most AICS magazines on the market

COMPATIBILITY CHART	SHORT ACTION CALIBERS			LONG ACTION CALIBERS		XL ACTION CALIBERS
	Bolt face "A" (.385") <b>SHORT</b>	Bolt face "B" (.480") <b>STANDARD</b>	Bolt face "C" (.550") <b>SHORT MAGNUM</b>	Bolt face "B" (.480") <b>LONG STANDARD</b>	Bolt face "C" (.550") <b>LONG MAGNUM</b>	Bolt face "D" (.600") <b>SUPER MAGNUM</b>
	204 Ruger, 222 Rem, 223 Rem, 5.56mm, 300 Whisper/Blackout	22-250 Rem, 243 Win, 6 BR Norma, 6 Dasher, 6 Creedmoor, 6x47 Lapua, 6.5x47 Lapua, 6.5 Creedmoor, 260 Rem, 7mm-08 Rem, 308 Win	6.5 PRC, 270 WSM, 7 WSM, 300 WSM	220 Swift, 25-06 Rem, 6.5x55 Swedish, 270 Win, 30-06 SPRG	7 Rem Mag, 7 RUM, 28 Nosler, 300 Win Mag, 300 PRC, 300 RUM, 338 Win, 338 RUM	300 Norma Mag, 338 Norma Mag, 338 Lapua Mag
	<b>MAG TYPE</b> AICS DSSF 3.055"			<b>MAG TYPE</b> AICS SSSF 3.715", 3.775" or 3.850" CIP		<b>MAG TYPE</b> AICS SSSF 3.715", 3.775" or 3.850" CIP
	Cadex Defence®	CDX-SS SEVEN S.T.A.R.S.	CDX-SS SEVEN S.T.A.R.S., CDX-R7 SHP SA, CDX-30	CDX-R7 SHP SA, CDX-30	CDX-R7 SHP LA, CDX-R7 SHP LA, CDX-300	CDX-R7 SHP LA, CDX-33
Remington®	REM 700 SA (6-48)			REM 700 LA (6-48)		REM 700 LA (8-40)
Stiller®	PREDATOR SHORT (6-48), TAC-30 (8-40)			PREDATOR LONG (6-48), TAC-300 (8-40)		TAC-338 (8-40)
Tikka®	T3/T3x (Tikka mags)	T3/T3x (Tikka, CTR or AICS mags)	T3/T3x (Tikka or AICS mags)	T3/T3x (Tikka mags)		
Savage Arms®	Discontinued, contact Cadex for availability. Model 10/11/12 Varmint/14/16/110/111/114/116.					

Compatible optional accessories

Monopod kit  
(#03127-A500)

Monopod rail with flush cup  
(#03127-A173-K1)

Buttstock spacer 1 1/4"  
(#03127-265-K1)  
(NSN#: 1005-20-010-6213)

ELR bag rider  
(#03127-950-K1)

Bean bag rider  
(#03127-269-K1)

9" bipod rail  
(#03127-K015)

Centre bipod rail  
(#03127-A019)

Centre accessory rail kit  
(#03127-A083-K2)

Cadex vertical grip  
(#03127-2007-BLK)

Arca tripod adaptor  
(#03127-960-K1)

RC2 tripod adaptor  
(#03127-962-K1)

AES Picatinny rail kit  
(#AES-PRK431)

10-32 weights  
(#03127-921-K2)

Spare magazines

Falcon QD  
(#7431-K015)

Falcon Lite SP  
(#7431-K102SP)

See all colors available P. 35-36



# LEFT HANDED MODELS



Same features as our standard chassis, but for the left handed shooters.

Available for Remington® 700, Stiller®, Tikka® T3/T3X, Defiance® and most Rem 700 clones. (See appropriate chassis spec chart)

# DISCONTINUED MODELS



Field Core

Tactical Core




Field QD  
NSN#: 1005-20-010-7529 (for STKFQD-CTR-RH-SA-ORG)



OT Core

# FEATURES & COMPATIBLE ACCESSORIES

		BUTTSTOCK MODEL				BUTTSTOCK FEATURES				BUTTSTOCK COMPATIBLE ITEMS						CHASSIS COMPATIBLE ITEMS						COMPATIBLE RAILS & ADAPTORS												
		CADEX STOCK	SKELETON STOCK	PRO STOCK	TAKEDOWN STOCK	MICRO-CHASSIS	ADJUSTABLE BUTT PAD	ADJUSTABLE CHEEK REST	ADJUSTABLE LENGTH OF FULL	STANDARD MONOPOD RAIL	BUTTSTOCK SPACER 1.5/16"	BUTTSTOCK SPACERS KIT 1/4"	MONOPOD KIT	MONOPOD RAIL WITH FLUSH CUP	BUTTSTOCK SLING ADAPTOR	BEAN BAG RIDER	ELR BAG RIDER	ARCA TRIPOD ADAPTOR	RC2 TRIPOD ADAPTOR	CENTRE BIPOD RAIL	CENTRE ACCESSORY RAIL KIT (2)	NIGHT VISION CAPABILITY	CADEX VERTICAL GRIP	QD FLUSH CUP ADAPTOR	BIPOD SLING ADAPTOR	ARCA ELITE SYSTEM (AES)	3.5" BIPOD PICATINNY RAIL	5" MODULAR PICATINNY RAIL	9" PICATINNY BIPOD RAIL	UNIVERSAL 3.5" BIPOD PICATINNY RAIL	FORE-END WEIGHTS			
CHASSIS MODELS																																		
FOLDING STOCK	DUAL STRIKE (STKDL)	•	Optional				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	•	10-32 option	•	•	•	10-32 option		10-32 option			
	LITE STRIKE (STKLT)	•	Optional				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	•	10-32 option	•	•	•	10-32 option		10-32 option			
	LITE COMPETITION (STKLCP)		•				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option		M-LOK option			
	STRIKE PRO (STKPRO)			•			•	•	•	•		Optional		Optional	Optional	Optional	Optional	Built-in				Optional	•	M-LOK option	M-LOK option	Built-in	M-LOK option	M-LOK option	M-LOK option	M-LOK option		M-LOK option		
FIXED STOCK	FIELD TACTICAL (STKFT)		•				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	•	10-32 option	•	•	•	10-32 option		10-32 option			
	FIELD COMPETITION (STKFCP)		•				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option		M-LOK option			
	STRIKE NUKE (STKNUK)					•	•	•	Spacers option	Optional	Optional	Optional		Optional	Optional	Optional				Optional		M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option		M-LOK option		M-LOK option			
	TUNDRA STRIKE (STKTUN)					•			Spacers option			Optional												•							Optional			
RIFLE MODELS																																		
FOLDING STOCK	CDX-SS SEVEN S.T.A.R.S. PRO			•			•	•	•	•		Optional		Optional	Optional	Optional	Optional	Built-in			Optional	•	M-LOK option	M-LOK option	Built-in	M-LOK option	M-LOK option	M-LOK option	M-LOK option		M-LOK option		M-LOK option	
	CDX-SS SEVEN S.T.A.R.S. COVERT			•			•	•	•	•		Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	M-LOK option	M-LOK option	•	•	•	M-LOK option		M-LOK option		M-LOK option	
	CDX-R7 LCP (LITE COMP)		•				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option		M-LOK option		M-LOK option		
	CDX-MC KRAKEN® (MULTI-CALIBER)	•	Optional				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	•	10-32 option	•	•	•	10-32 option		10-32 option		10-32 option	
	CDX-30/300/33 LITE	•	Optional				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	•	10-32 option	•	•	•	10-32 option		10-32 option		10-32 option	
	CDX-40 SHDW	•	Optional				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	•	Optional	•	Steel	•				10-32 option		
	CDX-50 TREMOR®	•	Optional				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	•	Optional	•	Steel	•				10-32 option		
FIXED STOCK	CDX-R7 CRBN (CARBON)					•			Spacers option			Optional												•							Optional			
	CDX-R7 SPTR (SPORTER)					•			Spacers option			Optional												•							Optional			
	CDX-R7 SHP					•	•	•	Spacers option	Optional	Optional	Optional		Optional	Optional	Optional				Optional		M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option		M-LOK option		M-LOK option		
	CDX-R7 FCP (FIELD COMP)		•				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option	M-LOK option		M-LOK option		M-LOK option		
	CDX-30/300/33 TAC		•				•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	•	10-32 option	•	•	•	10-32 option		10-32 option		10-32 option
TAKE-DOWN	CDX-R7 CPS (C.O.P.S.)			•			•	•	•	•	Optional		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	•	Optional	•	•	10-32 option	•	•	•	10-32 option		10-32 option		10-32 option	

Discontinued models, but still available on request while supplies last. Remington® 700, Savage Arms®, Sako® TRG, etc.

Contact Cadex for more information and specifications.




# MODULAR SYSTEM

Transform your hunting rifle into a precision rifle



Before (100y.)



After (100y.)



- Accuracy improvement
- Increased stability
- Fits any AR style buttstock
- Fits most AR style grips
- Detachable magazine
- Reduces felt recoil
- 20 MOA rail for long distance shots
- Improved ergonomics
- Multiple accessory rails



Example of compatible accessories

# ACCESSORIES

## CADEX RUBBERIZED GRIP

SPECIFICATIONS

Part#: 03127-1075-BLK

Dimensions:  
3.38" x 1.8" x 4.13"  
8.59 x 4.57 x 10.49 cm

Weight (±) : 0.2 lbs | 91 grams

Material: Rubber



Featuring the CDX logo



## CADEX VERTICAL GRIP

SPECIFICATIONS

Part#: 03127-2007-BLK

Dimensions:  
2.53" x 1.77" x 4.13"  
6.43 x 4.5 x 10.49 cm

Weight (±) : 0.22 lbs | 102 grams

Material: Rubber

\*If installed on a 16.5" barrel rifle, make sure to check your local minimum overall length regulations.

Featuring the CDX logo



## CADEX RECOIL PADS

### SPECIFICATIONS

Standard buttstock  
Part#: 175-00087-BLK

TUNDRA/PRO buttstock  
Part#: 03127-934-K1

Featuring the CDX logo



Standard buttstock



TUNDRA/PRO buttstock

# BUTTSTOCK FEATURES

and optional accessories

## CADEX ORIGINAL BUTTSTOCK



Pinch tabs to adjust cheek piece height



Reverse folding

Tool-free adjustable cheek rest

Tool-free adjustable butt pad

Free-play adjustable hinge

Tool-free adjustable length of pull



## CADEX SKELETON BUTTSTOCK

Tool-free adjustable butt pad

Cleaning rod opening

Tool-free adjustable cheek rest

Fixed stock or folding stock available

Tool-free adjustable length of pull

Monopod rail or optional bean bag rider




Tool-free knob retrofit kit  
Part#: 03127-A299-K1



## CADEX PRO BUTTSTOCK

The Cadex PRO buttstock is the latest addition to our line-up of tool-free adjustable buttstocks that equips our rifles and chassis systems. It allows the shooter to rapidly adjust the length of pull, cheek riser height and butt plate positioning without any tools. The dimension of the butt stock has been slightly reduced and unnecessary weight has been removed. It also features our battle-proven reverse folding stock mechanism and its free-play adjustable hinge system which uses an off-set cam to prevent loosening that may develop over time. The PRO buttstock is compatible with every Cadex rifles\* and chassis equipped with a folding hinge and is offered in two variants depending on the action model.

\*Except CDX-50 Tremor®



Compatible with up to four 1/4" spacers

Tool-free adjustable cheek rest

Free-play adjustable hinge

Reverse folding buttstock

Tool-free adjustable length of pull

Standard monopod rail

Tool-free adjustable butt pad



### BUTTSTOCK RETROFIT KIT COMPATIBLE ACTIONS

Part#: 03127-A2058-K1

- CDX-R7 LITE/LCP

Part#: 03127-A2050-K1

- CDX-SS PRO/COVERT
- CDX-30/300/33 LITE
- CDX-40 SHDW
- CDX-MC KRAKEN®



# BARREL SELECTION

In order to offer the best extreme range SUB-MOA precision rifles, we selected some of the best barrels on the market. Every barrel design has its strengths and weaknesses, we coupled each specific barrel to a specific application. The ELR shooter is looking for an heavy and extremely stiff bull barrel capable to give him the extreme range stability that he's looking for. The weekend shooting range enthusiast is looking for the "best bang for your buck" barrel capable of consistently producing tight groups while remaining stable under heat. The back country hunter is looking for a lightweight hunting profiled barrel capable to deliver one perfectly placed shot. If you select the right barrel for the right application you won't be disappointed by any of these top of the line picks.



**CADEX BARRELS** (Button rifling)

After years of making barrels from steel blank of various barrel makers, we realized that it was not rocket science and once equipped with the best machines, we'd be able to produce the best barrels. A million dollar investment later, we are producing our own barrels in-house using state-of-the-art equipment from Unisig USA. We are not using some old refurbished 1950's Pratt & Whitney gun drills like most other barrel makers, we are talking here about the latest technology in deep hole drilling producing the tightest tolerances in the industry. Our barrels are drilled in one single operation, stress relieved for stability, contoured, chambered and fluted on CNC machines, lapped and "air gap" tested for concentricity to finish. Our in-house barrels don't have anything to envy to the barrels that we were sourcing for years. These are guaranteed to produce sub-MOA groups with quality match grade ammo.



**BARTLEIN® BARRELS** (Single point cut)

Bartlein® barrels are known to use the most advanced single point cut rifling process in the industry. Their barrels are top notch and there's a good chance that their performance will outshoot your shooting skills, at least in the early stage of your shooting learning curve. When you buy a Bartlein®, you buy the peace of mind. Backed by their great reputation, you know that if something ever goes wrong with your rifle, there's very low chances that it will come from your barrel. We equip most of our rifles with Bartlein® barrels because it's a guarantee of quality.



**BARTLEIN® BARRELS** (Carbon fiber)

Bartlein® carbon fiber wrapped barrels are everything you would expect from a Bartlein® barrel. They produce exceptional performance and consistency. Carbon wrapped barrels are about 25% lighter than conventional stainless steel barrels of the same contour. We selected the 5R single point cut rifling technology for easier cleaning and reduced projectile deformation. Oriented strand wrapping technique produces the most consistent barrels on the market. If you are looking for the stability of a bull barrel without the extra weight, the Bartlein® carbon fiber barrel is the perfect choice.



# BARRELED ACTIONS

Cadex is known to produce the best chassis systems on the market. Our quality has no match among the industry but we understand that some customers may not have the same budget and needs as the military. Some also prefer the feel and look of a good old fashion fiberglass stock even if the build process is way more complex than a bolt-on chassis system. Others prefer to inlet their own wood stocks... This is why Cadex is offering barreled actions.

Barreled actions are available on request and since variants are almost infinite, we recommend that you contact our customer service department to find answers to your questions. Our staff are both feet in it every day, they will be able to provide you with professional advices to insure the success of your new project.

If we offer it as a complete rifle, then it is available as a barreled action.

**BARREL SELECTION**

- Cadex Button Rifling straight taper fluted Match Grade Barrels
- Bartlein® Single Point Cut Rifling straight taper fluted Match Grade Barrels
- Bartlein® Carbon Fiber Barrels (for the CDX-R7 CRBN & SPTR hunting actions only)

ACTION MODEL	ACTION TYPE	FOOTPRINT	DIAMETER	BOLT TYPE	BARREL TYPE	MATERIAL	TYPE	PROFILE	FLUTING
CDX-SS SEVEN S.T.A.R.S.	REPEATER	REM 700	1.350"	Fast 3 lug 60° bolt throw bolt design. Perfect for PRS competitions. (See all specs at P.59)	BARTLEIN	STAINLESS	SINGLE POINT CUT	SEMI-BULL	YES
CDX-R7 HUNTING SERIES	REPEATER	REM 700	1.350"	Fast 3 lug 60° bolt throw bolt design. Perfect for PRS competitions. (See all specs at P.60)	CADEX	STAINLESS	BUTTON RIFLING	SPORTER	YES
CDX-R7 HUNTING SERIES	REPEATER	REM 700	1.350"	Fast 3 lug 60° bolt throw bolt design. Perfect for PRS competitions. (See all specs at P.60)	BARTLEIN	STAINLESS	SINGLE POINT CUT	SPORTER	YES
CDX-R7 HUNTING SERIES	REPEATER	REM 700	1.350"	Fast 3 lug 60° bolt throw bolt design. Perfect for PRS competitions. (See all specs at P.60)	BARTLEIN CARBON FIBER	CARBON FIBER	SINGLE POINT CUT	SEMI-BULL	NO
CDX-R7 SERIES	REPEATER	REM 700	1.350"	Ultra-fast 4 lug 50° bolt throw fat bolt design. Perfect for PRS competitions. (See all specs at P.60)	CADEX	STAINLESS	BUTTON RIFLING	SEMI-BULL	YES
CDX-R7 SERIES	REPEATER	REM 700	1.350"	Ultra-fast 4 lug 50° bolt throw fat bolt design. Perfect for PRS competitions. (See all specs at P.60)	BARTLEIN	STAINLESS	SINGLE POINT CUT	SEMI-BULL	YES
CDX-30/300/33 SERIES	REPEATER	CADEX	1.550"	3 lug 60° short bolt throw Sako® style. Extremely rigid, smooth and stylish. (See all specs at P.61)	BARTLEIN	STAINLESS	SINGLE POINT CUT	BULL BARREL	YES
CDX-40 SERIES	REPEATER	CADEX	1.600"	3 lug 60° short bolt throw fat bolt design. (See all specs at P.62)	BARTLEIN	STAINLESS	SINGLE POINT CUT	BULL BARREL	YES
CDX-40 SERIES	SINGLE SHOT	CADEX	1.600"	3 lug 60° short bolt throw fat bolt design. (See all specs at P.62)	BARTLEIN	STAINLESS	SINGLE POINT CUT	HEAVY BULL BARREL	NO
CDX-50 TREMOR®	REPEATER	CADEX	1.960"	4 lug 50° short bolt throw fat bolt design. Strongest 50 BMG repeater action on the market due to its single stack magazine. (See all specs at P.62)	BARTLEIN	STAINLESS	SINGLE POINT CUT	BULL BARREL	YES
CDX-50 TREMOR®	SINGLE SHOT	CADEX	1.960"	4 lug 50° short bolt throw fat bolt design. (See all specs at P.62)	BARTLEIN	STAINLESS	SINGLE POINT CUT	HEAVY BULL BARREL	NO





# CDX-SS SEVEN S.T.A.R.S.

Rem 700 footprint - Custom actions

## DLC COATING



"A" group bolt face  
(Ø 0.385") 3 lug - 60°

"B" group bolt face  
(Ø 0.480") 3 lug - 60°

Bolt shown with the standard  
round bolt knob


## RECEIVER

- Machining: CNC and wire EDM
- Material: Stainless 416
- Length: 7.855"
- Diameter: 1.350"
- Thread: 1½" - 18 TPI
- Hardness: 41-43 HRC
- Deep laser engraving markings
- Cerakote finish (see colors P. 35-36)
- .250" hardened steel recoil lug
- 20 MOA stainless steel top rail with unique localization system machined into the action upper section
- Cadex proprietary bolt stop
- 8-40 top rail screws
- Short Action AICS DSSF 3.055"
- Perfect Rem 700 footprint (no modification required)
- Compatible with the Cadex DX2 Evo trigger or some Rem Style aftermarket triggers

## BOLT

- Machining: CNC
- Material: Stainless 416
- Cadex heavy duty extractor
- Ejector: Rem Style
- Hardness: 43-45 HRC
- Standard round bolt knob (optional tactical bolt knob sold separately - low profile hunting knob available on request)
- Shroud with cocking indicator
- Multiple bolt faces available: Type A (.385"), B (.480")
- DLC coated spiral fluted 3 lug bolt with 60° bolt throw
- Optimized for most popular PRS competition calibers such as 6 BR Norma, 6 Dasher, 6 Creedmoor, 6.5 Creedmoor up to 308 Win

Visit our website to download the barrel shank drawing: [www.cadexdefence.com](http://www.cadexdefence.com)



# CDX-R7 SERIES

Rem 700 footprint - Custom actions

## DLC COATING



"B" group bolt face  
(Ø 0.480") 4 lug - 50°

"C" group bolt face  
(Ø 0.550") 4 lug - 50°

"D" group bolt face  
(Ø 0.600") 4 lug - 50°

Interchangeable top rails with unique localization  
system machined into the upper section

## RECEIVER

- Machining: CNC
- Material: Stainless 416
- Short Action length: 7.85"  
Long Action length: 8.70"
- Diameter: 1.350"
- Thread: 1½" - 18 TPI
- Hardness: 41-43 HRC
- Deep laser engraving markings
- Cerakote finish (see colors P. 35-36)
- .250" hardened steel recoil lug
- 20 MOA stainless steel Picatinny rail (optional 0, 30 MOA)
- 8-40 top rail screws
- Cadex proprietary heavy duty bolt stop and pin
- Short Action: AICS DSSF 3.055"  
Long Action: AICS up to 3.850" CIP
- Perfect Rem 700 footprint (No modification required)
- Compatible with the Cadex DX2 Evo trigger or some Rem style aftermarket triggers

## BOLT

- Machining: CNC
- Material: Stainless 416
- Cadex heavy duty extractor
- Ejector: Rem style
- Tool-free bolt disassembly
- Hardness: 43-45 HRC
- Multiple bolt faces available: Type B (.480"), C (.550"), D (.600")
- Shroud with cocking indicator
- Cadex design cocking piece
- Standard round bolt knob (optional tactical bolt knob sold separately - low profile hunting knob available on request)
- DLC coated spiral fluted 4 lug bolt with 50° bolt throw for ultra-fast cycling
- Recommended for large or magnum rifle primers

Visit our website to download the barrel shank drawing: [www.cadexdefence.com](http://www.cadexdefence.com)

Compatible with any Cadex  
chassis for R7 actions



Bolt shown with the standard  
round bolt knob



# CDX-30/300/33

Custom actions

## DLC COATING



"B" group bolt face  
(Ø 0.480") 3 lug - 60°

"C" group bolt face  
(Ø 0.550") 3 lug - 60°

"D" group bolt face  
(Ø 0.600") 3 lug - 60°

Bolt shown with optional oversized  
cross hatch bolt knob

## RECEIVER


- Machining: CNC and wire EDM
- Material: Stainless 416
- Length: Long action 9"
- Diameter: 1.550"
- Thread: 1½" - 18 TPI
- Hardness: 41-43 HRC
- .350" hardened steel recoil lug
- Deep laser engraving markings
- 8-40 top rail screws
- Cerakote finish (see colors P. 35-36)

- 20 MOA stainless steel Picatinny rail
- Cadex proprietary heavy duty bolt stop and pin
- Unique top rail localization system with integrated recoil groove machined into the action upper section
- Magazine cut out: (SA) AICS DSSF or (LA) AICS SSSF
- Cadex proprietary footprint
- Compatible with the Cadex DX2 Evo trigger or some Rem Style aftermarket triggers

## BOLT

- Machining: CNC
- Material: Stainless 416
- Firing pin: Cadex design with improved locktime
- Cadex heavy duty extractor
- Ejector: Rem style
- Easy ¼ turn tool-free bolt disassembly
- Hardness: 43-45 HRC
- Multiple bolt faces available: Type B (.480"), C (.550"), D (.600")
- Cadex design cocking piece
- DLC coated spiral fluted 3 lug bolt with 60° bolt throw
- Shroud: Cadex design with 2 position top safety
- Standard round bolt knob (optional tactical bolt knob sold separately)
- Easy firing pin assembly replacement
- Not recommended for small rifle primers


Visit our website to download the barrel shank drawing: [www.cadexdefence.com](http://www.cadexdefence.com)



# CDX-40/50

Custom actions

## DLC COATING



CDX-40  
"E" group bolt face  
(Ø 0.670") 3 lug - 60°

CDX-50  
"F" group bolt face  
(Ø 0.825") 4 lug - 50°

CDX-40  
Bolt shown with the standard  
round bolt knob

CDX-50 TREMOR engraving shown

## RECEIVER


- Machining: CNC
- Material: Stainless 416
- Length: (40: 10") (50: 11.900")
- Diameter: (40: 1.600") (50: 1.960")
- Thread: (40: 1½" - 18 TPI) (50: 1½" - 18 TPI)
- Hardness: 41-43 HRC
- 40: .350" hardened steel recoil lug
- 50: .420" hardened steel recoil lug
- Heavy duty 10-32 top rail screws
- Cerakote finish (see colors P. 35-36)

- 20 MOA stainless steel Picatinny rail
- Cadex proprietary heavy duty bolt stop and pin
- Unique top rail localization system with integrated recoil groove machined into the action upper section
- Magazine cut out: Cadex SSSF or DSSF
- Cadex proprietary footprint
- Compatible with the Cadex DX2 Evo trigger or some Rem Style aftermarket triggers
- Deep laser engraving markings

## BOLT

- Machining: CNC
- Material: Stainless 416
- Firing pin: Cadex design with improved locktime
- Cadex heavy duty extractor
- Ejectors: Rem style double ejectors
- Easy ¼ turn tool-free bolt disassembly
- Hardness: 43-45 HRC
- Easy firing pin assembly replacement
- Shroud: Cadex design with 2 position top safety
- Standard round bolt knob (optional tactical bolt knob sold separately)
- DLC coated spiral fluted bolt
- Cadex design cocking piece
- Bolt face type E (.670"): 375 EnABELR, 375/408 CT
- Bolt face type F (.825"): 416 Barrett®, 50 BMG

Visit our website to download the barrel shank drawing: [www.cadexdefence.com](http://www.cadexdefence.com)






# CDX-MC KRAKEN®

Multi-caliber action - Not sold separately

## DLC COATING



### STANDARD

"B" group bolt face  
(Ø 0.480") 3 lug - 60°

### MAGNUM

"C" group bolt face  
(Ø 0.550") 3 lug - 60°

### SUPER MAGNUM


"D" group bolt face  
(Ø 0.600") 3 lug - 60°

Bolt shown with optional  
oversized cross  
hatch bolt knob

## RECEIVER

- Machining: CNC
- Material: Stainless 416
- Length: 9.150"
- Diameter: 1.550"
- Thread: 1½" - 18 TPI
- Hardness: 41-43 HRC
- .350" integral recoil lug
- Deep laser engraving markings
- Fits up to 3.850" magazines
- Cerakote finish (see colors P. 35-36)
- #10-32 top rail screws

- Cadex proprietary heavy duty bolt stop and pin
- Unique top rail localization system with integrated recoil groove machined into the action upper section
- Magazine cut out: Short action AICS DSSF or Long action AICS SSSF
- Cadex proprietary footprint
- Compatible with the Cadex DX2 Evo trigger or some Rem Style aftermarket triggers



## BOLT

- Machining: CNC
- Material: Stainless 416
- Firing pin: Cadex design with improved locktime
- Cadex heavy duty extractor
- Ejector: Rem style
- Easy ¼ turn tool-free bolt disassembly
- Hardness: 43-45 HRC
- Multiple bolt faces available: Type B (.480"), C (.550"), D (.600")

- Shroud: Cadex design with 2 position top safety
- Standard round bolt knob (optional tactical bolt knob sold separately)
- DLC coated spiral fluted 3 lug bolt with 60° bolt throw for rapid cycling
- Cadex design cocking piece
- Easy firing pin assembly replacement
- Same firing pin for all calibers

Visit our website to download the barrel shank drawing: [www.cadexdefence.com](http://www.cadexdefence.com)

Kraken® universal firing pin assembly  
(Part#: 3850-K016)



# GUNSMITHING

## ACTION WRENCHES

Action wrenches are mandatory when it comes to removing or installing a barrel on an action. Failure to use the right tool could result in damages to the action. Action wrenches are designed to engage the locking lugs of the action while applying the recommended torque.



### ACTION WRENCHS PART#

**CDX-SS Short Action**  
Part#: SS-WRENCH-SA

**CDX-R7 Short Action**  
Part#: R7-WRENCH-SA

**CDX-R7 Long Action**  
Part#: R7-WRENCH-LA

**CDX-30/300/33**  
Part#: LITE-WRENCH

**CDX-40**  
Part#: SHDW-WRENCH  
(NSN#: 5120-20-012-0401)

**CDX-50**  
Part#: TRMR-WRENCH

## BARREL VISES

Barrel vise are mandatory when it comes to removing or installing a barrel on an action. Failure to use the right tool could result in damages to the barrel. Barrel vise are designed to clamp and secure the barrel in place within the conventional vice jaws without damaging the surface finish. Make sure to use the right vise for the right barrel diameter.




### BARREL VISES PART#

**CDX-R7/CDX-SS**  
Part#: R7-VISE

**CDX-30/300/33**  
Part#: LITE-VISE



**CDX-40**  
Part#: SHDW-VISE  
(NSN#: 4933-20-011-9982)

**CDX-50**  
Part#: TRMR-VISE



## TRIMMABLE MAG RELEASE - Part#: 03127-073-K1

Lots of custom actions are trying to replicate the Rem 700 action footprint. However, they often have proprietary features leading to dimensional changes which then require minor modifications such as magazine height adjustability. The Trimmable Mag Release has been manufactured with extra material on purpose so that it could be trimmed to the appropriate length, based on the calculations of a qualified gunsmith. It allows to fine-tune the magazine seating height versus action ramping in order to improve the feeding of certain shapes of ogives.



## GO/NO-GO GAUGES

Go and No-Go Gauges are mandatory when it comes to installing a new barrel on an action. It is imperative to confirm the rifle headspace prior to fire any ammunition in it. Wrong headspace can result in catastrophic failure resulting in an explosion causing serious injuries or death. Only qualified gunsmiths or properly trained shooters should proceed to the installation of a new barrel on a rifle.





# BOLT ASSEMBLY KIT

BOLT ASSEMBLY REPLACEMENT PARTS						
SERIES		TYPE	BOLT KIT W/O FIRING PIN	FIRING PIN KIT	EXTRACTOR KIT	EJECTOR KIT
CDX-SS	SA	A	SS-BOLT-TA-KD	3850-K020	3850-K037	3850-K038
		B	SS-BOLT-TB-KD		3850-K030	3850-K038
CDX-HUNTING	SA	B	HUNT-SA-BOLT-TB-KD	3850-K017	3850-K030	3850-K038
		C	HUNT-SA-BOLT-TC-KD		3850-K031	3850-K044
	LA	B	HUNT-LA-BOLT-TB-KD	3850-K019	3850-K030	3850-K038
		C	HUNT-LA-BOLT-TC-KD		3850-K031	3850-K023
		D	HUNT-LA-BOLT-TD-KD		3850-K032	3850-K023
	CDX-R7	SA	B	R7-SA-BOLT-TB-KD	3850-K017	3850-K030
C			R7-SA-BOLT-TC-KD	3850-K031		3850-K044
LA		B	R7-LA-BOLT-TB-KD	3850-K019	3850-K030	3850-K038
		C	R7-LA-BOLT-TC-KD		3850-K031	3850-K023
		D	R7-LA-BOLT-TD-KD		3850-K032	3850-K023
	CDX30/300/33	B	LITE-BOLT-TB-KD	3850-K008	3850-K010	3850-K009
		C	LITE-BOLT-TC-KD		3850-K011	3850-K009
D		LITE-BOLT-TD-KD	3850-K012		3850-K009	
CDX-MC		B	KRKN-BOLT-TB-KD	3850-K016	3850-K010	3850-K043
		C	KRKN-BOLT-TC-KD		3850-K011	3850-K022
		D	KRKN-BOLT-TD-KD		3850-K012	3850-K022
CDX-40		E	SHDW-BOLT-TE-KD	3850-K014	7145-K003	7145-K004
CDX-50		F	TRMR-BOLT-TF-KD	3850-K015	6452-K003	6452-K004
LEFT HANDED CONFIGURATIONS						
CDX-R7	SA	B	R7-LH-SA-BOLT-TB-KD	3850-K017	3850-K030	3850-K038
		C	R7-LH-SA-BOLT-TC-KD		3850-K031	3850-K044
CONTENT: A) BOLT KIT W/O FIRING PIN = Bolt body, round bolt knob (installed), extractor kit (installed), ejector kit (installed). B) EXTRACTOR KIT = Extractor, spring, spring pin. C) EJECTOR KIT = Ejector(s), spring(s), spring pin(s).						

## BOLT KNOBS



Tactical Knob



Round Knob



Hunting Knob

- One piece 4140 steel screw-in bolt handle
- 1/4-28 threaded
- Tactical knob (oversized cross hatch bolt knob)
- Round knob (standard round bolt knob)
- Hunting knob (low profile slim round bolt knob)
- Green Loctite® recommended

## BOLT ASSEMBLY

You lost your bolt, damaged it or simply need one of another caliber? Look no further. We offer replacement bolt assemblies for each actions that we manufacture. It includes the bolt body, operating handle, extractor and ejector kit. Firing pin assemblies are sold separately. Contact Cadex with your serial number in hand and we'll help you out.



## EJECTOR AND EXTRACTOR KITS

Every rifle requires periodic maintenance to stay in good condition. Some parts wear out and will eventually need to be replaced due to normal wear. Cadex offers replacement extractor or ejector kits for all of its bolts. These kits include the extractor/ejector(s), pins and springs.



Ejector



Extractor

NSN#: 1005-20-011-9878  
(extractor kit for CDX-40)

### Fits all Cadex rifles 2019 +

For older generation rifles, please contact Cadex prior to ordering any replacement bolt knobs.

**Tactical Knob**  
Part#: 3850-325A

**Dimensions:**  
0.85" x 2.97"  
2.16 x 7.54 cm

**Weight (±):**  
0.14 lbs | 66 grams

**Material:** Steel 4140

**Round Knob**  
Part#: 3850-325D

**Dimensions:**  
0.98" x 2.98"  
2.49 x 7.57 cm

**Weight (±):**  
0.24 lbs | 110 grams

**Material:** Steel 4140

**Hunting Knob**  
Part#: 3850-325LPD

**Dimensions:**  
0.7" x 2.38"  
1.78 x 6.05 cm

**Weight (±):**  
0.09 lbs | 41 grams

**Material:** Steel 4140

# BOTTOM METALS

CDX-30/300/33 BOTTOM METALS

Bottom metals for CDX-30/300/33 series are designed to accommodate AICS pattern magazines.

### Compatible magazines (short action):

- 00100-0037
- 00100-0041
- 00100-0006
- 00100-0040
- 00100-0008

### Compatible magazines (long action):

- 00100-0001
- 00100-0004
- 00100-0023-CAD
- 00100-0044
- 00100-0003
- 00100-0005
- 00100-0022
- 00100-0020
- 00100-0039
- 00100-0043

(AICS magazine specs P.67)

### Bottom Metal for:

**CDX-30 Action**  
Part#: BMCDX-DSSF-3055

**Mag type:** AICS  
**Model:** DSSF 3.055"



### Bottom Metals for:

**CDX-300 & CDX-33 Actions**  
Part#: BMCDX-SSSF-3850

**Mag type:** AICS  
**Model:** SSSF 3.715" to 3.850" (adjustable)



Pillars and screws included with all Bottom Metals



## CDX-40 BOTTOM METALS

The Cadex 375/408 CT bottom metal was born from the lack of quality magazines on the market for 375/408 CT. The poor reliability of these mags forced us to create our own mag design to outfit the CDX-40 SHDW. We also developed a bottom metal of the same quality for Stiller® Tac 408 1.45" and 1.60" actions.

### Bottom Metals for:

**CDX-40 Action (375 EnABELR/375 CT/408 CT)**  
Part#: BMCDX-DSSF-4725

**Stiller® 375/408 (1.45" or 1.60")**  
Part#: BMSTL14-DSSF-4725  
Part#: BMSTL16-DSSF-4725

**Mag type:** Cadex  
**Model:** DSSF 4.725"



### Compatible magazines:

- MAG 4300
- MAG 4309 (see specs P.68)

## CDX-50 BOTTOM METAL

The bottom metal for our CDX-50 Tremor® is built to match the same quality as the rifle itself. Feeding issues and magazine fitting will never be a problem with our Cadex design.

### Bottom Metal for:

**CDX-50 Tremor® Action**  
Part#: BMCDX-SSSF-5790

**Mag type:** MAG 2949  
**Model:** SSSF 5.790"

### Compatible magazine:

- MAG 2949 (see specs P.68)



(Front mag release)


Drawing and inletting measurements available on request at [customerservice@cadexinc.com](mailto:customerservice@cadexinc.com)



# AICS MAGAZINES

AICS pattern magazines dominate both recreational and military markets because they are affordable, reliable and commonly used by rifle manufacturers. Rather than trying to reinvent the wheel, Cadex teamed up with Accurate-Mag®, a manufacturer offering a wider magazine selection than any other. We offer AICS magazines for more than 25 different calibers and in various lengths and capacity based on your preferred utilization. These magazines are military grade, made of rigid steel with solid anti-corrosion coating. They can be cleaned or lubricated easily by taking down the base plate and magazine spring may be replaced as needed after years of intensive use.

\*Magazine fitment chart VS chassis systems P.142



	PART #	CALIBERS	MAG TYPE	INTERNAL LENGTH	EXTERNAL LENGTH	MAG CAPACITY
SHORT ACTION CALIBERS	MAG100-0037	204 Ruger / 223 Rem	DSSF	2.375"	3.055"	10
	MDT-223	204 Ruger / 223 Rem / 300 Blackout	DSSF	2.520"	3.055"	10
	MDT-6MM	6 BR Norma / 6 Dasher	DSSF	2.600"	3.055"	12
	MAG100-0041	22-250 Rem / 243 Win / 6 Creedmoor / 6.5x47 Lapua 6.5 Creedmoor / 260 Rem / 308 Win	DSSF	2.990"	3.055"	5
	MAG100-0040	22-250 Rem / 243 Win / 6 Creedmoor / 6.5x47 Lapua 6.5 Creedmoor / 260 Rem / 308 Win	DSSF	2.990"	3.055"	10
	MAG100-0006	6.5 PRC / 270 WSM / 300 WSM / 7 WSM	DSSF	2.990"	3.055"	3
LONG ACTION CALIBERS	MAG100-0008	6.5 PRC / 270 WSM / 300 WSM / 7 WSM	DSSF	2.990"	3.055"	7
	MAG100-0039	25-06 Rem / 270 Win / 30-06 SPRG	SSSF	3.640"	3.715"	5
	MAG100-0001	7mm Rem Mag / 300 WM / 338 Win	SSSF	3.640"	3.715"	5
	MAG100-0004	7mm Rem Mag / 300 WM / 338 Win	SSSF	3.700"	3.775"	5
	MAG100-0023	7mm Rem Mag / 300 WM / 338 Win	SSSF	3.755"	3.850"	5
	MAG100-0023-CDX	28 Nosler / 300 PRC	SSSF	3.755"	3.850"	5
	MAG100-0044	300 RUM / 338 RUM	SSSF	3.640"	3.715"	5
	MAG100-0043	300 RUM / 338 RUM	SSSF	3.755"	3.850"	5
	MAG100-0003	300 NM / 338 NM / 338 Lapua	SSSF	3.640"	3.715"	5
	MAG100-0005	300 NM / 338 NM / 338 Lapua	SSSF	3.700"	3.775"	5
	MAG100-0022	300 NM / 338 NM / 338 Lapua	SSSF	3.775"	3.850"	5
	MAG100-0020	300 NM / 338 NM / 338 Lapua	DSSF	3.775"	3.850"	5
KRAKEN® ONLY	MAG100-0086	300 NM / 338 NM / 338 Lapua	DSSF	3.775"	3.850"	10



**MAG100-0037**

- Short Action
- 3.055" DSSF
- 10 round



**MDT-223**

- Short Action
- 3.055" DSSF
- 10 round



**MDT-6MM**

- Short Action
- 3.055" DSSF
- 12 round



**MAG100-0041**

- Short Action
- 3.055" DSSF
- 5 round



**MAG100-0040**

- Short Action
- 3.055" DSSF
- 10 round



**MAG100-0001**

- Long Action
- 3.715" SSSF
- 5 round



**MAG100-0004**

- Long Action
- 3.775" SSSF
- 5 round



**MAG100-0022**

- Long Action
- 3.850" CIP SSSF
- 5 round



**MAG100-0020**

- Long Action
- 3.850" CIP DSSF
- 5 round



**MAG100-0086**

- Long Action
- 3.850" CIP DSSF
- 10 round

# CDX MAGAZINES

## FEATURES:

- Rigid magazine body made of metal with an anti-corrosion coating.
- Injection molded follower and bottom plate.
- Easy to clean.

The extra wide bottom plate assists in magazine manipulation.

PART NUMBER	CALIBER	ACTION	TYPE	INTERNAL LENGTH	LENGTH	CAPACITY
MAG4309	375 EnABELR	CDX-40	DSSF	4.625"	4.725"	7
MAG4300	375/408 CT	CDX-40	DSSF	4.625"	4.725"	7
MAG2949	50 BMG	CDX-50	SSSF	5.520"	5.790"	5
MAG2538D	50 BMG	TAC-50	DSDF	5.645"	5.790"	5

416 Barrett® magazines under development (Part#: MAG0416)



## 375 EnABELR DSSF

Part#: MAG4309  
(for CDX-40 or Stiller® Tac 408)

Top view



The MAG4309 375 EnABELR magazine has been developed for the Extreme Sniper Strike Operations (ESSO) military program managed by Applied Ballistics. It is a 7 round DSSF magazine capable of reliably feed ELR type cartridges as long as 4.625".

## 375/408 CT DSSF

Part#: MAG4300  
(for CDX-40 or Stiller® Tac 408)

Top view



The MAG4300 375/408CT magazine has been designed to solve the problems found on the original rifle design using this cartridge. The CDX magazine is reliable, built to tighter tolerances and can accept longer cartridge overall length.  
(NSN#: 1005-20-011-9452)

## 50 BMG SSSF

Part#: MAG2949  
(for CDX-50 or PGWDTI® LRT-3)

Top view



The MAG2949 magazine adapts to the Cadex CDX-50 TREMOR® 50 BMG rifle and the PGWDTI® LRT-3 rifle of the same caliber. Its single stack single feed design makes it quite more reliable than the more common DSSF designs. The cartridges are center fed into the action bore and the magazine spring pushes the round straight up rather than in an angle, avoiding the recurring jam and misfeeds of staggered feed designs.

## 50 BMG DSDF

Part#: MAG2538D  
(for McMillan Tac-50®)

Top view



The MAG2538D is a direct replacement for the original McMillan Tac-50® magazine. We replicate the original design but add the Cadex "magic touch" to it making them more reliable and economical than the genuine model.  
(NSN#: 1005-20-009-5256)



# REM STYLE TRIGGERS



## Curved shoe triggers



## Straight shoe triggers



## Conversion from Two Stage to Single Stage



Move selector pin to convert from Two Stage to Single Stage

The Cadex DX2 EVO trigger is a Single/Two Stage Trigger capable to be rapidly converted into a Single Stage Trigger by its operator. Its trigger pull weight can be easily adjusted between 1.5 to 2.5 lbs\*. If you haven't figured out yet if you prefer a Single Stage or Two Stage Trigger, you can't go wrong with the DX2 EVO as it accomplishes both functions.

\*Achievable trigger pull weight can be influenced by multiple factors.

### FEATURES:

- First stage permanently set between 6 to 8 ounces at the factory.
- Adjustable combined pull weight between 1.5 to 2.5 lbs\*.
- Fast access to the trigger pull adjustment screw located at the bottom of the trigger body.
- Adjustable trigger shoe positioning for maximum comfort.
- Military grade trigger design with multiple openings machined into the aluminum body to facilitate dirt cleaning.
- Improved crispiness and safety mechanism.
- Hardox® 500 wear-free internals.

### CURVED SHOE TRIGGERS

**Part#:** 6119-A002-EVO  
(Naked variant)

**Part#:** 6119-A002R7-EVO  
(With safety)

**Part#:** 6119-A002S-EVO  
(With safety and bolt release)

**Part#:** 6119-A002MC-EVO  
(For McMillan Tac-50®)  
(NSN#: 1005-20-012-0553)

### STRAIGHT SHOE TRIGGERS

**Part#:** 6119-A003-EVO  
(Naked variant)

**Part#:** 6119-A003R7-EVO  
(With safety)

**Part#:** 6119-A003S-EVO  
(With safety and bolt release)

## Replacement parts



# CHASSIS HARDWARE

TORQUE LIMITERS FIELD KIT - Part#: 175-00080-K1



Field tooling kit with torque limiters and a variety of driving bits adapted to Cadex rifles and chassis. Comes in a compact molle webbing pouch for easy carry.

\*Doesn't include a torque limiter for the Kraken®, SHDW and Tremor® action screws.

### CONTAINS:

- Storage Pouch & Cadex Patch
- "T" Wrench
- 6 in-lb limiter
- 25 in-lb limiter
- 35 in-lb limiter
- 45 in-lb limiter
- 65 in-lb limiter
- 1/2 Socket
- Hex shank to square drive adaptor
- 5/64 (short)
- 3/32 (short)
- 1/8 (short)
- 1/8 (long)
- 5/32 (short)
- 5/32 (long)
- 3/16 (short)
- 3/16 Round Nose (extra long)
- T-8W (long)
- T-10 (short)
- T- (short)
- T-15W (long)
- T-20 (short)
- T-25 (short)
- T-30 (short)
- 2.5mm Hex Bit (short)
- 3mm Hex Bit (short)
- 4mm Hex Bit (short)
- 5mm Hex Bit (short)
- PH-1 (short)
- Flat #5 (short)

## UNIVERSAL SCREW KIT - Part#: 03127-K013



The Chassis Universal Screw kit contains an assortment of replacement screws to revamp your chassis. If your chassis has seen better days and you'd like to refresh its hardware then this kit is what you are looking for. Contains enough screws to outfit any Cadex Strike chassis.

### CONTAINS:

- 2x Bipod rail screws
- 1x Bipod/Sling stud
- 2x Fore-end tube assembly screws
- 8x Modular rail screws
- 4x Side plate/Boomerang screws (long)
- 6x Side plate/Boomerang screws (short)
- 1x Grip assembly washers and screws
- 4x #6-48 top rail screws
- 4x #8-40 top rail screws

## TIME-SERT REPAIR KIT - Part#: 03127-K029



You went too fast and cross-threaded a screw? You didn't respect the recommended torque and broke a Time-Sert? This kit is for you.

### CONTAINS:

- 1x Time-Sert extractor
- 1x Time-Sert driver
- 6x Short Time-Serts
- 6x Long Time-Serts

\*Red Loctite® highly recommended (not included)

You are mechanical inclined and wish to add some Time-Serts where it wasn't designed for? You'll also need:

### NOT INCLUDED:

- 1x Drill #21
- 1x Helicoil Tap 10-32



# GEN 2 UNITIZED SCOPE MOUNTS

The Cadex Gen2 Unitized Scope Mounts provide a rock solid optic mounting solution for precision rifles. These are machined from a solid one-piece aluminum billet for maximum rigidity and perfect alignment between the front and rear rings. The Gen2 models are using a 6-screw pattern and are modular so that you can interchange front and rear top rings. We offer these mounts in both standard and quick-detachable (QD) variants.

Target distances are getting farther, calibers are more powerful than ever and riflescopes are constantly getting heavier. For these reasons, a top quality scope mount is arguably the most important element of a precision rifle package. If the mount does not hold the scope perfectly aligned with your point of aim, moves even just a hair, you will never hit that long range target.



**BASES:**

- The Standard base is the most worry-free and economical way to mount an optic on a Picatinny top rail.
- The Quick-Detachable base allows the scope mount to be removed and reinstalled rapidly with minor shift of point of aim. This is a great way to reuse one optic on multiple different rifles.

**TOP RINGS:**

- The Standard top ring is a plain rounded design.
- The Bubble level top ring is a must have item for any rifle intended to shoot long distances. The bubble indicator allows the shooter to level his rifle and eliminates possible canting errors.
- The Bubble Level/Cosine Indicator top ring is the ultimate combination. It provides the shooter with canting indication and cosine angle measurement in order to apply the right corrections.

Standard Unitized Scope Mount



Shown with Picatinny front and Bubble Level rear

Quick Detach Unitized Scope Mount




Shown with Picatinny front and Bubble Level rear

# SCOPE MOUNTS

**CUSTOMIZE YOUR SCOPE MOUNT BY FOLLOWING THESE 3 STEPS**

**Step 1:** Select your base + **Step 2:** Select your rear top ring + **Step 3:** Select your front top ring = **Final configuration**



**Example:** 1556-B34H + R134 + F134 = 1556-B34H-R134-F134

**STEP #1:  
SELECT  
BASE  
MODEL**

**STANDARD  
BASES**



Part #	Height	Dia.	Type
1556-B30SL	1.000"	30mm	Super low
1556-B30L	1.250"	30mm	Low
1556-B30H	1.500"	30mm	High
1556-B34SL	1.000"	34mm	Super low
1556-B34L	1.250"	34mm	Low
1556-B34H	1.500"	34mm	High
1556-B35L	1.250"	35mm	Low
1556-B35H	1.500"	35mm	High

**QUICK DETACH  
BASES**



Part #	Height	Dia.	Type
1556QD-B30H	1.500"	30mm	High
1556QD-B34H	1.500"	34mm	High
1556QD-B35H	1.500"	35mm	High

**STEP #2:  
SELECT  
REAR TOP RING  
MODEL**



**STANDARD  
TOP RING**  
  
R130 .... 30mm  
R134 .... 34mm  
R135 .... 35mm



**BUBBLE LEVEL  
TOP RING**  
  
R230 .... 30mm  
R234 .... 34mm  
R235 .... 35mm



**BUBBLE LEVEL  
TOP RING  
WITH ANGLE  
COSINE INDICATOR**  
  
R330 .... 30mm  
R334 .... 34mm  
R335 .... 35mm

**STEP #3:  
SELECT  
FRONT TOP RING  
MODEL**



**STANDARD  
TOP RING**  
  
F130 .... 30mm  
F134 .... 34mm  
F135 .... 35mm















**PICATINNY  
TOP RING**  
  
F230H ... 30mm  
F234H ... 34mm  
F235H ... 35mm





# HARD CASES

<div>CDX-R7 SPTR/CRBN</div> <div></div>	<div>CDX-SS PRO &amp; CDX-R7 PRO</div> <div></div>	<div>CDX-SS COVERT &amp; CDX-R7 CPS</div> <div></div>	<div>CDX-30/300/33 &amp; CDX-R7 LCP/FCP</div> <div></div>
<div>CDX-R7 SHP</div> <div></div>	<div>CDX-MC KRAKEN®</div> <div><div>FOLDED</div></div>	<div>CDX-40 SHDW</div> <div><div>FOLDED</div></div>	<div>CDX-40 SHDW (Single Shot)</div> <div><div>FOLDED</div></div>
<div>CDX-50 TREMOR® TACTICAL</div> <div><div>FOLDED</div></div>	<div>CDX-50 TREMOR® - 29" ONLY</div> <div><div>FOLDED</div></div>	<div>CDX-50 TREMOR®</div> <div><div>FOLDED</div></div>	<div>CDX-50 TREMOR® (Single Shot)</div> <div><div>FOLDED</div></div>

# HARD CASES TABLE

	COMPATIBLE CDX RIFLES	BARREL LENGTHS	CASE MODEL	DESCRIPTION	PART NUMBER
HARD CASE (with cut-out foam)	CDX-R7 SPTR/CRBN	20" / 24" / 26"	CADEX CASE BLACK	Hard Case with foam layers for CDX-R7 SPTR/CRBN, Black color	175-00179-BLK
	CDX-SS PRO & CDX-R7 PRO	20" / 24" / 26" / 27"	NANUK 995 TAN	Hard Case 52" with cut-out foam for CDX-SS PRO & CDX-R7 PRO, Tan color	175-00057-TAN-PRO
	CDX-SS COVERT & CDX-R7 CPS	16.5" / 20"	NANUK 990 BLACK	Hard Case with cut-out foam for CDX-SS COVERT & CDX-R7 CPS, Black color	175-00238-BLK-F
	CDX-30/300/33 & CDX-R7 LCP/FCP	20" / 24" / 26" / 27"	NANUK 995 TAN	Hard Case 52" with cut-out foam for CDX-30/300/33, Tan color	175-00058-TAN
	CDX-R7 SHP	16.5" / 20" / 24" / 26" / 27"	NANUK 995 TAN	Hard Case 52" with cut-out foam for CDX-R7 SHP, Tan color	175-00058-TAN-R7
	CDX-MC KRAKEN®	16.5" / 20" / 24" / 26" / 27"	STORM IM3300 BLACK	Hard Case with cut-out-foam for CDX-MC KRAKEN®, Black color	175-00068-BLK-F
	CDX-40 SHDW	29" / 32"	STORM IM3300 BLACK	Hard Case with cut-out foam for CDX-40 SHDW, Black color	175-00066-BLK-F40
	CDX-40 SHDW (Single Shot)	36" ONLY	SKB 6018 BLACK	Hard Case with cut-out foam for CDX-40 SHDW (Single Shot) 36" only, Black color	175-00239-BLK-F4036
	CDX-50 TREMOR® TACTICAL	20.6" ONLY	NANUK 990 BLACK	Hard Case with cut-out foam for CDX-50 TREMOR® Tactical 20.6" only, Black color	175-00238-BLK-F5020
	CDX-50 TREMOR® - 29" only	29" ONLY	STORM IM3300 BLACK	Hard Case with cut-out foam for CDX-50 TREMOR® 29" only, Black color	175-00066-BLK-F5029
HARD CASE (without foam)	CDX-50 TREMOR®	29" / 32"	SKB 5616 BLACK	Military Hard Case with cut-out foam for CDX-50 TREMOR®, Black color	175-00066-BLK-F50
	CDX-50 TREMOR® (Single Shot)	40" ONLY	SKB 6018 BLACK	Hard Case with cut-out foam for CDX-50 TREMOR® (Single Shot) 40" only, Black color	175-00239-BLK-F5040
	CDX-SS COVERT, CDX-R7 CPS & CDX-50 TACTICAL	11" / 16.5" / 20"	NANUK 990 BLACK	Hard Case with-out foam for CDX-SS COVERT, CDX-R7 CPS & CDX-50 Tactical, Black color	175-00238-BLK
	CDX-30/300/33, CDX-R7 LCP/FCP & CDX-R7 SHP	16.5" / 20" / 24" / 26" / 27"	NANUK 995 TAN	Hard Case 52" with-out cut-out foam for CDX-30/300/33 & CDX-R7 SHP, Tan color	175-00057-TAN (NSN#: 8145-20-011-8149)
	CDX-MC KRAKEN®, CDX-40 SHDW & CDX-50 TREMOR®	29" ONLY	STORM IM3300 BLACK	Hard Case with-out foam for CDX-MC KRAKEN®, CDX-40 SHDW & CDX-50 TREMOR®, 29" only, Black color	175-00066-BLK
REPLACEMENT FOAM	CDX-50 TREMOR®	32" ONLY	SKB 5616 BLACK	Military Hard Case with-out foam for CDX-50 TREMOR® 32" only, Black color	175-00082-BLK
	CDX-40 SHDW & CDX-50 TREMOR® (Single Shot)	36" / 40"	SKB 6018 BLACK	Hard Case with-out foam for CDX-40 SHDW & CDX-50 TREMOR® (Single Shot) up to 40", Black color	175-00239-BLK
	CDX-30/300/33 & CDX-R7 LCP/FCP	20" / 24" / 26" / 27"	For NANUK 995	Cut-out foam for CDX-30/300/33 & CDX-R7 LCP/FCP for NANUK 995 case	175-00062-K1
	CDX-SS PRO & CDX-R7 PRO	26" ONLY	For NANUK 995	Cut-out foam for CDX-SS PRO & CDX-R7 PRO 26" only for NANUK 995 case	175-00240-K1
	CDX-SS COVERT & CDX-R7 CPS	16.5" / 20"	For NANUK 990	Cut-out foam for CDX-SS COVERT & CDX-R7 CPS for NANUK 990 case	175-00243-K1
	CDX-R7 SHP	16.5" / 20" / 24" / 26" / 27"	For NANUK 995	Cut-out foam for CDX-R7 SHP for NANUK 995 case	175-00095-K1
	CDX-MC KRAKEN®	16.5" / 20" / 24" / 26" / 27"	For STORM IM3300	Cut-out foam for CDX-MC KRAKEN® for STORM IM3300 case	175-00081-K1
	CDX-40 SHDW	29" / 32"	For STORM IM3300	Cut-out foam for CDX-40 SHDW for STORM IM3300 case	175-00089-K1
	CDX-40 SHDW (Single Shot)	36" ONLY	For SKB 6018	Cut-out foam for CDX-40 SHDW (Single Shot) 36" only for SKB 6018-8 case	175-00241-K1
	CDX-50 TREMOR® TACTICAL	20.6" ONLY	For NANUK 990	Cut-out foam for CDX-50 TREMOR® Tactical 20.6" only for NANUK 990 case	175-00231-K1
	CDX-50 TREMOR®	29" ONLY	For STORM IM3300	Cut-out foam for CDX-50 TREMOR® 29" only for STORM IM3300 case	175-00091-K1
	CDX-50 TREMOR®	29" / 32"	For SKB 5616	Cut-out foam for CDX-50 TREMOR® for SKB 5616 case	175-00084-K1
	CDX-50 TREMOR® (Single Shot)	40" ONLY	For SKB 6018	Cut-out foam for CDX-50 TREMOR® (Single Shot) 40" only for SKB 6018-8 case	175-00242-K1



# SNIPER DRAG BAG

SPECIFICATIONS

**Drag bag 48"** Part#: 175-00051-TAN

**Interior dimensions:**  
47" x 12" x 3" | 114.3 x 30.48 x 7.62 cm

**Exterior dimensions:**  
48" x 13.5" x 3.5" | 116.84 x 34.29 x 8.89 cm

**Weight (±):** 6.5 lbs | 2948 grams

SPECIFICATIONS

**Drag bag 53"** Part#: 175-00050-TAN

**Interior dimensions:**  
52" x 12" x 3" | 129.54 x 30.48 x 7.62 cm

**Exterior dimensions:**  
53" x 13.5" x 3.5" | 132.08 x 34.29 x 8.89 cm

**Weight (±):** 6.8 lbs | 3084 grams

(NSN#: 1005-20-010-6981)

SPECIFICATIONS

**Drag bag 62"** Part#: 175-00052-TAN

**Interior dimensions:**  
60" x 12" x 3" | 152.4 x 30.48 x 7.62 cm

**Exterior dimensions:**  
62" x 13.5" x 3.5" | 157.48 x 34.29 x 8.89 cm

**Weight (±):** 7.4 lbs | 3357 grams

(NSN#: 1005-20-011-9610)



Designed to carry your precision rifle. It can be used on its own or put in a hard case for maximum protection.

FEATURES:

- Four accessory pockets (for spare barrels, tooling, etc.)
- Heavy duty main zipper.
- Double stitched reinforced seams.
- Reinforced carrying handle.
- Integrated backpack straps.
- Integrated tool pouch inside.
- Multiple molle loops for attaching camo or additional equipment.
- Two attachment straps to secure the rifle.
- Protective hood and drag tether.
- 5" Velcro surface.
- Embroidered Cadex and Extreme Range Supremacy® logos.

# PADDED RIFLE SLING




SPECIFICATIONS

**Part#: 3850-K002-TAN**

**Dimensions:**  
39" x 1.57" x 0.2" | 99.06 x 3.9 x 0.5 cm

**Dimensions extended:**  
63" x 1.57" x 0.2" | 160 x 3.9 x 0.5 cm

**Weight (±):** 0.4 lbs | 181 grams




Military grade padded rifle sling with QD push button swivels.

FEATURES:

- High grade reinforced materials.
- Fortified stitching.
- Rugged push button sling mechanism.
- Adjustable length, from 39" to 63".
- Padded for increased comfort during extended transportation.
- Perfect for Cadex rifles and chassis.

# SUPPRESSORS & MANTA® COVERS



Suppressor type	Part #	Description	Calibers	Material	Attachment type	Muzzle threads	MANTA® cover kit
CARBINE	6426-A001	Carbine suppressor 5.56mm (NSN#: 1005-20-009-1396)	5.56/223 cal.	Stainless Steel	Screw-on	Vortex or Cadex Flash Hider	6426-K001
CDX-R7, CDX-30/300/33 & CDX-MC PRECISION RIFLES	6426-A103	Titanium Compact Suppressor (requires Cadex MX2-ST muzzle brake)	Up to 338 cal.	Titanium	Screw-on	5/8-24	6426-K103
CDX-SS SEVEN S.T.A.R.S. COVERT PRECISION RIFLE	6426-A023	Covert Slim Titanium Suppressor	Up to 308 cal.	Titanium	Slip-on	5/8-24	N/A
CDX-30/300/33 & CDX-MC PRECISION RIFLES	6426-A003	Suppressor 308/338 (NSN#: 1005-20-011-8164)	Up to 338 cal.	Stainless Steel	Slip-on	3/4-20	6426-K003
CDX-40 PRECISION RIFLE	6426-A004	Suppressor 375/408 (NSN#: 1005-20-011-9603)	375/408 cal.	Stainless Steel	Slip-on	7/8-24	N/A
CDX-50 TACTICAL PRECISION RIFLE	6426-A026	Compact 50BMG Suppressor (requires Cadex MX2-ST muzzle brake)	50 cal.	Stainless Steel	Screw-on	1-14 UNF	6426-K105
CDX-50 PRECISION RIFLE	6426-A002	Suppressor 50BMG	50 cal.	Stainless Steel	Slip-on	1-14 UNF	6426-K002

NSN#: 1005-20-011-3610 (for Carbine suppressor 5.56mm with Manta® cover)



Extremely effective mirage reduction device for suppressors. Available in tan or black.



Contact Cadex for more information and specifications on our suppressors and Manta® covers.

SPECIFICATIONS

**Carbine 5.56mm Flash Hider with suppressor adaptor**

Part#: 6426-059



(NSN#: 1005-20-011-3533)



# MX1 MUZZLE BRAKES



MX1 MICRO

MX1 MINI


MX1 STANDARD

MX1 .375/.408/.416

MX1 .50

NSN#: 1005-20-011-8167  
(for 3850-022-TAN)

The Cadex MX1 muzzle brake is designed to deflect the muzzle blast away from the shooter and his spotter. Gases exit sideways and upwards to reduce felt recoil, dust cloud and improve rifle control. It will soften your 338 Lapua recoil as if it was a 243 Win. Self-timing design using a pinch bolt.



MODEL	PART NUMBER	MAX CALIBER	THREAD	BORE (IN)	WEIGHT (±)	LENGTH (A)	WIDTH (B)	MAX BARREL DIA
MX1 MICRO	3850-432	.223/5.56 Cal	1/2-28	0.297"	0.140 kg	2.418"	1.200"	0.755"
MX1 MINI	3850-436	6.5 Cal	5/8-24	0.313"	0.130 kg	2.466"	1.290"	0.865"
	3850-438	.30 Cal	5/8-24	0.359"	0.129 kg	2.466"	1.290"	0.865"
MX1	3850-028	.33 Cal	5/8-24	0.406"	0.281 kg	3.338"	1.500"	0.865"
	3850-022	.33 Cal	3/4-20	0.406"	0.281 kg	3.338"	1.500"	0.865"
	3850-024	.33 Cal	3/4-24	0.406"	0.281 kg	3.338"	1.500"	0.865"
	3850-034	.33 Cal	M18X1	0.406"	0.281 kg	3.338"	1.500"	0.865"
	3850-045	.416 Cal	7/8-24	0.465"	0.420 kg	4.272"	2.000"	1.000"
	3850-416	.416 Cal	1-14	0.465"	0.600 kg	4.671"	2.250"	1.135"
	3850-044	.50 Cal	1-14	0.562"	0.593 kg	4.671"	2.250"	1.135"




Front view

Side view




# MX2-ST MUZZLE BRAKES

The Cadex MX2-ST Muzzle Brake design comes from the need to offer a muzzle brake small enough to fit inside a compact suppressor design. The end of the muzzle brake is tapered to perfectly align the Compact Titanium Suppressor. The MX2 Tactical Muzzle Brake is lightweight while maintaining enough performance to control the muzzle jump on the rifle.



Optional Compact Titanium Suppressor  
(Part#: 6426-A103)

MODEL	PART NUMBER	MAX CALIBER	BARREL THREAD	SUPPRESSOR THREAD	BORE (IN)	WEIGHT (±)	LENGTH (A)	WIDTH (B)	MAX BARREL DIA	OPTIONAL SUPPRESSOR
MX2 ST (SELF-TIMING)	3850-228-ST	.33 Cal	5/8-24	1-24	0.380"	0.095 kg	2.250"	0.995"	0.865"	#6426-A103
	3850-229-ST	.33 Cal	3/4-24	1-24	0.380"	0.078 kg	2.250"	0.995"	0.865"	#6426-A103
	3850-439-ST	.50 Cal	1-14	1 1/2-12	0.562"	0.410 kg	4.750"	1.500"	1.135"	#6426-A026



The Cadex MX2-ST 50BMG Tactical Muzzle Brake is designed to adapt the Compact 50BMG Suppressor. The MX2-ST secures on the barrel muzzle threads and its self-timing lock nut stops the rotation in the desired position using the provided wrench. The Compact 50BMG Suppressor screws on the 4 port design muzzle brake external threads, until it sits firm on the muzzle brake tapered end. This allows to align the suppressor perfectly with the bore and seals the burnt gases.



Optional Compact 50BMG Suppressor (Part#: 6426-A026)

\*Recommended use: CDX-50 Tremor® Tactical 50 BMG 20.6"

\*Maximum recoil reduction effectiveness is achieved only when combined with the Compact 50BMG Suppressor



# TRIPOD ADAPTORS



SPECIFICATIONS

**Arca Tripod Adaptor**  
Part#: 03127-960-K1

**Dimensions:**  
2.1" x 1.5" x 0.37" | 5.33 x 3.81 x 0.94 cm

**Weight (±) :** 0.07 lbs | 32 grams

**Material:** 6061-T6 aluminum



SPECIFICATIONS

**RC2 Tripod Adaptor**  
Part#: 03127-962-K1

**Dimensions:**  
2.1" x 1.68" x 0.38" | 5.33 x 4.27 x 0.97 cm

**Weight (±) :** 0.12 lbs | 54 grams

**Material:** 6061-T6 aluminum



PRS shooters and snipers share the same challenge in the field. Finding a stable shooting position is often impossible and this is when a ruggedized tripod is a must.

The Cadex Arca & RC2 Adaptors bolt on the lower receiver of most of our rifles and chassis to perfectly balance them on the tripod. When prone isn't an option, this is the way to go.

*\*It is critical to use a tripod and tripod head capable to support the weight of the rifle.*



# CDX CARBON TRIPOD

If you have never experienced shooting from a tripod, you have yet to experience the best kept secret in the shooting sports industry. Tripods are not just a PRS shooting trend, they completely revolutionized hunting and long range shooting by providing hunters and shooters with unprecedented versatility. Being able to engage targets without ever being worried to find a suitable shooting stance is a game changer. The tremendous clamping power of the 55mm ball head is capable of securing rifles up to 55 pounds. Its 360° adjustable ball head with quick-release lever allows for rapid installation and removal of the rifle. The 40mm diameter carbon fiber legs can support a weight of up to 110 pounds, making it the strongest and most rigid portable tripod. The CDX Tripod offers the ultimate adjustability, versatility and stability a tripod could offer. Whether for hunting, photography or for reconnaissance operations, the CDX carbon fiber tripod with ball head is a most.

## TRIPOD FEATURES:

- Aircraft grade aluminum with hard anodized finish.
- 40mm dia., 10-layer carbon fiber, 4 segment legs with rapid ¼ turn leg lock system.
- 3 position articulated legs (basic 25°, wide 55° and prone 85° positions).
- 100mm Quick-Release plate with universal 3/8"-16 mounting screw.
- 50 kg / 110 lbs max weight.
- Interchangeable rubber feet and steel spikes included.
- Underbelly counterweight hook.
- Cadex rubberized handle.
- Tan color padded transport bag with Cadex Defence embroidered logos.


## BALL HEAD FEATURES:

- Aircraft grade aluminum with hard anodized finish.
- Silky smooth 55mm dia. heavy duty ball head.
- 25 kg / 55 lbs max weight.
- 3 tension lock knobs (rotation, panning/canting).
- Arca-Swiss clamp with Quick-Release lever and 1-4-20 screw Q-R plate.
- Also compatible with CDX Arca Elite System (AES).
- Tooling included.



**SPECIFICATIONS**

**CDX Carbon Tripod**  
Part#: CDX-TRIPOD





# FALCON BIPODS

with canting

The Falcon Bipods have been designed to provide the ultimate stability. Two models are offered, Picatinny rail or AES (ARCA) mounting variants. It features multiple optional modular quick-change accessories such as spike, claw or ski feet and optional Extension Leg kit to increase the bipod elevation range. A Long Leg Kit is also available for the ELR game where shooters engage targets beyond 2 miles and require lots of bipod elevation without sacrificing the rifle's stability.



**FEATURES:**

- Fast deployment legs without buttons to push.
- Ultra-tight machining tolerances for maximum stiffness and reduced free play.
- Reversible legs for choice of index or thumb push button operation.
- Easy to operate canting lever. Tilt angle +/- 15.5°.
- Folds/deploys forward, rearward 45° or standard 90°.
- Standard rubber feet, optional claw, spike or ski feet. (P.84)
- Incredibly stable (width from 11.4" to 13.3").
- Designed to withstand recoil up to 50 BMG.
- Adjustable height from approx. 6.25" to 8".




FALCON QD BIPOD - Part#: 7431-K015

FALCON AES BIPOD - Part#: 7431-K015AES



SPECIFICATIONS	Falcon QD Bipod
	<b>Shortened:</b> 11.12" x 5.19" x 6.28"   28.24 x 13.19 x 15.95 cm
	<b>Extended:</b> 12.99" x 5.19" x 7.9"   32.99 x 13.19 x 20.07 cm
	<b>Folded:</b> 8.81" x 5.01" x 1.76"   22.38 x 12.74 x 4.47 cm
	<b>Weight (±):</b> 1.37 lbs   620 grams
	<b>Material:</b> 6061-T6 aluminum





SPECIFICATIONS	Falcon AES Bipod
	<b>Shortened:</b> 11.40" x 4.42" x 7.16"   28.96 x 11.23 x 18.19 cm
	<b>Extended:</b> 13.28" x 4.42" x 8.78"   33.73 x 11.23 x 22.30 cm
	<b>Folded:</b> 7.98" x 5.10" x 2.35"   20.27 x 12.95 x 5.97 cm
	<b>Weight (±):</b> 1.57 lbs   715 grams
	<b>Material:</b> 6061-T6 aluminum

# FALCON LITE BIPODS





with panning and canting

The Falcon Lite bipods utilize a small head design, allowing for a more compact bipod better suited for competitive PRS shooting. It offers the same great canting capability as the bigger Falcon models, in a lighter weight package (only 400-450 grams), without any compromise on its rigidity. It also adds the panning feature, a quick detach (QD) Picatinny mount, a tensioning lever and 9 positions telescopic aluminum tube legs. These bipods have a very wide footprint spread and some of the tightest machining tolerances on the market, making them the most stable lightweight bipods you'll find. The modular locking feet attachments are a must to adapt to any shooting surfaces.





FALCON LITE SP BIPOD - Part#: 7431-K102SP

FALCON LITE AES BIPOD - Part#: 7431-K102AES













SPECIFICATIONS	Falcon Lite SP Bipod
	<b>Shortened:</b> 9.81" x 3.31" x 6.81"   24.92 x 8.4 x 17.3 cm
	<b>Extended:</b> 12.84" x 3.31" x 9.43"   32.61 x 8.4 x 23.95 cm
	<b>Folded:</b> 7.58" x 3.79" x 1.84"   19.25 x 9.63 x 4.67 cm
	<b>Weight (±):</b> 0.88 lbs   399 grams
	<b>Material:</b> 6061-T6 aluminum



SPECIFICATIONS	Falcon Lite AES Bipod
	<b>Shortened:</b> 9.81" x 3.31" x 6.93"   24.92 x 8.4 x 17.60 cm
	<b>Extended:</b> 12.84" x 3.31" x 9.56"   32.61 x 8.4 x 24.28 cm
	<b>Folded:</b> 7.58" x 3.79" x 1.96"   19.25 x 9.63 x 4.98 cm
	<b>Weight (±):</b> 0.98 lbs   445 grams
	<b>Material:</b> 6061-T6 aluminum



# COMPARISON TABLE

	FALCON BIPOD		FALCON LITE BIPOD		
	<div>NEW GEN</div>  <div>Standard</div>	<div>NEW GEN</div>  <div>AES (Arca Elite System)</div>	<div>NEW GEN</div>  <div>SP (Single Pivot)</div>	<div>NEW GEN</div>  <div>AES (Arca Elite System)</div>	<div>SPECIAL ORDER ONLY</div>  <div>C20 SASW model</div>
MOUNTING OPTIONS	QD Picatinny mount 	QD Picatinny mount 	QD Picatinny mount 	QD Picatinny mount 	QD Picatinny mount 
HEIGHT RANGE	6.28" - 7.90" (15.95 - 20.07 cm)	6.97" - 8.59" (17.7 - 21.82 cm)	6.55" - 9.18" (16.64 - 23.32 cm)	6.75" - 9.37" (17.15 - 23.8 cm)	6.55" - 9.18" (16.64 - 23.32 cm)
WEIGHT (±)	1.37 lbs (620 grams)	1.57 lbs (715 grams)	0.88 lbs (399 grams)	0.98 lbs (445 grams)	0.88 lbs (399 grams)
OPTIONAL FEET	Claw - Spike - Ski	Claw - Spike - Ski	Claw - Spike - Ski	Claw - Spike - Ski	Claw - Spike - Ski
90° FOOTPRINT SPREAD	11.4" - 13.27" (28.96 - 33.71 cm)	11.4" - 13.27" (28.96 - 33.71 cm)	9.8" - 12.84" (24.89 - 32.61 cm)	9.8" - 12.84" (24.89 - 32.61 cm)	9.8" - 12.84" (24.89 - 32.61 cm)
LEG POSITIONS (ANGLE)	0 - 45 - 90 - 135 - 180	0 - 45 - 90 - 135 - 180	0 - 45 - 90 - 135 - 180	0 - 45 - 90 - 135 - 180	0 - 45 - 90 - 135 - 180
TOTAL LEG POSITIONS (ANGLE)	5	5	5	5	5
TOTAL LEG POSITIONS (HEIGHT)	6	6	9	9	9
CANT ANGLE	+/- 15.5° (31° total)	+/- 15.5° (31° total)	+/- 15° (30° total)	+/- 15° (30° total)	+/- 15° (30° total)
PAN ANGLE	N/A	N/A	+/- 15° (30° total) (lockable)	+/- 15° (30° total) (lockable)	+/- 15° (30° total) (lockable)
MAIN MATERIAL	6061-T6 aluminum	6061-T6 aluminum	6061-T6 aluminum	6061-T6 aluminum	6061-T6 aluminum
PART NUMBER	7431-K015	7431-K015AES	7431-K102SP	7431-K102AES	7431-K102 (NSN#: 1005-20-010-7520)

# BIPOD ACCESSORIES

Every Cadex Falcon and Falcon Lite Series bipods are modular and share the same feet attachments. Although each of them includes rubber feet as a standard, multiple other optional feet attachments can be added. While rubber feet remain the best overall configuration, some specific sports may benefit the use of more dedicated feet attachments. Here are our recommendations based on their purpose:

**PRS SHOOTING**

- Rubber feet
- Spike feet

**ELR SHOOTING**

- Rubber feet
- Ski feet
- Extension leg kit
- Long leg kit

**F-CLASS & BENCH SHOOTING**

- Rubber feet
- Ski feet

**PRONE FIELD SHOOTING**

- Rubber feet
- Spike feet
- Claw feet
- Ski feet



**SKI FEET** - Part#: 7431-K331-K2



**SPIKE FEET** - Part#: 7431-K106-K2



**CLAW FEET** - Part#: 7431-K104-K2



**RUBBER FEET** - Part#: 7431-K105-K2



**EXTENSION LEG KIT** - Part#: 7431-K108-K2



**FALCON LONG LEG KIT** - Part#: 7431-K333-K2



\*Do not fit Falcon Lite models



# CDX CLEANING KITS



Even the most accurate rifle in the world can produce poor performance if basic maintenance is not performed. It is critical to follow the manufacturer's cleaning procedure in order to maintain optimal performance. For the aforementioned reason, Cadex has put together a few cleaning kits which contains everything you'll need (except chemicals) to perform the maintenance of your rifle. These cleaning kits are complete, affordable and adapted to different applications where cleaning may be required. They are "caliber based" and fit all our rifle platforms.

*\*Not designed for single shot 36" and 40" barrel rifles*

**EACH KIT INCLUDES:**

- One-piece cleaning rod
  - Multi-section cleaning rod
  - Flexible rod with t-handle
  - Bore snake
  - Brass brush
  - Cotton mop
- Nylon brush
  - Chamber brush
  - Brass slotted tip
  - Brass jag tip
  - Bore guide kit
  - Dual-chamber lube bottle
- Double-end utility brushes (3x)
  - Round cleaning patches (100 units)
  - Storage pouch with molle system

CDX CLEANING KIT CONTENT LIST AND PART NUMBERS						
	6.5	308	338	375	408	50 BMG
Storage pouch with molle system	•	•	•	•	•	•
Universal bore guide kit (6.5mm/.30/.33/.375/.408)	•	•	•	•	•	
.50 Cal bore guide kit						•
One-piece cleaning rod (Ø 6mm x 100cm)	•	•	•			
One-piece cleaning rod (Ø 8mm x 115cm)				•	•	•
Flexible rod with T-Handle (130cm)	•	•	•	•	•	•
Multi-section cleaning rod with T-Handle (Ø 6mm x 130cm)	•	•	•			
Multi-section cleaning rod with T-Handle (Ø 8mm x 130cm)				•	•	•
Round cleaning patches - Ø 1-1/4" - (100x)	•		•			
Round cleaning patches - Ø 1-3/4" - (100x)		•	•			
Round cleaning patches - Ø 2-1/2" - (100x)				•	•	•
Brass brush	•	•	•	•	•	•
Cotton mop	•	•	•	•	•	•
Nylon brush	•	•	•	•	•	•
Brass slotted tip	•	•	•	•	•	•
Brass jag tip	•	•	•	•	•	•
Chamber brush	•	•	•	•	•	•
Bore snake	•	•	•	•	•	•
Dual-chamber lube bottle	•	•	•	•	•	•
Double-end utility brushes (3x)	•	•	•	•	•	•
PART NUMBERS	CLEAN-6.5	CLEAN-308	CLEAN-338	CLEAN-375	CLEAN-408	CLEAN-50

# ARCA ELITE SYSTEM (AES)

With over a year of input and development, Cadex is releasing the ARCA Elite System (AES). The AES system is designed for a quick and smooth manipulation that locks up solid. Using two stainless pins, the AES clamp locks into the precision machined serrations down the center of the ARCA Rail creating a system that will not move, even under the most extreme conditions. This is a huge improvement over the original ARCA design well known to slip under recoil.

**FULL KIT**



#AES-PRK419 (AES Rail M-LOK)  
**CDX-R7 LCP/FCP rifles and  
Lite/Field Competition chassis**

#AES-PRK431 (AES Rail 10-32)  
**CDX-R7 CPS, CDX-30/300/33 rifles and Dual/Lite Strike and  
Field Tactical chassis**

#AES-PRK430 (AES Rail M-LOK)  
**CDX-R7 SHP, CDX-SS Covert rifles and  
Strike Nuke Evo chassis**



Picatinny rail  
variant

#AES-PRK433 (AES Rail 1/4-28)  
**Dual Strike chassis McMillan Tac-50®  
(Won't fit Dual Strike prior 2014)**




Optional  
AES Bipod stud variant  
using #03127-A487-K1


#AES-PRK435 (AES Rail 10-32)  
**CDX-MC Kraken® rifles**

#AES-PRK432 (AES Rail 1/4-28)  
**CDX-40 SHDW and CDX-50 Tremor® rifles**

**SEPARATE ITEMS**




**AES Rail (M-LOK)**  
#03127-A419-K1  
**Rifles:** CDX-R7 LCP/FCP Series  
**Chassis:** Lite/Field Competition



**AES Clamp (Quick Detach)**  
#03127-A417-K1



**AES Rail (M-LOK)**  
#03127-A430-K1  
**Rifles:** CDX-R7 SHP Series, CDX-SS Covert  
**Chassis:** Strike Nuke Evo




**AES Bipod Stud Adaptor**  
#03127-A487-K1



**AES Rail (10-32)**  
#03127-A431-K1  
**Rifles:** CDX-R7 CPS, CDX-30/300/33  
**Chassis:** Dual/Lite Strike and Field Tactical



**AES Rail (10-32)**  
#03127-A435-K1  
**Rifle:** CDX-MC Kraken®



**AES Rail (1/4-28)**  
#03127-A432-K1  
**Rifles:** CDX-40 SHDW, CDX-50 Tremor®  
**Chassis:** Dual Strike CDX-40/50 actions



**AES Rail (1/4-28)**  
#03127-A433-K1  
**Chassis:** Dual Strike McMillan Tac-50®  
*Won't fit Dual Strike prior 2014*

**AES RAIL FEATURES:**

- Rail section that attaches to the chassis fore-end tube.
- Precision machined from solid 6061-T6 aluminum to the tightest tolerances in the industry.
- Built to the RRS standard ARCA rail dimensions to ensure all clamping systems work perfectly.
- Locking serrations are flush to the bottom so they will not interfere with clamping on a tripod.
- Deep locking serrations for positive lock up and guaranteed not to slip under recoil and loading.

**AES CLAMP FEATURES:**

- Adjustable tension on the AES Clamp for a perfect fit.
- Machined from solid 6061-T6 aluminum with stainless steel locking pins.
- The AES clamp can be used on competitors ARCA rails by removing the stainless steel locking pins.
- Cadex's quick throw lever system for lightning fast manipulation.
- Attachment of bipods through Picatinny/1913 rail or bipod/sling stud interface.
- All parts available separately or sold as a kit.





# ACCESSORIES

## BEAN BAG RIDER

The Bean Bag Rider was designed to sit securely on your bean bag. The Bean Bag Rider allows the shooter to make minute corrections while ensuring the bean bag won't slip out of position. Adapts to most Cadex rifles or chassis rear stocks.

### SPECIFICATIONS

**Part#:** 03127-269-K1  
**Dimensions:**  
3.09" x 1.01" x 0.94" | 7.85 x 2.57 x 2.39 cm  
**Weight (±) :** 0.034 lbs | 15 grams  
**Material:** Fiber reinforced composite  
(NSN#: 1005-20-010-6214)



## ELR BAG RIDER

The ELR bag rider was specifically designed to work with "F-Class" style rear bags. Adapts to most Cadex rifles or chassis rear stocks.

- Precision machined from 6061-T6 aluminum.
- Recessed center to reduce friction and enhance tracking.
- Slotted attachment point to allow for precise placement.
- Anodized finished.

### SPECIFICATIONS

**Part#:** 03127-950-K1  
**Dimensions:**  
4.99" x 1.2" x 0.87"  
12.67 x 3.05 x 2.21 cm  
**Weight (±) :** 0.29 lbs | 132 grams  
**Material:** 6061-T6 aluminum



## MONOPOD KIT

### SPECIFICATIONS


**Part#:** 03127-A500  
**Dimensions:**  
1.98" x 1.57" x 6.67"  
5.03 x 3.99 x 16.94 cm  
**Weight (±) :** 0.73 lbs | 331 grams  
**Material:** Alloy & composite

Why encumber yourself with a heavy bean bag when you can deploy an adjustable height rear rest by the push of a button? The Monopod Kit is the solution for tactical applications where a rear rest is not available. The Monopod Kit installs easily on any Cadex rifles or chassis systems equipped with the Cadex original or skeleton stock.

*\*Shaded parts to be re-used from customer's rifle or chassis.*

### FEATURES:

- Fast to deploy by the simple push of the quick release button.
- Micro-adjustable height by turning the base clockwise or counter clockwise.
- Replaces the rifle or chassis original butt pad mounting plate.
- Available in black color only.



Quick release button

Micro-adjustability

## NEOPRENE CHEEK PAD



**Part#:** 03127-2070-K1

For CDX-SS SEVEN S.T.A.R.S. PRO and Strike Pro chassis.

**Part#:** 03127-693-N18

For CDX-R7 SHP Series rifles and Strike Nuke chassis.

**Part#:** 03127-772-K1

For CDX-R7 CRBN, CDX-R7 SPTR rifles and Tundra Strike chassis.

**Part#:** 03127-693-L18-RH (right) / 03127-693-L18-LH (left)

For any other Cadex rifles or chassis. Right or left.

# SLING MOUNTS

## BUTTSTOCK MOUNTING

### SPECIFICATIONS

**Monopod rail with flush cup**  
Part#: 03127-A173-K1  
**Dimensions:**  
2.64" x 0.83" x 0.43"  
6.71 x 2.11 x 1.09 cm  
**Weight (±) :** 0.053 lbs | 24 grams  
**Material:** 6061-T6 aluminum



*\*Replaces the standard monopod rail*

### SPECIFICATIONS

**Rear sling stud/AES bipod stud**  
Part#: 03127-A487-K1  
**Dimensions:**  
2" x 0.65" x 0.63"  
3.89 x 1.58 x 1.91 cm  
**Weight (±) :** 0.024 lbs | 11 grams  
**Material:** 6061-T6 aluminum



*\*Replaces the standard monopod rail*

## FORE-END TUBE MOUNTING

### SPECIFICATIONS

**Flush cup sling adaptor**  
Part#: 03127-A174-K1  
**Dimensions:**  
1.44" x 0.75" x 0.33"  
3.67 x 1.91 x 0.86 cm  
**Weight (±) :** 0.029 lbs | 13 grams  
**Material:** 6061-T6 aluminum



### SPECIFICATIONS

**Small Picatinny sling adaptor**  
Part#: 1757  
**Dimensions:**  
1.53" x 0.62" x 0.75"  
3.89 x 1.58 x 1.91 cm  
**Weight (±) :** 0.029 lbs | 13 grams  
**Material:** 6061-T6 aluminum



(NSN#: 1005-20-008-0123)

Cadex Sling Mounts are compatible with most common quick-detachable push buttons and Uncle Mike's style sling swivels on the market. They are versatile mounts that allow shooters to vary the location of the sling attachment on their weapon. These are top of the line sling attachments with tight machining tolerances. Always test for fit and function prior to attach your rifle as mass-production swivels are sometimes out-of-specs.

### FEATURES:

- Fits all Mil Std quick release sling swivels.
- Attaches to Mil Std M1913 rails.
- Compact size.

### SPECIFICATIONS

**VTAC L.U.S.A 4 point sling adaptor**  
Part#: 1398  
(NSN: 1005-01-561-0488)  
**Dimensions:**  
1.52" x 1.33" x 0.75" | 3.86 x 3.4 x 1.91 cm  
**Weight (±) :** 0.051 lbs | 23 grams  
**Material:** 6061-T6 aluminum



### VTAC L.U.S.A. 4 sling attachment methods:

- 1- Passing the sling through the sling loop
- 2- HK hooks and similar quick release devices
- 3- Push button type quick release sling swivels
- 4- Locking type sling swivels for sling studs



*Flush cup sling adaptors to be used with standard push button swivel attachments*





# MODULAR ACCESSORIES

## 3" MODULAR PICATINNY RAIL

Part#: 03127-A078-K1



(NSN#: 1005-20-008-9977)

## 5" MODULAR PICATINNY RAIL

Part#: 03127-A017-K1



(NSN#: 1005-20-011-9507)

Cadex Modular Accessories are designed to fit on Cadex modular products such as rifles, chassis and shotgun accessories. Most rails also fit Remington® products such as the MSR rifle and RACS chassis. The 3", 3.5", 5" & 9" rails and the 10-32 chassis weights bolt on the Cadex proprietary 10-32 slot mounting pattern. The Centre Bipod Rail and Centre Accessory Rail Kit install on most Cadex rifles and chassis systems. All rails are made of aircraft grade 6061-T6 aluminum and include mounting screws.

## 9" ALUMINUM BIPOD RAIL

Part#: 03127-K015




### COMPATIBLE WITH:

- CDX-MC Kraken®, CDX-30/300/33 series rifles (not CDX-40/50). The Dual Strike (not 50 BMG), Lite Strike and Field Tactical chassis.
- Also fit non M-LOK generation of CDX-R7 LCP, CDX-R7 FCP, CDX-R7 SHP rifles and Lite Competition/Field Competition chassis. (Prior to 2018 models)

## CENTRE ACCESSORY RAIL KIT (2)

Part#: 03127-A083-K2



## 3.5" ALUMINUM BIPOD RAIL

Part#: 03127-A002-K1



## 10-32 CHASSIS WEIGHTS (2)


Part#: 03127-921-K2



The 10-32 chassis weights allow shooters to balance their rifle perfectly. Competitive shooters have known for years the benefits of a well balanced gun and additional weight for reducing felt recoil. Weights are made from stainless steel and weigh in at 0.67 lb (300 grams) per pair.

## CENTRE BIPOD RAIL

Part#: 03127-A019-K1



\*Fits only chassis and rifle models with underbelly mounting points.



# M-LOK ACCESSORIES



With the growing popularity of PRS style shooting competitions came a huge selection of aftermarket accessories using the M-LOK technology. With more possible positioning than any other system, the M-LOK system offers a true benefit for the competition shooter.

From now on, all products featuring an M-LOK logo next to their names will feature this technology. The M-LOK system isn't compatible with Cadex's previous screw pattern, rails and accessories so make sure to order M-LOK accessories if your chassis or rifle features the M-LOK technology.



INSTALL/UNINSTALL



TIGHTEN



T-NUT LOCKED

## M-LOK 3" MODULAR PICATINNY RAIL

Part#: 03127-A078ML



## M-LOK 3.5" ALUMINUM BIPOD RAIL

Part#: 03127-A002ML



## M-LOK 5" MODULAR PICATINNY RAIL

Part#: 03127-A017ML



## M-LOK 9" ALUMINUM BIPOD RAIL

Part#: 03127-K015ML




## M-LOK FLUSH CUP SLING ADAPTOR

Part#: 03127-A174ML



## M-LOK BIPOD / SLING ADAPTOR

Part#: 03127-957ML



Bipod mounting plate included

## M-LOK STACKABLE CHASSIS WEIGHTS (2)

Part#: 03127-949ML-K2



The M-LOK stackable chassis weights allow shooters to balance their rifle perfectly. Competitive shooters have known for years the benefits of a well balanced gun and additional weight for reducing felt recoil. Weights are made from stainless steel and weigh in at 0.67 lb (300 grams) per pair.



# UNIVERSAL RAILS

### DO IT YOURSELF INSTALLATION

The following products have been developed to make the installation of rails possible on products that were not initially designed for. For example, adding a night vision flat rail on a Competition chassis fore-end tube that does not feature any mounting points at 12 o'clock. If you have basic mechanical knowledge and know how to operate a drill, these rails are the solution you were looking for.

### FEATURES:

- Made of aircraft grade 6061-T6 aluminum.
- Picatinny style rails.
- Includes mounting screws.

### UNIVERSAL 9" NVD RAIL - Part#: 03127-012-K1



The Universal 9" NVD Rail installs at 12 o'clock position on the fore-end tube of Cadex's Competition series rifles and chassis. The rail bottom is flat and features a 4 screw hole pattern. You will need to drill and tap the fore-end tube at specific locations in order to install this rail. Once installed, your chassis will be able to accommodate a night vision or thermal imaging device. Mounting screws and a drilling template are included within the kit.

### FITS:

- LCP and FCP rifles
- Lite Comp and Field Comp chassis

Estimated time: 30 min

Degree of difficulty:




Shown on a CDX-R7 LCP rifle

### UNIVERSAL 3.5" BIPOD RAIL - Part#: 03127-007-K1

The Universal 3.5" Bipod Rail features a flat bottom, one #10 size screw hole and one oblong slot that can accommodate multiple bolt patterns. You may install it at various locations on your rifle stock or chassis system to provide you with a Picatinny Rail attachment for bipod or other accessories. It includes a variety of mounting screws so that it is very versatile.

Estimated time: 10 min

Degree of difficulty:



Shown on a Tundra Strike stock

Bottom view



Side view



# FOLDING & STUBBY GRIP

The Cadex Vertical Folding Grip and Stubby Grip provide the operator with a weapon hold that is adaptable to changing tactical conditions.

### FEATURES:

- Folding grip folds parallel to the barrel to be more compact and provide multiple hand hold options.
- Fits Mil Std 1913 and weaver rails.
- Comes in Black, OD Green or Tan.
- Rattle proof self-draining storage compartment for 2 X CR123 (Folding) and 1 x CR123 (Stubby) batteries.
- Ambidextrous design.
- Solid and lightweight.

**Folding grip**  
Part#: 622-000-BLK • 622-000-TAN • 622-000-ODG

**Dimensions:**  
2.81" x 1.67" x 5.62" | 7.16 x 4.26 x 14.28 cm

**Dimensions folded:**  
2.4" x 1.67" x 5.68" | 6.09 x 4.26 x 14.42 cm

**Weight (±):** 0.29 lbs | 131 grams

**Material:** Nylon

**Stubby grip**  
Part#: 1979-BLK • 1979-TAN • 1979-ODG

**Dimensions:**  
2.76" x 1.7" x 3.83" | 7.01 x 4.32 x 9.73 cm

**Weight (±):** 0.21 lbs | 95 grams

**Material:** Nylon

### NSN#:

- 1005-20-002-9378 (for 622-000-ODG)
- 1005-20-009-2174 (for 1979-BLK)
- 1005-20-009-2173 (for 1979-TAN)
- 1005-20-009-2172 (for 1979-ODG)



# CARBINE PICATINNY RAILS

The Cadex 4.2" and 6" Carbine Picatinny Rails attach to the handguard of the M4/C8 Carbine or M16/C7 rifle to provide a sturdy Picatinny rail for mounting grips, lasers and other accessories. The rail's base is angled to match the handguard taper.

### 0.9° ANGLE CORRECTION



**4.2" Picatinny rail**  
Part#: CMR-418-01 (NSN#: 1005-20-002-9377)

**Dimensions:**  
4.2" x 0.83" x 0.56" | 10.66 x 2.11 x 1.43 cm

**Weight (±):** 0.07 lbs | 32 grams

**Material:** 6061-T6 aluminum

**6" Picatinny rail**  
Part#: CMR-418-02

**Dimensions:**  
6" x 0.83" x 0.56" | 15.24 x 2.11 x 1.43 cm

**Weight (±):** 0.09 lbs | 43 grams

**Material:** 6061-T6 aluminum



# FORE-END RAIL

Accuracy International® AW/AICS



SPECIFICATIONS

**Accuracy International® Fore-end Rail**  
Part#: 1272-A002 (NSN#: 1005-20-011-8296)

**Dimensions:**  
11.81" x 3.34" x 2.72" | 30 x 8.5 x 6.9 cm

**Weight (±) :** 1.09 lbs | 496 grams

**Material:** 6061-T6 aluminum



\*Previous model

The Cadex Fore-end Rail provides users of the Accuracy International® rifle or chassis with a world-class mount for inline night vision, lasers and accessories. Designed for the Accuracy International Chassis System (AICS, AW), it provides Mil Std M1913 rails at the 3, 9 and 12 o'clock position.

FEATURES:

- Allows the sniper to install/remove night vision devices without adjusting zero of their primary sniper optic.
- Places the sniper optic and attached night vision on the same plane.
- Side rails provide excellent zero retention of side-mounted laser.
- 0 MOA is standard, but other MOAs are also available on special run.

# MP5 FORE-END RAIL



The Cadex MP5 Fore-end Rail provides the operator with a solid base to accessorize the Heckler & Koch® MP5.

FEATURES:

- Three M1913 mounting rails at 3, 6 and 9 o'clock.
- Provides rigid mounting for lights, lasers and other accessories.
- Easy installation using existing mounting holes.

SPECIFICATIONS

**MP5 Fore-end Rail**  
Part#: 1165

**Dimensions:**  
3.94" x 2" x 1.78" | 10.03 x 5.1 x 4.52 cm

**Weight (±) :** 0.27 lbs | 124 grams

**Material:** 6061-T6 aluminum

# M4 EXTENDED FORE-END RAIL

The Cadex M4 Extended Fore-end Rail provides the user with a world-class mount. It is a light and strong rail system. The Cadex rail extension system is produced out of one solid piece of 6061-T6 aluminum and designed for toughness and durability. Its ergonomic design, with multiple rail configurations, allows for great maneuverability and precision improvement. It meets the Mil Std M1913 for rails.

SPECIFICATIONS

**Part#: 4093**

**Dimensions:**  
6.34" x 2.19" x 2.3"  
16.1 x 5.56 x 5.84 cm

**Weight (±) :**  
0.6 lbs | 271 grams

**Material:**  
6061-T6 aluminum



FEATURES:

- Fits on Knight's Armament® model. May fit other AR models with A-frame front sight assembly.
- 2 built-in flush cups.
- One piece design for toughness and durability.
- Multiple end rail position configurations.
- Ergonomic design for maneuverability improvement.
- Allows the operator to extend the handle grip position on the fore-end of the rifle.



# TRI-RAIL MOUNT

The Cadex Tri-Rail Mount for the C7/C8, M4/M16 and AR-15 family of small arms provides users with a robust mount for laser pointers, illumination devices and bipods. Mil Std 1913 rails at the 3, 6 and 9 o'clock positions.


SPECIFICATIONS

**Part#: 1220**

**Dimensions:**  
3.33" x 2.92" x 2.83"  
8.47 x 7.42 x 7.21 cm

**Weight (±) :**  
0.37 lbs | 166 grams

**Material:**  
6061-T6 aluminum



FEATURES:

- The rail reduces heat transferred to attached electro-optics.
- Installation requires no modifications to the weapon.
- Removable rails allow the user to reduce the weapon's weight and profile, according to their mission.
- Individually removable rails.




(NSN#: 1005-20-009-6220)



# SHOTGUN ACCESSORIES

# SHOTGUN ACCESSORIES



## 870 TOP RAIL

Cadex's rail system takes the Remington® 870 shotgun to a new level of versatility, providing a mounting platform that tailors the shotgun to the mission.

### FEATURES:

- The Mil Std M1913 rail allows the mounting of red dot sights to help the shooter engage targets quickly and accurately.
- Different combinations of iron sights and mini red dot sights can be mounted to achieve a co-witnessed installation.
- Two side rails are included for mounting lasers or other accessories such as any of Cadex's Sling Mounts or Flashlight Mounts.



\*Does not require any receiver drilling

## MOSSBERG® 500/590 SADDLE MOUNT

### SPECIFICATIONS

**Part#:** 6381-TR002  
**Dimensions:** 6.93" x 1.74" x 2.49" | 17.6 x 4.42 x 6.32 cm  
**Weight (±) :** 0.28 lbs | 127 grams  
**Material:** Aluminum & Stainless Steel



### PICATINNY HAND STOP

The Cadex Picatinny Hand Stop enhances safe handling of short barreled weapons by preventing the operator's lead hand from moving forward of the muzzle. It also optimizes weapon control and accuracy by providing a tactile indicator of hand position, which allows a repeatable weapon hold.

### FEATURES:

- Adaptable to both Mil Std M1913 and Weaver rails.
- Assists positive retention of the weapon for maximum muzzle control during rapid fire.
- Perfect for shotgun and carbine.

### SPECIFICATIONS

**Part#:** 1164  
**Dimensions:** 1.5" x 0.62" x 1.74" | 3.81 x 1.57 x 4.42 cm  
**Weight (±) :** 0.07 lbs | 31 grams  
**Material:** 6061-T6 aluminum



### LOW PROFILE HAND STOP



(NSN#: 1005-20-009-9091)

This Hand Stop fits the 870 MCS Modular Fore-end Pump Guard to provide a safe grip on the firearm, increasing accuracy and reload speed by allowing the shooter to focus on shooting instead of where its hand is placed. Also fits on the 870 and the 870 MCS Modular Fore-end Pump Guard.

### SPECIFICATIONS

**Part#:** 5181-HS  
**Dimensions:** 1.43" x 0.91" x 1.12" | 3.63 x 2.32 x 2.83 cm  
**Weight (±) :** 0.03 lbs | 14 grams  
**Material:** 6061-T6 aluminum



## 870 MAG CAP DUAL RAIL - Part#: 1486-A012

Cadex's rail system greatly improves effectiveness of the Remington® 870 shotgun, providing a mounting platform which allows users to tailor the shotgun to the mission. The twin M1913 rails allow mounting of flashlights and lasers providing stability and focus when cycling the action of the shotgun.

### FEATURES:

- Reuses the original 870 mag cap.
- Twin M1913 Rails.
- Mounts in conjunction with the barrel lug and magazine cap, no modification required.
- Users can install accessories such as Sling Mounts or Flashlight Mount.



(NSN#: 1005-20-009-0565)



Requires the 870 Tactical Buttstock Adaptor (Part#: LB-1486) to work



# SHOTGUN BUTTSTOCK ADAPTORS

for the Remington® 870 and the Mossberg® 500/590

## 870 TACTICAL BUTTSTOCK ADAPTOR



(NSN#: 1005-20-008-9993)

### SPECIFICATIONS


**Part#:** LB-1486

**Dimensions:**  
4.66" x 1.35" x 3.23" | 11.84 x 3.43 x 8.22 cm

**Weight (±) :** 0.62 lbs | 280 grams

**Dimensions with sling mount:**  
4.66" x 2.02" x 3.23" | 11.84 x 5.13 x 8.22 cm

**Material:** Aluminum & Stainless Steel



The Cadex Quick Release Buttstock Adaptor for the Remington® 870 or the Mossberg® 500/590 provides the operator with a versatile combat/breaching shotgun combination in one weapon.

### FEATURES:

- Allows the shotgun to be quickly configured as a combat or breaching shotgun.
- The buttstock release is a push button mechanism which provides positive locking of the buttstock with no excess movement.



## 870 FIXED BUTTSTOCK ADAPTOR



### SPECIFICATIONS

**Part#:** 1486-037

**Dimensions:**  
3.45" x 1.35" x 3.24" | 8.76 x 4.87 x 8.23 cm

**Weight (±) :** 0.49 lbs | 220 grams

**Dimensions with sling mount:**  
3.45" x 2.02" x 3.24" | 8.76 x 5.13 x 8.23 cm

**Material:** Aluminum & Stainless Steel



## MOSSBERG® 500/590 TACTICAL BUTTSTOCK ADAPTOR

### SPECIFICATIONS


**Part#:** LB-6381

**Dimensions:**  
5.29" x 1.46" x 3.26" | 13.44 x 3.71 x 8.28 cm

**Weight (±) :** 0.57 lbs | 259 grams

**Dimensions with sling mount:**  
5.29" x 2.13" x 3.26" | 13.44 x 5.41 x 8.28 cm

**Material:** Aluminum & Stainless Steel



# FORE-END PUMPS

Customize your own Shotgun Modular Fore-End Pump

### FEATURES:

- Made out of 6061-T6 aluminum for maximum resistance.
- Multiple rail positions.
- Ergonomic design.
- Allows you to retrofit easily any hand guard for Remington® 870 or Mossberg® 500/590 shotguns.
- Fits from 0 to 7 rails.

The Cadex Modular Fore-end Pump made from 6061-T6 corrosion resistant aluminum offers a world class ergonomic design allowing you to retrofit most Remington® 870 or Mossberg® 500/590 pump handle. 24 threaded inserts allow for multiple rail placements in order to customize your shotgun the way you like it.

## OPTIONAL RAILS AND SLING ATTACHMENT



5" Part#: 03127-A017-K1  
or M-LOK  
Part#: 03127-A017ML-K1



3" Part#: 03127-A078-K1  
or M-LOK  
Part#: 03127-A078ML-K1



Part#: 03127-A174-K1  
or M-LOK  
Part#: 03127-A074ML-K1

## 870 MODULAR FORE-END PUMP

### SPECIFICATIONS

**Part#:** 4197

**Dimensions:**  
7.02" x 1.85" x 2.42"  
17.83 x 4.72 x 6.15 cm

**Weight (±) :**  
0.64 lbs  
291 grams

**Material:**  
6061-T6 aluminum



*\*Shown with optional accessories*

(NSN#: 1005-20-009-9980)

## 870 M-LOK MODULAR FORE-END PUMP

### SPECIFICATIONS

**Part#:** 4197-004-K1

**Dimensions:**  
7.00" x 2.40" x 1.65"  
17.78 x 6.10 x 4.20 cm

**Weight (±) :**  
0.44 lbs  
200 grams

**Material:**  
6061-T6 aluminum



See compatible  
M-LOK accessories P. 90



## 870 MCS MODULAR FORE-END PUMP

### SPECIFICATIONS

**Part#:** 5181

**Dimensions:**  
5.41" x 1.8" x 1.92"  
13.74 x 4.57 x 4.88 cm

**Weight (±) :**  
0.35 lbs  
157 grams

**Material:**  
6061-T6 aluminum



## MOSSBERG® 500/590 MODULAR FORE-END PUMP

### SPECIFICATIONS

**Part#:** 6381

**Dimensions:**  
8.75" x 1.8" x 2.09"  
22.23 x 4.57 x 5.31 cm

**Weight (±) :**  
0.63 lbs  
285 grams

**Material:**  
6061-T6 aluminum



*\*Shown with optional accessories*



# CADEX NIGHT VISION DIVISION



Cadex has been involved in electro-optic accessories for over twenty years. Since then, our services toward this market has been expanding. Back in early 2019, Cadex was awarded the contract to supply the Canadian Army Reserves with 300 monocular night vision devices. These systems were assembled in Saint-Jean-sur-Richelieu, Quebec with support from our two OEM suppliers, Photonis® and Theon® Sensors. Cadex is proud to announce the implementation of its Electro-Optic Division and is looking forward to working with our valued customers to expand its capabilities.



THEON®  
ARGUS  
PANOPTES



THEON®  
ARGUS  
PANOPTES



THEON®  
ARGUS



THEON®  
MIKRON-D



THEON®  
NYX



THEON®  
DAMON



THEON®  
THERMIS  
WS



THEON®  
ARTEMIS



THEON®  
THERMIS  
CS



# NIGHT VISION TUBES

PHOTONIS

The 4G technology is particularly suited to the very high demands of special forces. Get the best Detection, Recognition and Identification (DRI) range and be the first to see.

**FEATURES:**

- Best DRI\* range
- Ultra-Fast Auto-Gating
- Very small halo
- Spectral range from 400nm to 1000nm







# NIGHT VISION

Binoculars and Monoculars

## THEON® ARGUS PANOPTES

### Advanced Modular Night Vision Binoculars (MNVB)

- Two Mil Spec versions available: Lightweight (LW) and Fail Safe with 100% shut off mechanism (FS)
- Consist of two Argus MNVM's connected with a bridge
- Ambidextrous operations
- Independent flip away and flip-up function (FS version)
- Optional Long Range Laser Illuminator
- Complete range of accessories including 3X magnifiers, sacrificial, antifogging, laser protection filters, camera adapters, etc.
- Built in interface for Thermal Clip-On attachment (FS version)
- Optional Manual Gain Control (MGC)



## THEON® ARGUS

### Multi-Purpose Night Vision Monocular (MNVM)

- Two Mil-Spec version available: Lightweight (LW) and Fail Safe with 100% shut off mechanism (FS)
- Ambidextrous operations
- Collimated line of sight allows for use as binocular
- Optional Long Range Laser illuminator
- Complete range of accessories including, 3X or 5X magnifiers, Sacrificial, antifogging, day training, laser protection filters, camera adapters and more
- Optional Manual Gain (MGC)



*The Argus LW is the proud winner of the Canadian Army Reserves Night Vision Monocular program*

## THEON® MIKRON-D

### Mini Dedicated Night Vision Binocular (Mini-NVB)

- Mil-Spec and Lightweight
- Utilizes 16mm image intensifier tubes which reduces weight and size substantially
- Optional Manual Gain Control (MGC)
- Integrated IR illuminator
- Independent flip away and flip up function
- Smart Electronics



## THEON® NYX

### Dedicated Night Vision Binocular (NVB)

- Lightest NVB in its category
- Optional Manual Gain (MGC)
- Smart Electronics
- Complete range of accessories including 3X magnifiers, sacrificial, antifogging, day training, laser protection filters, camera adapters, etc.



Contact Cadex for more information on Night Vision products

# NIGHT VISION & THERMAL

Weapon Sights



## THEON® DAMON

### In Line Afocal Night Sight (CNVD)

- Two versions available: Medium Range (MR) and Long Range (LR)
- Adds Night Vision capability by clip on in front of day optics
- No need to remove day sight allowing the eye relief, shooting position and user muscle memory to remain the same
- No boresight required
- Optional Manual Gain Control (MGC)
- Simple and quick single throw lever mounting on Picatinny rails



*The Damon is the proud winner of a Canadian Army Forces Night Vision program*



## THEON® ARTEMIS

### Night Vision Stand Alone Weapon Sight (NVWS)

- Three versions available:
  - Short Range with 3X magnification (SR)
  - Medium Range with 4X magnification (MR)
  - Long Range with 6X magnification (LR)
- Ergonomic design, compact and lightweight
- Red illuminated reticle that is field replaceable
- Rugged aluminum housing
- High Boresight stability
- Standard MIL-STD-1913 mount

## THEON® THERMIS

### Thermal Clip-On Sight (CS)

- Three versions available:
  - Medium Range (MR)
  - Long Range (LR)
  - Extra Long Range (ELR)
- Uncooled IR sensor technology for superior image quality
- Built-in digital compass and inclinometer
- Video capture
- Image capture and storage
- State of the art image enhancement algorithms
- Energy efficient (greater than 10 hours)
- Quick start up (less than 3 seconds)
- Rugged military design



*The Thermis is the proud winner of a Canadian Army Forces Thermal imaging program*


Contact Cadex for more information on Night Vision products





# LOW PROFILE FLIP-UP MOUNT

Now available with optional break-away feature




\*Dovetail configuration shown

The Cadex Low Profile Flip-Up Mount is a ruggedized aluminum NVG mount that combines lightness to low profile design with a maximum range of adjustability.

**FEATURES:**

- Ergonomic "one touch" height adjustment allows the operator to adjust height with one hand.
- Low profile design follows helmet contour when folded.
- Six position adjustable mounting plate fits numerous facial profiles and helmet mounting systems.
- Locked in stowed position.
- Force overcome in down/deployed position.
- If the NVG is bumped or impacted, the Low Profile Flip-Up Mount will fold and lock in upright position protecting the NVG and operator.




6 position adjustable mounting plate



Compatible with Ops-Core helmets



Compatible with universal shrouds



Stowed position



# LOW PROFILE FLIP-UP MOUNT




Configuration	Part #	Material	Dovetail carriage	Bayonet carriage	Break-Away feature	Color
DOVETAIL	643-5878-DV-BLK	Aluminum	Included	N/A	N/A	Black
	643-5878-DV-BA-BLK	Aluminum	Included	N/A	Break-Away	Black
	643-5878-DV-TAN	Aluminum	Included	N/A	N/A	Tan
	643-5878-DV-BA-TAN	Aluminum	Included	N/A	Break-Away	Tan
BAYONET	643-5878-BY-BLK	Aluminum	N/A	Included	N/A	Black
	643-5878-BY-BA-BLK	Aluminum	N/A	Included	Break-Away	Black
	643-5878-BY-TAN	Aluminum	N/A	Included	N/A	Tan
	643-5878-BY-BA-TAN	Aluminum	N/A	Included	Break-Away	Tan

**BLACK COLOR VARIANT**



**TAN COLOR VARIANT**



**Disclaimer:**  
Aluminum parts react differently depending on their alloy composition, shape geometry, surface finish and temper. For these reasons, Tan color anodization may vary slightly from run-to-run and is not considered a defect.

**BREAK-AWAY FEATURE**



Break-Away deactivated




Break-Away activated




# DOVETAIL CONFIGURATION



## MECHANISM FEATURES





## ADJUSTMENT CAPABILITY



## DOVETAIL CARRIAGE

(Part#: 643-5878-A003)


Adjustable for tight fit




# BAYONET CONFIGURATION



## MECHANISM FEATURES




## ADJUSTMENT CAPABILITY



## BAYONET CARRIAGE


(Part#: 643-5878-A007)







# POLYMER FLIP-UP MOUNT



\*Dovetail configuration shown

Ultra-lightweight and maintenance-free design made out of reinforced nylon to endure desert sand and salt water. Fits a wide variety of helmet designs and is compatible with dovetail or bayonet style NVG interfaces. Cadex offers multiple kits that will adapt to your specific needs.

**FEATURES:**

- Lightest Flip-Up Mount offered by Cadex.
- Large adjust knobs provide easy adjustments with gloves on.
- Nylon construction allows for silent manipulation of flip up.
- Endures desert sand and salt water.
- Rugged and maintenance free.



NSN#: 5855-20-008-4795 (for 643-93C-BLK)


Part #	Material	Dovetail carriage	Bayonet carriage	Color
643-93C-BLK (Includes the Universal Helmet Strap Kit)	Polymer	Included	Included	Black
643-93FK-206-BLK	Polymer	Included	N/A	Black
643-93FK-207-BLK	Polymer	N/A	Included	Black



# POLYMER FLIP-UP MOUNT



## DOVETAIL CONFIGURATION



## BAYONET CONFIGURATION




# UNIVERSAL HELMET STRAP KIT

The Cadex Universal Helmet Strap Kit is designed to adapt on helmets that do not feature a built in universal shroud. It secures on the helmet by clamping on the front and rear helmet edges using custom clips and tightens on top using a ratcheting system to ensure a tight fit. The kit includes one metal clip for either MICH or PASGT helmet style (to be specified when ordering).

**FEATURES:**

- Counter-weights or battery pack compatible using the rear dovetail.
- Universal design that adapts to various helmet shapes.
- Ultra lightweight.

SPECIFICATIONS
<b>Universal Helmet Strap Kit</b> Part#: 643-93SK-026 (for MICH Helmet) Part#: 643-93SK-027 (for PASGT Helmet)
<b>Dimensions:</b> 15.14" x 4.5" x 7.72" 38.47 x 11.44 x 19.61 cm
<b>Weight (±):</b> 0.4 lbs   181 grams
<b>Material:</b> Nylon ST-801 Black





# SURVEILLANCE KIT

The Cadex Surveillance Kit is convenient and easy to operate. Its adjustment system allows the operator to easily fine tune the component's placement. The Surveillance Kit's pivoting camera mount allows the operator to set up for photographic surveillance in a matter of seconds. Sighting scope inversion means your head is not the most visible point in your sighting system.

## FEATURES:

- Easy to operate even with gloves.
- No tools required.
- Folds and dismantles for transportation.
- Designed for the Leupold® Mark4 12-40X60 and 20-60X80 spotting scopes. Also available for the Hensoldt® Spotter 45/60.

## SPECIFICATIONS

### Surveillance Kit (Complete System)

Part#: 2700-KIT5 (NSN#: 5855-20-009-3927)

#### Dimensions:

30.19" x 4.91" x 11.42" | 76.67 x 12.48 x 29.01 cm

Weight (±) : 4.54 lbs | 2061 grams

Material: 6061-T6 aluminum

## INDIVIDUAL SECTIONS

- B 2322-B** .....Surveillance Kit Extension
- C 2322-C** .....Surveillance Kit Centre Rail
- D 2322-D** .....Spacer for Inverter Cage
- E 2322-E** .....Extra Side Rail for Inverter Cage
- F 2322-F** .....3 Rails Inverter Cage  
(for Leupold® Mark 4 12-40x60 & 20-60x80)
- H 2322-FS60** .....Hensoldt® 3 Rails Cage (for Spotter 45/60)  
(see P.111)
- I 2322-I** .....Surveillance Kit Front Section (2700 Model)
- J 2322-J** .....Surveillance Kit Back Section (2700 Model)
- K 2322-K** .....Adaptor for Riflescope
- P 2322-P** .....Inverter Kit to Picatinny Adaptor
- Q 2322-Q** .....Kestrel® Holder (see P.111)

### K ADAPTOR FOR RIFLESCOPE



### I SURVEILLANCE KIT FRONT SECTION

One quick adjust button for your night optic plus a precise micro adjustment wheel means you can achieve the perfect fit.

### P INVERTER KIT TO PICATINNY ADAPTOR



# BUILD YOUR OWN

### F 3 RAILS INVERTER CAGE

The Inverter Cage includes a unique spotting scope cradle that ensures the chassis and other mounted accessories are stable and aligned. It also allows the scope to float within the inverter as it is the scope's only point of attachment providing a secure connection between your spotting scope and the surveillance chassis. Can fit up to 5 rails.

### E EXTRA SIDE RAIL FOR INVERTER CAGE

Optional rails also available for mounting accessories.

### D SPACER FOR INVERTER CAGE




### C SURVEILLANCE KIT CENTRE RAIL

Multiple tripod mounts allow you to balance your gear on the tripod base and equally distribute the weight along the Surveillance Kit.

### B SURVEILLANCE KIT EXTENSION

The extension is recommended for mounting a night vision device at the front of the spotting scope.



### J SURVEILLANCE KIT BACK SECTION

The camera mount is equipped with a horizontal (left/right) adjustment for a precise fit. With the click of a button, your camera's height can be adjusted to match your spotting scope. If finer adjustment is needed, simply use the micro adjustment wheel and the perfect fit will be achieved.



# SURVEILLANCE KIT

and accessories



BACK SECTION TOP VIEW  
FOLDS AT 45°

Cadex offers a wide variety of surveillance kits. Customers may request other mounting options to fill their particular requirements. Specially designed for snipers or surveillance teams, the Surveillance Kit decreases the amount of weight carried. The Surveillance Kit is easy to manipulate during extreme cold weather conditions and in darkness.



**H Hensoldt® 3 Rails Cage for Spotter 45/60** - Part#: 2322-FS60

- Ability to mount accessory rails for LRF, Red Dot, Weather Station, etc.
- Offering additional protection
- Compatible with complete surveillance kit or as a standard alone unit
- Allows a perfect alignment for camera, spotting scope and night vision or thermal imaging



**Q Kestrel® Holder** - Part#: 2322-Q



# SURVEILLANCE KIT

Mounting Adaptor

The Cadex Surveillance Kit offers endless possibilities when it comes to mounting accessories. Each year, new electronic devices are hitting the market and they all require their own mounting interface. This is why Cadex is constantly adding new Adaptor Blocks to its selection of mounting Bases.


Step #1 is to select the BASE type that you are planning to use. Step #2, combine it with the appropriate ADAPTOR BLOCK that you require.

BASES (STEP #1)	
1683-A077-K1	RC2 Tripod Adaptor Base
1683-A078-K1	Arca Adaptor Base
1683-A085-K1	Picatinny Adaptor Base (nut)
1683-A080-K1	QD Picatinny Adaptor Base
1683-A082-K1	Picatinny Adaptor Base (thumbscrew)
ADAPTOR BLOCKS (STEP #2)	
1683-A067-K1	Adaptor Block for Vectronix® PLRF15C
1683-A068-K1	Adaptor Block for Safran® JIM LR
1683-A069-K1	Adaptor Block for Vectronix® Vector IV
1683-A070-K1	Adaptor Block for Vectronix® Vector PLRF25C BT
1683-A071-K1	Adaptor Block for Vectronix® Vector 21 Nite
1683-A072-K1	Adaptor Block for Swarovski® 60x Spotting scope
1683-A073-K1	Adaptor Block for Leupold® 40x Gold Ring Spotting scope
1683-A083-K1	Adaptor Block for Canon® Camera
1683-A084-K1	Adaptor Block for Coral-CR-C AN/PAS 503
UNIVERSAL BASES	
1683-A074-K1	Universal RC2 Tripod Base
1683-A076-K1	Universal Arca Rail Base


STEP #1: CHOOSE YOUR BASE



STEP #2: CHOOSE YOUR ADAPTOR BLOCK



UNIVERSAL BASE



If a proprietary mounting block doesn't exist for your electronic device, you can request a new block to be developed or use one of the following Universal Bases. These bases feature 3 pressure screws to block the rotation.





# SOLO SIGHT MOUNT

The SOLO sight mount dramatically enhances the fighting capabilities of the soldier during day and night conditions. The system is the world's premier military off-the-shelf sight mounting solution. It is designed to enhance the sighting capabilities of NATO-standard weapons such as:

- The M2 .50 cal (12.7mm) Heavy Machine gun
- The 40mm MK19 Grenade Machine gun
- The 40mm Heckler & Koch® Grenade Machine Gun

The SOLO platform integrates up to three sight modules in a wide variety of configurations and provides both day and night sight capabilities.

The system allows for a rapid switch from active to passive target acquisition mode.

During firing, the operator adjusts the range with one hand while the other is free to control the weapon. An illuminated range dial allows the operator to rapidly set the range for a quick engagement, day or night.



The SOLO mount incorporates a precise mechanical spin drift compensation for 40mm high velocity grenades. The SOLO also has a unique integral mount buffer system, which allows the operator to keep an eye on the sight and also protects the optical modules by absorbing 88% of harsh peak recoil forces.

## FEATURES:

- Accommodates up to 4 day/night electro-optic devices.
- Increases lethality of both 40mm and .50 cal platforms.
- 40mm mechanical spin drift compensation.
- 88% absorption of peak recoil forces.
- Illuminated Range Dial.
- Customizable configurations.

## SPECIFICATIONS

**SOLO Sight Mount** Part#: 724-940  
(NSN#: 5342-20-009-3657)

**Dimensions:**  
16.21" x 8.64" x 7.16" | 41.17 x 21.94 x 18.2 cm

**Weight (±):** 10.59 lbs | 4804 grams

**Material:** 6061-T6 aluminum, alloy & composite

The SOLO Sight Mount converts a zone-spreading machine gun into a precise target engagement tool with one round one hit capability at extreme ranges.



Optional rubberized eyepiece for SpecterDR or Leupold® CQBSS. Other models available upon request.



# SOLO SIGHT MOUNT




The SOLO Sight Mount is the backbone of the US Marine Corp's HMGSS (Heavy Machine Gun Sight System). Named the BERM (Ballistic Extended Rail Mount), it has been assigned the M520 designation.

## INTERFACES WITH:



M2 Heavy Machine Gun



MK19 GMG



Heckler & Koch® GMG



# KOLOS SIGHT MOUNT



The KOLOS Sight Mount converts a zone-spreading machine gun into a precise target engagement tool with one round one hit capability at extreme ranges.



The KOLOS Sight Mount significantly enhances day and night fighting capabilities of the .50 Caliber M2 Machine Gun and 40mm MK19. With the KOLOS mount, the gunner is able to rapidly transition from active to passive target acquisition methods to produce maximum effective fire on the target.

Because of the KOLOS mount buffer system, the gunner can keep his eye against the sight eye cup while firing to maintain the sight picture.

- FEATURES:**
- Low profile buffering of optics systems.
  - Accommodates up to 4 day/night electro-optic devices.
  - Increases lethality of .50 cal platforms.
  - 88% absorption of peak recoil forces.
  - Customizable configurations.

SPECIFICATIONS	<b>KOLOS Sight Mount</b> Part#: 2607
	<b>Dimensions:</b> 12.27" x 5.78" x 2.78"   31.17 x 14.68 x 7.06 cm
	<b>Weight (±):</b> 4.52 lbs   2050 grams
	<b>Material:</b> 6061-T6 aluminum


The Quick Detach Bracket is a mount interface for the SOLO and KOLOS which provides for "no tool" mounting on both the M2 12.7mm (.50cal) machine gun and the 40mm GMG (AGL).

- FEATURES:**
- Allows the user to remove and install the SOLO/KOLOS from their weapon with complete return to zero.
  - Quick Detach Bracket installation does not require any modifications to the weapons.
  - Does not interfere with normal function or handling drills.
  - All versions of the SOLO already in service can be retrofitted with this mount.

SPECIFICATIONS	<b>QD Bracket, 40mm Male/Female HK GMG (C16)</b> Part#: 00573-A011 (NSN#: 1005-20-009-5598)
	<b>Dimensions:</b> 5.48" x 5.14" x 0.99"   13.92 x 13.06 x 2.51 cm
	<b>Weight (±):</b> 1.77 lbs   803 grams
	<b>Material:</b> Steel



SPECIFICATIONS	<b>QD Bracket, Male Interface SOLO</b> Part#: 00573-A222 (NSN#: 1005-20-006-4679)
	<b>Dimensions:</b> 6.9" x 1.69" x 2.41"   17.52 x 4.29 x 6.12 cm
	<b>Weight (±):</b> 0.71 lbs   322 grams
	<b>Material:</b> 6061-T6 aluminum



SPECIFICATIONS	<b>QD Bracket, M2 Interface SOLO</b> Part#: 00573-A219 (NSN#: 1005-20-006-4657)
	<b>Dimensions:</b> 7.54" x 3.7" x 1.6"   19.15 x 9.4 x 4.06 cm
	<b>Weight (±):</b> 1.03 lbs   466 grams
	<b>Material:</b> 6061-T6 aluminum



SPECIFICATIONS	<b>QD Bracket, MK19 Interface SOLO</b> Part#: 00573-A221 (NSN#: 1005-20-006-4658)
	<b>Dimensions:</b> 7.51" x 2.42" x 3.52"   19.08 x 6.15 x 8.94 cm
	<b>Weight (±):</b> 1.05 lbs   476 grams
	<b>Material:</b> 6061-T6 aluminum



SPECIFICATIONS	<b>Fixed Bracket, MK19 Interface SOLO</b> Part#: 00573-A223 (NSN#: 1005-20-006-4664)
	<b>Dimensions:</b> 7.38" x 1.58" x 3.03"   18.75 x 4.01 x 7.7 cm
	<b>Weight (±):</b> 1 lbs   457 grams
	<b>Material:</b> 6061-T6 aluminum






# RECOIL RAIL FAMILY



60 BSMe Mortar  
Recoil Rail



Recoil Rail



Absorbs approximately  
30% of Peak Recoil Force

## SPECIFICATIONS

**Recoil Rail**  
Part#: RR-2337 (NSN#: 5340-14-573-7474)

**Dimensions:**  
6.1" x 1.73" x 0.39" | 15.5 x 4.4 x 1.01 cm

**Weight (±):** 0.41 lbs | 187 grams

**Material:** 6061-T6 aluminum

## SPECIFICATIONS

**60mm BSMe Mortar Recoil Rail**  
Part#: RR-2337-A007

**Dimensions:**  
6" x 1.75" x 1" | 15.2 x 4.4 x 2.5 cm

**Weight (±):** 0.4 lbs | 184 grams

**Material:** 6061-T6 aluminum

**WARNING**  
Not recommended  
for precision rifle  
optics or lasers

The Cadex Recoil Rail provides electro-optic devices with protection from firing shock of hard recoiling weapons, such as the M2 .50 caliber machine gun.

The Cadex Recoil Rail uses a patented buffer system to absorb approximately 30% of the peak recoil force which would otherwise be transferred to the mounted optic.

## FEATURES:

- Absorbs approximately 30% of peak recoil force.
- Returns the electro-optic to its original position after firing.
- Increases life expectancy of electro-optic devices.
- Can be used as bipod rail to improve follow up shots.
- Custom interfaces available for a variety of devices.
- Reduces the blur effect of iron sights when firing in full automatic mode.

# CM2 QUICK RELEASE BRACKET



CM2 Quick Release  
Bracket



CM2 Quick Release  
Bracket with recoil rail

## SPECIFICATIONS

**CM2 Quick Release Bracket**  
Part#: 2905-A002 (NSN#: 5340-20-009-3656)

**Dimensions:**  
9.06" x 4.13" x 3.94" | 23 x 10.5 x 10 cm

**Weight (±):** 1.6 lbs | 726 grams

**Material:** 6005-T6 aluminum

The Cadex CM2 Quick Release Bracket provides users with a solid optic mount for the M2 12.7mm (.50 cal) Heavy Machine Gun.

## FEATURES:

- A 7.5" Mil Std M1913 Picatinny rail for secure optics mounting.
- Quick detach installation does not require any modification to the weapon.
- Made from a single piece of lightweight aluminum 6005-T6.
- Tabs are made from a reinforced acetal to improve sliding and locking capabilities.
- Reinforced composite tabs also ensure that they are break-proof and will not wear out over time.
- A stainless steel screw secures the tabs to the Quick Release Bracket aluminum body.



Quick Release Bracket with recoil rail  
for M2 machine gun

## SPECIFICATIONS

**CM2 Quick Release Bracket with recoil rail**  
Part#: 2905-A002RR

**Dimensions:**  
9.06" x 4.13" x 3.94" | 23 x 10.5 x 10 cm

**Weight (±):** 1.6 lbs | 726 grams

**Material:** 6005-T6 aluminum




# C6/M240 DUAL RAIL



Bottom view

Top view



Optional 3<sup>rd</sup> Picatinny rail for bipod mounting



Optional 3<sup>rd</sup> rail positioning


The Cadex Dual Rail for the C6, M240 and MAG 58 Machine Guns provides users with a robust mount for laser pointers and illumination devices.

## FEATURES:

- Mil Std M1913 rails at 3 and 9 o'clock positions. Optional positioning at 6 o'clock and 45° angle.
- Reduces heat and vibration transferred to attached electro-optics.
- Provides excellent zero retention of mounted devices.
- Configurable rails.
- Optional 6 o'clock rail positioning for mounting a folding grip.

## SPECIFICATIONS

**C6/M240 Dual Rail** Part#: 1166-2 (NSN#: 1005-20-011-4535)  
**Dimensions:** 6.14" x 3.52" x 1.89" | 15.5 x 8.95 x 4.81 cm  
**Weight (±):** 0.63 lbs | 285 grams  
**Material:** 6061-T6 aluminum



Thermal insulators

# C9/M249 DUAL RAIL

The Cadex Dual Rail for the C9, M249 and FNH® Minimi Light Machine Guns provides the user with a versatile, lightweight mount for laser pointers and illumination devices.

## FEATURES:

- Mil Std M1913 rails at the 3 and 9 o'clock positions.
- Reduces heat and vibration transferred to attached electro-optics.
- Provides excellent zero retention of mounted devices.
- Clamps to the weapon receiver and indexes with the machine gun's front mount bushing.

## SPECIFICATIONS

**C9/M249 Dual Rail** - Part#: 578  
**Dimensions:** 5.15" x 3.76" x 3.2" | 13.08 x 9.57 x 8.13 cm  
**Weight (±):** 0.53 lbs | 241 grams  
**Material:** 6061-T6 aluminum



# C9/M249 TRI-RAIL


The Cadex Tri-Rail for the C9, M249 and FNH® Minimi LMGs provides the gunner a solid mount for lights, aiming lasers and other weapon accessories.

## FEATURES:

- Minimizes heat transfer to the gunner's hand when firing at high rate of fire.
- Provides three Mil Std M1913 rails, at 3, 6 and 9 o'clock.
- The side rail location is optimized to place aiming lasers in the same horizontal plane as the barrel axis.
- Keeps accessories mounted close to the weapon's center of gravity.

## SPECIFICATIONS

**C9/M249 Tri-Rail** - Part#: 1212  
**Dimensions:** 10.98" x 2.66" x 3.89" | 27.9 x 6.78 x 9.89 cm  
**Weight (±):** 1.06 lbs | 482 grams  
**Material:** 6061-T6 aluminum



Removable heat shield





# C6 BUTTSTOCK



The Cadex C6 Buttstock provides the operator with a world-class fully adjustable buttstock. Designed in such a way for enhanced shooting comfort, resulting in a better field precision. Easily adjustable for the length of pull. This new C6 Buttstock is entirely compatible with the existing C6 Buttstock which makes it simple to retrofit the existing one. Ergonomic design for easy maneuverability and precision improvement, it extends (2 inch travel) / collapses without any tools.

## FEATURES:

- Easy to retrofit existing C6.
- Extends (2 inch travel) /collapses without any tools.
- Ergonomic design for easy maneuverability.
- Made of 6061-T6 aluminum with some components made of fiber reinforced composite.
- Ambidextrous design.
- Up/down cheek piece adjustment.
- Forward/rearward cheek piece adjustment.
- Buttstock sling attachment.
- Rubberized butt pad.



SPECIFICATIONS	<b>C6 Buttstock</b> Part#: 4016
	<b>Dimensions:</b> 8.66" x 2.08" x 5.56"   22 x 5.28 x 14.12 cm
	<b>Dimensions extended:</b> 10.66" x 2.08" x 7.76"   27.08 x 5.28 x 19.71 cm
	<b>Weight (±) :</b> 2 lbs   907 grams
	<b>Material:</b> 6061-T6 aluminum

# C16 COVER LATCH & HANDLE

Cadex Cover Latch assembly was designed for mission success. Built from 6061-T6 aluminum, delrin and stainless steel.

## FEATURES:

- Cover Latch assembly is easily indexed during complex operations both day and night.
- Single handed manual operation.
- Operator friendly for gun drills loading unloading.
- Installs in minutes on the existing cover. No modifications required.

SPECIFICATIONS	<b>C16 Cover Latch</b> Part#: 5119-A001 (NSN#: 1005-20-009-5600)
	<b>Dimensions:</b> 10.66" x 3.57" x 3.26"   27.08 x 9.07 x 8.28 cm
	<b>Weight (±) :</b> 1.86 lbs   844 grams
	<b>Material:</b> Aluminum / Stainless / Delrin



C16 Cover Latch



Single handed manual operation



## EXTENDED COCKING HANDLE

## FEATURES:

- Extended cocking handle for use with gloves.

SPECIFICATIONS	<b>Extended Cocking Handle</b> Part#: 5119-A050
	<b>Dimensions:</b> 5.23" x 4.6" x 1.44"   13.28 x 11.68 x 3.66 cm
	<b>Weight (±) :</b> 0.69 lbs   313 grams
	<b>Material:</b> Aluminum / Stainless / Delrin

\*Compatible with HK GMG only







The Cadex Titanium Halligan Bars (24" or 30") are the ultimate breaching tools available in the breacher's arsenal. You can pry, twist, rip or smash doors, frames, drywall and basically any piece of wood that gets in your way. The weight saving is tremendous, as titanium is about half the weight of steel that would normally be used on similar tools, without compromising its wielding power.



Halligan Bar



**FEATURES:**

- High strength, titanium alloy, one piece integrally cast octagonal shaft and ends.
- 56% lighter than steel.
- Rust free and corrosion resistant to many chemicals and salt water.
- Low conductivity.

SPECIFICATIONS
<b>Titanium Halligan Bar 24"</b> Part#: 580-089
<b>Dimensions:</b> 6.87" x 6.75" x 24" 17.45 x 17.15 x 60.96 cm
<b>Weight (±) :</b> 5.1 lbs   2313 grams
<b>Material:</b> Titanium alloy

SPECIFICATIONS
<b>Titanium Halligan Bar 30"</b> Part#: 580-088
<b>Dimensions:</b> 6.87" x 6.75" x 30" 17.45 x 17.15 x 76.2 cm
<b>Weight (±) :</b> 5.9 lbs   2676 grams
<b>Material:</b> Titanium alloy

The Cadex Telescopic Tactical Breaching Multi-Tool is one of the most powerful breaching tools available. A combination of breaching hammer, halligan tool, hinge breaker and expedient ram. The Cadex Tactical Breaching Multi-Tool provides superior capabilities over traditional single use tools. Recently upgraded after ten years of service, the improved TBH allows the user to adapt their equipment to the mission at hand.

**FEATURES:**

- Its unique design incorporates the functionality of multiple tools, in a simple package. Carry one or carry five?
- Its telescopic design makes it very compact to carry. It can be used collapsed or extended.
- Can be interchanged between the hinge breaker or the optional "break and rake tip".
- CQB Tactical Breaching Multi-Tool also available for use in restricted confines or as a secondary team tool.
- Replacement parts available on request:  
- Hammer head: #580-048 - Hammer fork: #580-026

SPECIFICATIONS
<b>CQB</b> Part#: 580-A009
<b>Dimensions:</b> 9" x 2.5" x 16.24"   22.86 x 6.35 x 41.27 cm <b>Extended:</b> 22.24"   56.51 cm
<b>Weight (±) :</b> 12.14 lbs   5507 grams
<b>Material:</b> Alloy steel and aluminum

SPECIFICATIONS
<b>TBH</b> Part#: 580-A005 (NSN#: 5120-20-008-4801)
<b>Dimensions:</b> 9" x 2.5" x 23"   22.86 x 6.35 x 58.42 cm <b>Extended:</b> 33.12"   84.13 cm
<b>Weight (±) :</b> 16.83 lbs   7636 grams
<b>Material:</b> Alloy steel and aluminum

# BREACHING MULTI-TOOLS

CQB



Extended CQB



TBH



Extended TBH



\*Contact Cadex prior to purchase for more information on recommended use\*

Optional "Break & Rake" Tip  
(Part#: 580-A001)



(NSN#: 5120-20-008-4805)




Sling and QD sling mount  
included





# CLIMBING HOOKS 4" & 7"



Long Assault Climbing Hook 7"




Short Assault Climbing Hook 4"

The Cadex Short (4") and Long (7") Assault Climbing Hook (SACH) provide the entry teams with an extremely versatile tool for vertical methods of entry in scenarios where it is not practical to use the larger Cadex extra Long Assault Climbing Hook.

## FEATURES:

- Designed for use with an extension pole system to securely fix assault ladders in place on the wide variety of surfaces encountered during operations.
- Can be hand-emplaced.
- Carbide spikes ensure proper hook grip.
- Folds for easy transport and storage.



## SPECIFICATIONS

**Short Climbing Hook 4"** - Part#: SH-1234  
(NSN#: 5120-20-011-7359)

**Dimensions:**  
1.97" x 2.35" x 4.67" | 5.02 x 5.97 x 11.87 cm

**Static hook capacity:** 1300 lbs | 589 670 grams

**Weight (±) :** 0.78 lbs | 355 grams

**Material:** Aeronautical Aluminum (Frame)  
Carbide (Spike)

## SPECIFICATIONS

**Long Climbing Hook 7"** - Part#: LH-1234  
(NSN#: 4240-20-009-4802)

**Dimensions:**  
2.03" x 2.35" x 6.9" | 5.16 x 5.97 x 17.53 cm

**Static hook capacity:** 1300 lbs | 589 670 grams

**Weight (±) :** 1.1 lbs | 497 grams

**Material:** Aeronautical Aluminum (Frame)  
Carbide (Spike)



Compact size



# CLIMBING HOOKS 14"

The Cadex Extra Long Assault Climbing Hook provides the entry teams with a versatile tool for use with pole systems to securely position assault ladders on irregularly shaped or rounded surfaces. It opens to multiple angles to provide three surfaces, allowing the hook to grab the face, top and rear of differently shaped surfaces.

## FEATURES:

- Designed for use with an existing pole system to securely fix assault ladders in place on the wide variety of surfaces encountered during operations.
- Can be employed with or without carabiners.
- Can be hand emplaced.
- The replaceable stainless steel spikes are extremely resistant to wear or breakage.
- Folds for easy transport and storage.
- Ideal for mud walls.

## SPECIFICATIONS

**Extra Long Climbing Hook 14"** - Part#: DH-1867  
(NSN#: 4240-20-009-4803)

**Dimensions:**  
3.45" x 3.35" x 10.74" | 8.76 x 8.51 x 27.28 cm

**Static hook capacity:** 1000 lbs | 453 592 grams

**Weight (±) :** 2.43 lbs | 1100 grams

**Material:** 7075-T6 aluminum (Frame) Stainless Steel (Spike)




Each hook comes with 3 sets of hardened spikes in the following lengths:

1/2"  
(12.7mm)


3/4"  
(19.1mm)

1 1/2"  
(38.1mm)





# M2 CRADLE MOUNT



The Cadex M2 Cradle Mount has been developed to provide an easy-to-operate affordable mounting solution for the Browning M2.

- A** Micro adjustable elevation system with 1 mil increment per click.
- B** 2-point balanced mounting system. SOLO Optic enhancement package ready.
- C** Blackened stainless steel Machine Gun mounting pins.
- D** User-friendly threaded traverse locking mechanism.
- E** Responsive clutch locking elevation mechanism.
- F** Standard military ammo box plate.
- G** Standard M2 pintle adaptor.
- H** M240/M249 adaptor Kit.
- I** M249 ammo box adaptor plate.

**\*Available on special request for grenade machine gun**


**SPECIFICATIONS**

**M2 Cradle Mount**  
Part#: 6987-A100



**Dimensions:**  
20" x 13.75" x 15" | 50.8 x 34.93 x 38.1 cm

**Weight (±) :** 50.1 lbs | 22 725 grams



**Material:** Steel / Cerakote paint



**Mark 93 Adaptor Kit - M240/M249**  
H-Part#: 6987-A016  
I-Part#: 6987-A015



## MAXIMUM ELEVATION RANGE



# MG VEHICLE ARM

**NOT AVAILABLE IN NORTH AMERICA**

The Cadex MG Vehicle Arm attaches to the multi-position MG support using its ACMAT pintle. It allows the mounting of a machine gun at two different locations, either at the end of the arm or at its center section using the NATO pintle. A fast release button is used to lock/unlock the MG pintle instead of the traditional push pin. Two tension adjustment knobs are used to restrain free movement of the machine gun depending on its weight.

The MG Vehicle Arm is a low profile system that can deploy in a couple of seconds for fast target engagement and can fold rapidly for transport. This is the ultimate MG mount and no other arm offers as much adjustability.

**SPECIFICATIONS**

**MG Vehicle Arm**  
Part#: 5573-A120-K1

**Dimensions:**  
15.25" x 5.68" x 8.84" | 38.74 x 14.43 x 22.45 cm

**Weight (±) :** 18.2 lbs | 8260 grams

**Material:** Manganese Phosphate Steel / 6061-T6 aluminum



**SPECIFICATIONS**

**Multi-Position MG Support**  
Part#: 5573-A111-K1

**Dimensions:**  
4.94" x 3.8" x 38.57" | 12.55 x 9.65 x 97.97 cm

**Weight (±) :** 15.6 lbs | 7070 grams

**Material:** Manganese Phosphate Steel



Cadex Multi-position MG support allows the mounting of the machine gun vehicle arm to be adjusted rapidly to fit operator's ergonomics. Internal piston controls the rising speed of the machine gun. Allows 12" of adjustment with 1" increments. Features a locking knob and a tension lever.





# SNIPER AERIAL PLATFORM

Sniper Quebec



Contrary to popular beliefs, shooting with accuracy from an aerial platform is not obscure science chalked up to luck, but rather science.

The Cadex Sniper Aerial Platform proposes a sniping solution composed of two distinct systems, which can greatly improve the hit rate on a target.

The first device is a PIVOTING GUN SUPPORT mounted on an existent aircraft attachment point allowing the shooter to rest his rifle and be able to move it around as he wishes.

The second device is an ADJUSTABLE CLIP-ON SCOPE RAIL capable of being adjusted "on the fly" based on the speed of the aircraft. By using this device, the shooter does not need to do some reticle hold-off since the firing solution (dope) is built-in the rail. The shooter can now engage the target with the scope reticle aimed at center mass without the need to compensate.

Point of aim, point of impact!

It is one thing to own the solution to every airborne sniper's problem, but it's another to master its use in the field. This is why Sniper Quebec Shooting School has spent years in the field developing and perfecting the expertise. Sniper Quebec can provide an extensive training to law Enforcement Agencies looking for a key-in-hand solution. Contact Cadex Defence to get in contact with Mr. Mario Dutil.



For more information on those products,  
please contact Cadex's LE Sales Representative

\*Fits Bell 412 and Griffon CH-146 helicopters.  
May fit other helicopters with 12-JAW fittings and track system.



# CADEX RECREATIONAL PRODUCTS

Modifications & Upgrades



Cadex and BRP® (Bombardier Recreational Products) have developed a close relationship that allows Cadex to modify ATV and SSV Off Road Vehicles, Personal Watercrafts and Snowmachines. With robust and high-quality BRP® products at its core, Cadex can tailor to the needs of Military, Special Forces and LE professionals. Ready solutions include the installation of Infrared Lighting, complete light shut off, small arms and machine gun mounts, gun racks, GPS Navigation, backcountry tracks and much more!



GTI 130



MAVERICK X3



OUTLANDER MAX XT 1000R







CADEX Armor, a division of CADEX Inc., is a leading international specialist in the development, design and supply of defensive and inconspicuous armored security vehicles.

These special armored vehicles provide full "peace of mind" mobile protection for government officials, law enforcement personnel, security agencies, as well as private organizations and VIPs concerned about the violent threats of today's hostile urban environment.


Extreme care has been taken in the design and build of each of our armored vehicles to ensure that there is a perfect balance of complete ballistic and blast protection while maintaining a superior on/off road performance.

The Management team of CADEX Armor, consists of industry experts with decades of experience in the automotive and armoring industry. Our understanding of client safety needs and knowledge of new ballistic materials have helped us bring to market what we believe is a truly better and stronger built Armored Security Vehicle.

**Mr. Kemal Gursoy**  
CADEX ARMOR Project Specialist

kemal@cadexinc.com

VISIT [CADEXARMOR.COM](http://CADEXARMOR.COM) FOR MORE INFORMATION





# CEN B6+

Mercedes-Benz® Sprinter 3500 HD VIP



SPRINTER 3500 HEAVY DUTY CHASSIS  
3.0 V6 DIESEL AUTOMATIC TRANSMISSION - EXTRA LONG WHEELBASE, HIGH ROOF



TV, DVD, MICROWAVE, COFFEE MACHINE



VIP 7 PASSENGER CONFIGURATION:  
HEATED, VENTILATED, MASSAGE SEATS,  
EXTRA REAR INDEPENDENT A/C UNIT.

# HTA-1

Armored Personnel Carrier





# SPECIAL ORDER PRODUCTS

Contact us for more information and specifications

## POLE LADDER - Part#: 2213C



(NSN#: 4240-20-006-7636)

The Cadex Pole Ladder provides a secure rigid method of entry. A standard kit includes one hook, four pole sections and two half pole sections for over 25 feet of portable climbing power.

### FEATURES:

- Modular design allows for custom kits suited to the needs of the mission.
- Pole tensile static load capacity is 2500 lbs.
- Hook has 8 inches of clearance.
- Large anti-slip step with good finger clearance.
- Transport bag included.

### Multiple spike lengths available

- 1/2" (12.7mm)
- 1" (25.4mm)
- 1 1/2" (38.1mm)



## LADDER REEL - Part#: LR-995

The Cadex Ladder Reel gives the user the capability to rapidly deploy their cable-type assault ladder. Its small size allows the ladder to be stowed in a compact package for transport to the entry site and also provides the user with a quick recovery system for their ladders.

### FEATURES:

- Provides the user tangle-free ladder deployment.
- Prevents cable ladders from becoming kinked, helping extend ladder life.
- Knurling on the handles provides an anti-slip holding surface for positive control when in use.
- Holds up to 15 meters of cable type ladders, such as the Yates® Special Ops Ladder.



### SPECIFICATIONS

**Dimensions:**  
18.75" x 11.75" | 47.62 x 29.84 cm  
**Weight (±):** 8.6 lbs | 3900 grams  
**Material:**  
6061-T6 aluminum/Black Acetal Composite

# SPECIAL ORDER PRODUCTS

Contact us for more information and specifications

## GLASS PUNCH - Part#: 1185

The Cadex Glass Punch provides users with a rapid means of breaking glass under different tactical conditions. Installs on firearms equipped with Mil Std M1913 rails. The punch's length ensures it will protrude forward of the firearm muzzle.

### FEATURES:

- Prevents the need to transition to a hand held punch and side-arm.
- Allows the operator to keep two hands on their firearm.
- Incorporates a spring-loaded hammer mechanism activated by pressing the punch against the glass.
- Perfect for short barrel carbines.

### SPECIFICATIONS

**Dimensions:**  
7.27" x 1.68" x 1.03"  
18.48 x 4.27 x 2.62 cm  
**Weight (±):**  
0.36 lbs | 165 grams  
**Material:** 6061-T6 aluminum



## AR10/AR15 RECEIVERS \*NOT AVAILABLE IN USA\*

Cadex's AR10 and AR15 lower Receivers are manufactured to fit Armalite® & Noveske® upper receiver assemblies. They are precision machined from aeronautical grade 7075-T6 aluminum to provide the user with a high quality lower receiver for their AR10 (B series only) or AR15 rifle.

### FEATURES:

- Interchangeable with high quality AR10 (B series only) or AR15 parts.
- The magazine well opening is extended with a large bevel that provides a guide for easier magazine insertion.
- Machined ribs at the front of the magazine well for a secure grip.
- Oversized trigger guard.

AR10 receiver (B series only)  
Part#: 1570-003



AR15 receiver  
Part#: 1570-001  
(NSN#: 1005-20-008-8134)



## M2 FIRE - Part#: 1626-A001

Cadex's M2 Front Interface Rail Equipment (M2 FIRE) rail system increases the target acquisition and engagement capabilities of the .50 caliber M2 Heavy Barrel machine gun.

### FEATURES:

- Clamps to the barrel support of the M2HB weapon.
- Provides three Picatinny rails at 3, 6 and 9 o'clock.
- Provides a solid mount for heavy weapon spotlights and aiming/illumination lasers.
- Does not affect normal function of the weapon, including barrel changes.
- Machined channels protect device cables.



## 37MM LAUNCHING CUP - Part#: 4340

Cadex 37mm Launching Cup is ideal for less lethal and crowd control situations. The Launching Cup is used in conjunction with a 37mm ballistic cartridge. The Cadex Launching Cup has a unique venting system which enables the operator to launch a hand deployed chemical grenade at graduated distances of 40, 60 and 100 m.

### FEATURES:

- Allows for delivery of payload to extended ranges.
- May be used for denying access, cordons and channeling ops.
- A valuable tool to create distance and opportunity.

\*Required thread pitch drawing available on request

### SPECIFICATIONS

**Dimensions:**  
2.61" x 1.42" | 6.63 x 3.6 cm  
**Weight (±):** 1.44 lbs | 652 grams  
**Material:** 6061-T6 aluminum



## HELMET BRACKETS

The Cadex Side Mounted Helmet Brackets provides the helmet wearer with a lightweight mounting platform for Mil Std M1913 equipped accessories such as illumination devices. It is designed to be low profile in order to prevent snagging during activities.

### ACH Side-Mounted Helmet Bracket Part#: 1835-A010

- Mil Std M1913 style rail.
- Fits ACH style helmets.
- Left and right side assemblies.



### Side-Mounted Helmet Bracket Part#: 1835 (NSN#: 1005-20-007-3276)

- Mil Std M1913 style rail.
- Fits numerous military helmets.
- Can be fitted to any model of helmet upon request.



## FALCON LITE (C20 SASW) - Part#: 7431-K102

The Falcon Lite bipod is the result of an extensive product development project for a military unit. Their snipers were in need of a light bipod, solid, stable and featuring both a panning and canting capability. At less than 400 grams, the Falcon Lite features a quick detach (QD) Picatinny mount, a tensioning lever, telescopic aluminum tube legs and modular feet attachments. This bipod has a very wide footprint spread and some of the tightest machining tolerances on the market, making it the most stable lightweight bipod you'll find. The modular locking feet attachments are a must to adapt to any shooting surfaces.

### QD Picatinny mount



Includes a fast dismantle adaptor capable of blocking the panning feature while maintaining the canting feature





# CDX-SS PRO/COVERT & CDX-R7 CRBN/SPTR TABLE

REM 700 CLONE

MODEL	CALIBER	ACTION LENGTH	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA	MAGAZINE TYPE	MAGAZINE CAPACITY	INCLUDED MAGAZINE	BARREL TYPE	BARREL LENGTH	TWIST RATE	THREAD PITCH	MUZZLE BRAKE	O.A.L.	O.A.L. FOLDED	APPROX. WEIGHT	PART NUMBERS
CDX-SS SEVEN S.T.A.R.S. PRO	223 Rem	SHORT	GROUP A (.385")	3 LUG, 60°	20	DSSF 3.055"	10	MDT223	Bartlein	26"	1:8"	5/8"-24	MX2-ST	± 45.5"	± 35.7"	11.8 lbs	CDXSS-PRO-223-26
	6 BR Norma	SHORT	GROUP B (.480")	3 LUG, 60°	20	DSSF 3.055"	12	MDT6	Bartlein	26"	1:7½"	5/8"-24	MX2-ST	± 45.5"	± 35.7"	11.8 lbs	CDXSS-PRO-6BR-26
	6 Dasher	SHORT	GROUP B (.480")	3 LUG, 60°	20	DSSF 3.055"	12	MDT6	Bartlein	26"	1:7½"	5/8"-24	MX2-ST	± 45.5"	± 35.7"	11.8 lbs	CDXSS-PRO-6DA-26
	6 Creedmoor	SHORT	GROUP B (.480")	3 LUG, 60°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:7½"	5/8"-24	MX2-ST	± 45.5"	± 35.7"	11.8 lbs	CDXSS-PRO-6CM-26
	6.5x47 Lapua	SHORT	GROUP B (.480")	3 LUG, 60°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:8"	5/8"-24	MX2-ST	± 45.5"	± 35.7"	11.8 lbs	CDXSS-PRO-X47-26
	6.5 Creedmoor	SHORT	GROUP B (.480")	3 LUG, 60°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:8"	5/8"-24	MX2-ST	± 45.5"	± 35.7"	11.8 lbs	CDXSS-PRO-6.5-26
	308 Win	SHORT	GROUP B (.480")	3 LUG, 60°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:10"	5/8"-24	MX2-ST	± 45.5"	± 35.7"	11.8 lbs	CDXSS-PRO-308-26
CDX-SS SEVEN S.T.A.R.S. COVERT	223 Rem	SHORT	GROUP A (.385")	3 LUG, 60°	20	DSSF 3.055"	10	MDT223	Bartlein	11"	1:8"	5/8"-24	MX2-ST	± 33.8"	± 24.7"	9.1 lbs	CDXSS-COV-223-11 (restricted)
	300 Blackout	SHORT	GROUP A (.385")	3 LUG, 60°	20	DSSF 3.055"	10	MDT223	Bartlein	11"	1:8"	5/8"-24	MX2-ST	± 33.8"	± 24.7"	9.1 lbs	CDXSS-COV-3BK-11 (restricted)
	223 Rem	SHORT	GROUP A (.385")	3 LUG, 60°	20	DSSF 3.055"	10	MDT223	Bartlein	16.5"	1:8"	5/8"-24	MX2-ST	± 35.9"	± 26.8"	11.4 lbs	CDXSS-COV-223-165
	300 Blackout	SHORT	GROUP A (.385")	3 LUG, 60°	20	DSSF 3.055"	10	MDT223	Bartlein	16.5"	1:8"	5/8"-24	MX2-ST	± 35.9"	± 26.8"	11.4 lbs	CDXSS-COV-3BK-165
	6.5 Creedmoor	SHORT	GROUP B (.480")	3 LUG, 60°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	16.5"	1:8"	5/8"-24	MX2-ST	± 35.9"	± 26.8"	11.4 lbs	CDXSS-COV-6.5-165
CDX-R7 CRBN	308 Win	SHORT	GROUP B (.480")	3 LUG, 60°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	16.5"	1:10"	5/8"-24	MX2-ST	± 35.9"	± 26.8"	11.4 lbs	CDXSS-COV-308-165
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	5	MAG100-0041	Bartlein carbon fiber	24"	1:8"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-CRBN-6.5-24
	6.5 PRC	SHORT	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	3	MAG100-0006	Bartlein carbon fiber	24"	1:8"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-CRBN-6PR-24
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	5	MAG100-0041	Bartlein carbon fiber	24"	1:10"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-CRBN-308-24
	270 WSM	SHORT	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	3	MAG100-0006	Bartlein carbon fiber	24"	1:9"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-CRBN-OSM-24
	300 WSM	SHORT	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	3	MAG100-0006	Bartlein carbon fiber	24"	1:10"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-CRBN-3SM-24
	270 Win	LONG	GROUP B (.480")	4 LUG, 50°	0 (20, 30)	SSSF 3.715"	5	MAG100-0039	Bartlein carbon fiber	24"	1:9"	5/8"-24	HUNTING	± 48.1"	N/A	8.1 lbs	CDXR7-CRBN-270-24
	28 Nosler	LONG	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein carbon fiber	26"	1:9"	5/8"-24	HUNTING	± 48.1"	N/A	8.3 lbs	CDXR7-CRBN-28N-26
	300 PRC	LONG	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein carbon fiber	26"	1:8"	5/8"-24	HUNTING	± 48.1"	N/A	8.3 lbs	CDXR7-CRBN-3PR-26
	300 RUM	LONG	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	SSSF 3.850" CIP	5	MAG100-0043	Bartlein carbon fiber	26"	1:8"	5/8"-24	HUNTING	± 48.1"	N/A	8.3 lbs	CDXR7-CRBN-RUM-26
CDX-R7 SPTR	338 Lapua Mag	LONG	GROUP D (.600")	4 LUG, 50°	0 (20, 30)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein carbon fiber	26"	1:9½"	5/8"-24	HUNTING	± 48.1"	N/A	8.3 lbs	CDXR7-CRBN-338-26
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	5	MAG100-0041	Cadex	24"	1:8"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-SPTR-6.5-24
	6.5 PRC	SHORT	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	3	MAG100-0006	Cadex	24"	1:8"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-SPTR-6PR-24
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	5	MAG100-0041	Cadex	20"	1:10"	5/8"-24	HUNTING	± 45.3"	N/A	7.8 lbs	CDXR7-SPTR-308-20 (compact)
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	5	MAG100-0041	Cadex	24"	1:10"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-SPTR-308-24
	270 WSM	SHORT	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	3	MAG100-0006	Bartlein only	24"	1:9"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-SPTR-OSM-24
	300 WSM	SHORT	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	DSSF 3.055"	3	MAG100-0006	Cadex	24"	1:10"	5/8"-24	HUNTING	± 45.3"	N/A	8.2 lbs	CDXR7-SPTR-3SM-24
	270 Win	LONG	GROUP B (.480")	4 LUG, 50°	0 (20, 30)	SSSF 3.715"	5	MAG100-0039	Bartlein only	24"	1:9"	5/8"-24	HUNTING	± 48.1"	N/A	8.3 lbs	CDXR7-SPTR-270-24
	30-06 SPRG	LONG	GROUP B (.480")	4 LUG, 50°	0 (20, 30)	SSSF 3.715"	5	MAG100-0039	Cadex	24"	1:10"	5/8"-24	HUNTING	± 48.1"	N/A	8.3 lbs	CDXR7-SPTR-006-24
	28 Nosler	LONG	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein only	26"	1:9"	5/8"-24	HUNTING	± 48.1"	N/A	8.5 lbs	CDXR7-SPTR-28N-26
	300 PRC	LONG	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein only	26"	1:8"	5/8"-24	HUNTING	± 48.1"	N/A	8.5 lbs	CDXR7-SPTR-3PR-26
	300 RUM	LONG	GROUP C (.550")	4 LUG, 50°	0 (20, 30)	SSSF 3.850" CIP	5	MAG100-0043	Bartlein only	26"	1:8"	5/8"-24	HUNTING	± 48.1"	N/A	8.5 lbs	CDXR7-SPTR-RUM-26
	338 Lapua Mag	LONG	GROUP D (.600")	4 LUG, 50°	0 (20, 30)	SSSF 3.850" CIP	5	MAG100-0022	Cadex	26"	1:9½"	5/8"-24	HUNTING	± 48.1"	N/A	8.5 lbs	CDXR7-SPTR-338-26

\*Items in red are available on special request. \*\*Dimensions do not included the muzzle brake.

DISCLAIMER: Too many components are involved to accurately predict the final weight of a rifle. It is impossible to confirm the weight of all our rifle models because it varies depending on each caliber.

# CDX-R7 LCP/FCP/SHP/CPS TABLE

REM 700 CLONE

MODEL	CALIBER	ACTION LENGTH	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA	MAGAZINE TYPE	MAGAZINE CAPACITY	INCLUDED MAGAZINE	BARREL TYPE	BARREL LENGTH	TWIST RATE	THREAD PITCH	MUZZLE BRAKE	O.A.L.	O.A.L. FOLDED	APPROX. WEIGHT	PART NUMBERS
CDX-R7 SHP	6 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:7½"	5/8"-24	MX2-ST	± 45.9"	N/A	13.0 lbs	CDXR7-SDOG-6CM-26
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Cadex	16.5"	1:8"	5/8"-24	MX2-ST	± 36.4"	N/A	13.0 lbs	CDXR7-SDOG-6.5-165
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Cadex	20"	1:8"	5/8"-24	MX2-ST	± 39.9"	N/A	11.7 lbs	CDXR7-SDOG-6.5-20
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Cadex	24"	1:8"	5/8"-24	MX2-ST	± 43.9"	N/A	13.0 lbs	CDXR7-SDOG-6.5-24
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Cadex	26"	1:8"	5/8"-24	MX2-ST	± 45.9"	N/A	13.0 lbs	CDXR7-SDOG-6.5-26
	6.5 PRC	SHORT	GROUP C (.550")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	7	MAG100-0008	Cadex	24"	1:8"	5/8"-24	MX2-ST	± 43.9"	N/A	13.0 lbs	CDXR7-SDOG-6PR-24
	6.5 PRC	SHORT	GROUP C (.550")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	7	MAG100-0008	Cadex	26"	1:8"	5/8"-24	MX2-ST	± 45.9"	N/A	13.0 lbs	CDXR7-SDOG-6PR-26
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Cadex	16.5"	1:10"	5/8"-24	MX2-ST	± 36.4"	N/A	11.2 lbs	CDXR7-SDOG-308-165
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Cadex	20"	1:11¼" or (1:10")	5/8"-24	MX2-ST	± 39.9"	N/A	11.7 lbs	CDXR7-SDOG-308-20
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Cadex	24"	1:11¼" or (1:10")	5/8"-24	MX2-ST	± 43.9"	N/A	13.0 lbs	CDXR7-SDOG-308-24
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Cadex	26"	1:11¼" or (1:10")	5/8"-24	MX2-ST	± 45.9"	N/A	13.0 lbs	CDXR7-SDOG-308-26
	300 PRC	LONG	GROUP C (.550")	4 LUG, 50°	30 (0, 20)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein	26"	1:8"	5/8"-24	MX2-ST	± 46.5"	N/A	13.5 lbs	CDXR7-SHPD-3PR-26
	300 Norma Mag	LONG	GROUP D (.600")	4 LUG, 50°	30 (0, 20)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein	26"	1:8"	5/8"-24	MX2-ST	± 46.5"	N/A	13.5 lbs	CDXR7-SHPD-3NM-26
338 Lapua Mag	LONG	GROUP D (.600")	4 LUG, 50°	30 (0, 20)	SSSF 3.850" CIP	5	MAG100-0022	Cadex	27"	1:9½"	3/4"-24	MX2-ST	± 47.5"	N/A	13.5 lbs	CDXR7-SHPD-338-27	
CDX-R7 CPS	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	16.5"	1:10"	5/8"-24	MX2-ST	± 35.3"	± 26.8"	11.8 lbs	CDXR7-COPS-308-165
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	16.5"	1:8"	5/8"-24	MX2-ST	± 35.3"	± 26.8"	11.8 lbs	CDXR7-COPS-6.5-165
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	20"	1:10"	5/8"-24	MX2-ST	± 38.8"	± 30.3"	12.2 lbs	CDXR7-COPS-308-20
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20	DSSF 3.055"	10	MAG100-0040	Bartlein	20"	1:8"	5/8"-24	MX2-ST	± 38.8"	± 30.3"	12.2 lbs	CDXR7-COPS-6.5-20
CDX-R7 LCP	6 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:7½"	5/8"-24	MX1	± 42.3"	± 36.5"	13.6 lbs	CDXR7-LCP-6CM-26
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:8"	5/8"-24	MX1	± 40.3"	± 34.5"	13.6 lbs	CDXR7-LCP-6.5-24
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:8"	5/8"-24	MX1	± 42.3"	± 36.5"	13.6 lbs	CDXR7-LCP-6.5-26
	6.5 PRC	SHORT	GROUP C (.550")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	7	MAG100-0008	Bartlein	24"	1:8"	5/8"-24	MX1	± 40.3"	± 34.5"	13.6 lbs	CDXR7-LCP-6PR-24
	6.5 PRC	SHORT	GROUP C (.550")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	7	MAG100-0008	Bartlein	26"	1:8"	5/8"-24	MX1	± 42.3"	± 36.5"	13.6 lbs	CDXR7-LCP-6PR-26
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	20"	1:11¼" or (1:10")	5/8"-24	MX1	± 40.3"	± 30.5"	12.3 lbs	CDXR7-LCP-308-20
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:11¼" or (1:10")	5/8"-24	MX1	± 44.3"	± 34.5"	13.6 lbs	CDXR7-LCP-308-24
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:11¼" or (1:10")	5/8"-24	MX1	± 46.3"	± 36.5"	13.6 lbs	CDXR7-LCP-308-26
	300 PRC	LONG	GROUP C (.550")	4 LUG, 50°	30 (0, 20)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.9"	± 37.3"	13.8 lbs	CDXR7-LCP-3PR-26
	300 Norma Mag	LONG	GROUP D (.600")	4 LUG, 50°	30 (0, 20)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.9"	± 37.3"	13.8 lbs	CDXR7-LCP-3NM-26
	338 Lapua Mag	LONG	GROUP D (.600")	4 LUG, 50°	30 (0, 20)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein	27"	1:9½"	3/4"-24	MX1	± 46.9"	± 38.3"	13.8 lbs	CDXR7-LCP-338-27
CDX-R7 FCP	6 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:7½"	5/8"-24	MX1	± 45.0"	N/A	13.5 lbs	CDXR7-FCP-6CM-26
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:8"	5/8"-24	MX1	± 43.0"	N/A	13.5 lbs	CDXR7-FCP-6.5-24
	6.5 Creedmoor	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.0"	N/A	13.5 lbs	CDXR7-FCP-6.5-26
	6.5 PRC	SHORT	GROUP C (.550")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	7	MAG100-0008	Bartlein	24"	1:8"	5/8"-24	MX1	± 43.0"	N/A	13.5 lbs	CDXR7-FCP-6PR-24
	6.5 PRC	SHORT	GROUP C (.550")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	7	MAG100-0008	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.0"	N/A	13.5 lbs	CDXR7-FCP-6PR-26
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	20"	1:11¼" or (1:10")	5/8"-24	MX1	± 39.0"	N/A	12.1 lbs	CDXR7-FCP-308-20
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:11¼" or (1:10")	5/8"-24	MX1	± 43.0"	N/A	13.5 lbs	CDXR7-FCP-308-24
	308 Win	SHORT	GROUP B (.480")	4 LUG, 50°	20 (0, 30)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:11¼" or (1:10")	5/8"-24	MX1	± 45.0"	N/A	13.5 lbs	CDXR7-FCP-308-26
	300 PRC	LONG	GROUP C (.550")	4 LUG, 50°	30 (0, 20)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.8"	N/A	13.7 lbs	CDXR7-FCP-3PR-26
	300 Norma Mag	LONG	GROUP D (.600")	4 LUG, 50°	30 (0, 20)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.8"	N/A	13.7 lbs	CDXR7-FCP-3NM-26
	338 Lapua Mag	LONG	GROUP D (.600")	4 LUG, 50°	30 (0, 20)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein	27"	1:9½"	3/4"-24	MX1	± 46.8"	N/A	13.7 lbs	CDXR7-FCP-338-27



# CDX-30/300/33, CDX-40 & CDX-50 TABLE

MODEL	CALIBER	ACTION LENGTH	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA	MAGAZINE TYPE	MAGAZINE CAPACITY	INCLUDED MAGAZINE	BARREL TYPE	BARREL LENGTH	TWIST RATE	THREAD PITCH	MUZZLE BRAKE	O.A.L.	O.A.L. FOLDED	APPROX. WEIGHT	PART NUMBERS
CDX-30 LITE	6 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:7½"	5/8"-24	MX1	± 45.8"	± 37.4"	14.3 lbs	CDX30-LITE-6CM-26
	6.5 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:8"	5/8"-24	MX1	± 43.8"	± 35.4"	14.3 lbs	CDX30-LITE-6.5-24
	6.5 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.8"	± 37.4"	14.3 lbs	CDX30-LITE-6.5-26
	6.5 PRC	LONG	GROUP C (.550")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	7	MAG100-0008	Bartlein	24"	1:8"	5/8"-24	MX1	± 43.8"	± 35.4"	14.3 lbs	CDX30-LITE-6PR-24
	6.5 PRC	LONG	GROUP C (.550")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	7	MAG100-0008	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.8"	± 37.4"	14.3 lbs	CDX30-LITE-6PR-26
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	20"	1:11¼" or (1:10")	5/8"-24	MX1	± 39.8"	± 31.4"	13.8 lbs	CDX30-LITE-308-20
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:11¼" or (1:10")	5/8"-24	MX1	± 43.8"	± 35.4"	14.3 lbs	CDX30-LITE-308-24
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:11¼" or (1:10")	5/8"-24	MX1	± 45.8"	± 37.4"	14.3 lbs	CDX30-LITE-308-26
CDX-300 LITE	300 PRC	LONG	GROUP C (.550")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.8"	± 37.4"	14.3 lbs	CDX300-LITE-3PR-26
	300 RUM	LONG	GROUP C (.550")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0043	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.8"	± 37.4"	14.3 lbs	CDX300-LITE-RUM-26
CDX-33 LITE	300 Norma Mag	LONG	GROUP D (.600")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.8"	± 37.4"	14.3 lbs	CDX33-LITE-3NM-26
	338 Lapua Mag	LONG	GROUP D (.600")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein	27"	1:9½"	3/4"-24	MX1	± 46.8"	± 38.4"	14.3 lbs	CDX33-LITE-338-27
CDX-30 TAC	6 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:7½"	5/8"-24	MX1	± 45.9"	N/A	13.1 lbs	CDX30-TAC-6CM-26
	6.5 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:8"	5/8"-24	MX1	± 43.9"	N/A	13.1 lbs	CDX30-TAC-6.5-24
	6.5 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.9"	N/A	13.1 lbs	CDX30-TAC-6.5-26
	6.5 PRC	LONG	GROUP C (.550")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	7	MAG100-0008	Bartlein	24"	1:8"	5/8"-24	MX1	± 43.9"	N/A	13.1 lbs	CDX30-TAC-6PR-24
	6.5 PRC	LONG	GROUP C (.550")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	7	MAG100-0008	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.9"	N/A	13.1 lbs	CDX30-TAC-6PR-26
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	20"	1:11¼" or (1:10")	5/8"-24	MX1	± 39.9"	N/A	12.0 lbs	CDX30-TAC-308-20
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:11¼" or (1:10")	5/8"-24	MX1	± 43.9"	N/A	13.1 lbs	CDX30-TAC-308-24
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:11¼" or (1:10")	5/8"-24	MX1	± 45.9"	N/A	13.1 lbs	CDX30-TAC-308-26
CDX-300 TAC	300 PRC	LONG	GROUP C (.550")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.9"	N/A	13.1 lbs	CDX300-TAC-3PR-26
	300 RUM	LONG	GROUP C (.550")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0043	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.9"	N/A	13.1 lbs	CDX300-TAC-RUM-26
CDX-33 TAC	300 Norma Mag	LONG	GROUP D (.600")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein	26"	1:8"	5/8"-24	MX1	± 45.9"	N/A	13.1 lbs	CDX33-TAC-3NM-26
	338 Lapua Mag	LONG	GROUP D (.600")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0022	Bartlein	27"	1:9½"	3/4"-24	MX1	± 46.9"	N/A	13.1 lbs	CDX33-TAC-338-27
CDX-40 SHDW	375 CT	XL	GROUP E (.670")	3 LUG, 60°	40 (20, 60)	No sleeve	7	MAG4300	Bartlein	29"	1:10" (Military recomm.)	7/8"-24	MX1	± 49.8"	± 41.4"	19.4 lbs	CDX40-DUAL-375-29
	375 CT	XL	GROUP E (.670")	3 LUG, 60°	40 (20, 60)	No sleeve	7	MAG4300	Bartlein	32"	1:7" or (1:10")	7/8"-24	MX1	± 52.8"	± 44.4"	19.9 lbs	CDX40-DUAL-375-32
	375 CT	XL	GROUP E (.670")	3 LUG, 60°	60	Single Shot	0	N/A	Bartlein	36"	1:7"	7/8"-24	MX1	± 56.8"	± 48.4"	23.8 lbs	CDX40SS-DUAL-375-36
	375 EnABELR	XL	GROUP E (.670")	3 LUG, 60°	40 (20, 60)	No sleeve	7	MAG4309	Bartlein	32"	1:7"	7/8"-24	MX1	± 52.8"	± 44.4"	19.9 lbs	CDX40-DUAL-75E-32
	375 EnABELR	XL	GROUP E (.670")	3 LUG, 60°	60	Single Shot	0	N/A	Bartlein	36"	1:7"	7/8"-24	MX1	± 56.8"	± 48.4"	23.8 lbs	CDX40SS-DUAL-75E-36
	408 CT	XL	GROUP E (.670")	3 LUG, 60°	40 (20, 60)	No sleeve	7	MAG4300	Bartlein	29"	1:13" or (1:12")	7/8"-24	MX1	± 49.8"	± 41.4"	19.4 lbs	CDX40-DUAL-375-29
	408 CT	XL	GROUP E (.670")	3 LUG, 60°	40 (20, 60)	No sleeve	7	MAG4300	Bartlein	32"	1:13" or (1:12")	7/8"-24	MX1	± 52.8"	± 44.4"	19.9 lbs	CDX40-DUAL-375-32
CDX-50 TREMOR®	416 Barrett®	XL	GROUP F (.825")	4 LUG, 50°	40 (20, 60)	No sleeve	5	MAG0416	Bartlein	32"	1:9"	7/8"-24	MX1	± 54.5"	± 45.4"	24.7 lbs	CDX50-DUAL-416-32
	416 Barrett®	XL	GROUP F (.825")	4 LUG, 50°	60	Single Shot	0	N/A	Bartlein	40"	1:9"	7/8"-24	MX1	± 62.5"	± 53.4"	30.0 lbs	CDX50SS-DUAL-416-40
	50 BMG	XL	GROUP F (.825")	4 LUG, 50°	40 (20, 60)	No sleeve	5	MAG2949	Bartlein	20.6"	1:15"	1"-14 UNF	MX1	± 43.1"	± 34.0"	21.9 lbs	CDX50-DUAL-50-206
	50 BMG	XL	GROUP F (.825")	4 LUG, 50°	40 (20, 60)	No sleeve	5	MAG2949	Bartlein	29"	1:15"	1"-14 UNF	MX1	± 51.5"	± 42.4"	23.9 lbs	CDX50-DUAL-50-29
	50 BMG	XL	GROUP F (.825")	4 LUG, 50°	40 (20, 60)	No sleeve	5	MAG2949	Bartlein	32"	1:15"	1"-14 UNF	MX1	± 54.5"	± 45.4"	24.7 lbs	CDX50-DUAL-50-32
CDX-X100	10x100 BWA	XL	GROUP F (.825")	4 LUG, 50°	40 (20, 60)	No sleeve	TBC	TBC	Bartlein	TBC	1:15"	1"-14 UNF	MX1	N/A	N/A	N/A	CDXX100-DUAL-BWA-___

\*Items in red are available on special request. \*\*Dimensions do not included the muzzle brake.  
DISCLAIMER: Too many components are involved to accurately predict the final weight of a rifle. It is impossible to confirm the weight of all our rifle models because it varies depending on each caliber.

# KRAKEN® CONFIGURATOR

## STEP 1

Choose main caliber (refer to table below).


Each complete rifle comes with **one magazine** and **one sniper drag bag** (except military contracts).

## STEP 2

- If you want to add any additional caliber(s) you will require:
- Tooling kit:** Only need one per rifle.
  - Barrel(s):** Choose your secondary caliber(s) from the table below.
  - Bolt body(ies):** Select group B, C or D. Only need one per caliber group.
  - Conversion kit(s):** Select group B (DSSF 3.055"), group C (SSSF 3.715"), group C (SSSF 3.850 CIP") or group D (DSSF 3.850" CIP). Only need one per caliber group.
  - Magazine(s):** Not needed if both calibers reuse the same magazine type. Refer to P.67.

\*All calibers reuse the same interchangeable firing pin. You may want an additional firing pin, if you prefer not to swap them from one bolt body to another.

\* Even if you do not plan on purchasing a new caliber right away, we still recommend to purchase the Kraken® Tool Kit to remove your barrel for an easier cleaning process.



## STEP 3

- Complete your kit with popular accessories such as:
- Extra muzzle brake
  - ARCA Elite System (AES)
  - Hard case with cut-out foam
  - Bean bag rider
  - Falcon bipod
  - Scope mount
- Please refer to P.24 for much more optional items.

MODEL	CALIBER	ACTION LENGTH	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA	MAGAZINE TYPE	MAGAZINE CAPACITY	INCLUDED MAGAZINE	BARREL TYPE	BARREL LENGTH	TWIST RATE	THREAD PITCH	MUZZLE BRAKE	O.A.L.	O.A.L. FOLDED	APPROX. WEIGHT	PART NUMBERS
CDX-MC KRAKEN®	6 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:7½"	5/8"-24	MX1	± 46.0"	± 37.2"	15.8 lbs	CDXMC-KRKN-6CM-26
	6.5 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	16.5"	1:8"	5/8"-24	MX1	± 36.5"	± 27.7"	13.4 lbs	CDXMC-KRKN-6.5-165
	6.5 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	20"	1:8"	5/8"-24	MX1	± 40.0"	± 31.2"	15.0 lbs	CDXMC-KRKN-6.5-20
	6.5 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:8"	5/8"-24	MX1	± 44.0"	± 35.2"	15.8 lbs	CDXMC-KRKN-6.5-24
	6.5 Creedmoor	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:8"	5/8"-24	MX1	± 46.0"	± 37.2"	15.8 lbs	CDXMC-KRKN-6.5-26
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	16.5"	1:10"	5/8"-24	MX1	± 36.5"	± 27.7"	13.4 lbs	CDXMC-KRKN-308-165
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	20"	1:11¼" or (1:10")	5/8"-24	MX1	± 40.0"	± 31.2"	15.0 lbs	CDXMC-KRKN-308-20
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	24"	1:11¼" or (1:10")	5/8"-24	MX1	± 44.0"	± 35.2"	15.8 lbs	CDXMC-KRKN-308-24
	308 Win	LONG	GROUP B (.480")	3 LUG, 60°	20 (30, 45)	DSSF 3.055"	10	MAG100-0040	Bartlein	26"	1:11¼" or (1:10")	5/8"-24	MX1	± 46.0"	± 37.2"	15.8 lbs	CDXMC-KRKN-308-26
	300 PRC	LONG	GROUP C (.550")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0023-CDX	Bartlein	26"	1:8"	5/8"-24	MX1	± 46.0"	± 37.2"	15.8 lbs	CDXMC-KRKN-3PR-26
	300 RUM	LONG	GROUP C (.550")	3 LUG, 60°	30 (20, 45)	SSSF 3.850" CIP	5	MAG100-0043	Bartlein	26"	1:8"	5/8"-24	MX1	± 46.0"	± 37.2"	15.8 lbs	CDXMC-KRKN-RUM-26
	300 Norma Mag	LONG	GROUP D (.600")	3 LUG, 60°	30 (20, 45)	DSSF 3.850" CIP	5	MAG100-0020	Bartlein	26"	1:8"	5/8"-24	MX1	± 46.0"	± 37.2"	15.8 lbs	CDXMC-KRKN-3NM-26
	338 Lapua Mag	LONG	GROUP D (.600")	3 LUG, 60°	30 (20, 45)	DSSF 3.850" CIP	5	MAG100-0020	Bartlein	27"	1:9½"	3/4"-24	MX1	± 47.0"	± 38.2"	15.8 lbs	CDXMC-KRKN-338-27

\*Items in red are available on special request. \*\*Dimensions do not included the muzzle brake.  
DISCLAIMER: Too many components are involved to accurately predict the final weight of a rifle. It is impossible to confirm the weight of all our rifle models because it varies depending on each caliber.



# ACTIONS TABLE

MODEL NAME	MODEL CODE	CALIBER	REM 700 CLONE	ACTION TYPE	BOLT BODY TYPE	BOLT STYLE	SAFETY SYSTEM	TOP RAIL MOA (I)= OPTIONAL	AICS COMPATIBLE MAG	ACTION THREADS	RECOIL LUG THICKNESS	ACTION DIAMETER	ACTION LENGTH	APPROX. WEIGHT	PART NUMBERS
CDX-SS SEVEN S.T.A.R.S.	CDX-SS	STANDARD SA	YES	SHORT	GROUP A (.385")	3 LUG, 60°	REM STYLE	20	DSSF 3.055"	1-1/16-18 TPI	.250"	1.350"	7.850"	1.96 lbs	CDXSS-STAR-ACT-SA-TA
		STANDARD SA	YES	SHORT	GROUP B (.480")	3 LUG, 60°	REM STYLE	20	DSSF 3.055"	1-1/16-18 TPI	.250"	1.350"	7.850"	1.96 lbs	CDXSS-STAR-ACT-SA-TB
CDX-R7 (HUNTING)	CDX-R7 SA	STANDARD SA	YES	SHORT	GROUP B (.480")	4 LUG, 50°	REM STYLE	0 or (20, 30)	DSSF 3.055"	1-1/16-18 TPI	.250"	1.350"	7.850"	2.08 lbs	CDXR7-HUNT-ACT-SA-TB
		MAGNUM SA	YES	SHORT	GROUP C (.550")	4 LUG, 50°	REM STYLE	0 or (20, 30)	DSSF 3.055"	1-1/16-18 TPI	.250"	1.350"	7.850"	2.08 lbs	CDXR7-HUNT-ACT-SA-TC
	CDX-R7 LA	STANDARD LA	YES	LONG	GROUP B (.480")	4 LUG, 50°	REM STYLE	0 or (20, 30)	SSSF 3.715", 3.775" or 3.850" CIP	1-1/16-18 TPI	.250"	1.350"	8.700"	2.26 lbs	CDXR7-HUNT-ACT-LA-TB
		MAGNUM LA	YES	LONG	GROUP C (.550")	4 LUG, 50°	REM STYLE	0 or (20, 30)	SSSF 3.715", 3.775" or 3.850" CIP	1-1/16-18 TPI	.250"	1.350"	8.700"	2.26 lbs	CDXR7-HUNT-ACT-LA-TC
		SUPER MAGNUM LA	YES	LONG	GROUP D (.600")	4 LUG, 50°	REM STYLE	0 or (20, 30)	SSSF 3.715", 3.775" or 3.850" CIP	1-1/16-18 TPI	.250"	1.350"	8.700"	2.26 lbs	CDXR7-HUNT-ACT-LA-TD
CDX-R7 SHP	CDX-R7 SHP SA	STANDARD SA	YES	SHORT	GROUP B (.480")	4 LUG, 50°	REM STYLE	20 or (0, 30)	DSSF 3.055"	1-1/16-18 TPI	.250"	1.350"	7.850"	2.38 lbs	CDXR7-SDOG-ACT-TB
		MAGNUM SA	YES	SHORT	GROUP C (.550")	4 LUG, 50°	REM STYLE	20 or (0, 30)	DSSF 3.055"	1-1/16-18 TPI	.250"	1.350"	7.850"	2.38 lbs	CDXR7-SDOG-ACT-TC
	CDX-R7 SHP LA	STANDARD LA	YES	LONG	GROUP B (.480")	4 LUG, 50°	REM STYLE	20 or (0, 30)	SSSF 3.715", 3.775" or 3.850" CIP	1-1/16-18 TPI	.250"	1.350"	8.700"	2.57 lbs	CDXR7-SHPD-ACT-TB
		MAGNUM LA	YES	LONG	GROUP C (.550")	4 LUG, 50°	REM STYLE	20 or (0, 30)	SSSF 3.715", 3.775" or 3.850" CIP	1-1/16-18 TPI	.250"	1.350"	8.700"	2.57 lbs	CDXR7-SHPD-ACT-TC
		SUPER MAGNUM LA	YES	LONG	GROUP D (.600")	4 LUG, 50°	REM STYLE	20 or (0, 30)	SSSF 3.715", 3.775" or 3.850" CIP	1-1/16-18 TPI	.250"	1.350"	8.700"	2.57 lbs	CDXR7-SHPD-ACT-TD
CDX-30	CDX-30	STANDARD SA	NO	LONG	GROUP B (.480")	3 LUG, 60°	ON SHROUD	20	DSSF 3.055"	1-1/16-18 TPI	.350"	1.550"	9.000"	3.07 lbs	CDX30-GUAR-ACT-TB
CDX-300	CDX-300	MAGNUM LA	NO	LONG	GROUP C (.550")	3 LUG, 60°	ON SHROUD	20	SSSF 3.715", 3.775" or 3.850" CIP	1-1/16-18 TPI	.350"	1.550"	9.000"	3.07 lbs	CDX300-FREE-ACT-TC
CDX-33	CDX-33	SUPER MAGNUM LA	NO	LONG	GROUP D (.600")	3 LUG, 60°	ON SHROUD	20	SSSF 3.715", 3.775" or 3.850" CIP	1-1/16-18 TPI	.350"	1.550"	9.000"	3.07 lbs	CDX33-PATR-ACT-TD
CDX-40 SHDW	CDX-40 SHDW	XL ACTION	NO	XL	GROUP E (.670")	3 LUG, 60°	ON SHROUD	20	CADEX ONLY	1-3/16"-18 TPI	.350"	1.600"	10.000"	3.81 lbs	CDX40-SHDW-ACT-TE
		SINGLE SHOT XL ACTION	NO	XL	GROUP E (.670")	3 LUG, 60°	ON SHROUD	20	NOT COMPATIBLE	1-3/16"-18 TPI	.350"	1.600"	10.000"	4.18 lbs	CDX40SS-SHDW-ACT-TE
CDX-50 TREMOR®	CDX-50 TRMR	XL ACTION	NO	XL	GROUP F (.825")	4 LUG, 50°	ON SHROUD	20	CADEX ONLY	1-1/2"-18 TPI	.420"	1.960"	11.900"	5.78 lbs	CDX50-TRMR-ACT-TF
		SINGLE SHOT XL ACTION	NO	XL	GROUP F (.825")	4 LUG, 50°	ON SHROUD	20	NOT COMPATIBLE	1-1/2"-18 TPI	.420"	1.960"	11.900"	6.45 lbs	CDX50SS-TRMR-ACT-TF
LEFT HANDED ACTION															
CDX-R7 SHP	CDX-R7 SHP LEFT	STANDARD SA	YES	SHORT	GROUP B (.480")	4 LUG, 50°	REM STYLE	20	DSSF 3.055"	1-1/16-18 TPI	.250"	1.350"	7.850"	2.38 lbs	CDXR7-LH-SDOG-ACT-TB
		MAGNUM SA	YES	SHORT	GROUP C (.550")	4 LUG, 50°	REM STYLE	20	DSSF 3.055"	1-1/16-18 TPI	.250"	1.350"	7.850"	2.38 lbs	CDXR7-LH-SDOG-ACT-TC



Multiple action colors available. See all variants available at P. 35-36


DISCLAIMER: Too many components are involved to accurately predict the final weight of a rifle. It is impossible to confirm the weight of all our rifle models because it varies depending on each caliber.

# MAGAZINE FITMENT vs CHASSIS SYSTEMS

Cadex chassis systems are designed for standard AICS pattern magazines. We optimized our chassis models for Accurate-Mag® magazines as their dimensions replicate best the original AICS design and their tolerances are tighter than most other aftermarket models. Some other companies chose to deviate from the original design, which is out of our control and it may lead to some unexpected fitment or feeding issues.

## AICS DSSF example

- A- LENGTH: 3.055"
- B- WIDTH: 0.970"
- C- CATCH HEIGHT: 1.360"



Any major deviation from the aforementioned AICS dimensions may cause magazine fitment and feeding issues.

You may use other magazine brands and models at your own risk.

AVERAGE MAGAZINE DIMENSIONS / DEVIATION FROM AICS STD				
Manufacturer	Material	Length (in.) / Deviation	Width (in.) / Deviation	Catch height (in.) / Deviation
Accurate-Mag® (recommended model)	Metal	3.054 / -0.001	0.966 / -0.004	1.360 / 0.000
AI®	Metal	3.059 / +0.004	0.967 / -0.003	1.358 / -0.002
Magpul®	Polymer	3.069 / +0.014	0.970 / 0.000	1.370 / +0.010
MDT®	Metal	3.061 / +0.006	0.969 / -0.001	1.358 / -0.002
MDT®	Polymer	3.067 / +0.012	0.991 / +0.021	1.390 / +0.030



## RECOMMENDED MODEL



Accurate-Mag® (metal)



AI® (metal)



Magpul® (polymer)




MDT® (metal)



MDT® (polymer)



# CADEX R&D SOLUTIONS



**+ EXPERTISE**

Cadex has worked with both conventional military and Special Forces, successfully delivering our products to a broad range of customers worldwide. Cadex works with its customers in a team approach to identify the mission requirements in order to meet their specific needs.

**+ INNOVATION**

Cadex's design and manufacturing team ensures the customer has access to leading edge technology.

**+ DESIGN**

When creating the design, Cadex's R&D department works seamlessly with the production department to ensure the manufactured item meets the customer's requirements no matter the complexity.

**+ SOLUTION**

Cadex's R&D department's initial design is quickly turned into a prototype for customer evaluation. Cadex can use its 3D printing, molding and machining capabilities to produce a broad range of prototypes.

**+ MANUFACTURE**



Cadex can call upon its in-house capabilities to produce a broad range of products. This includes weapon components, tactical breaching equipment, gun stocks, recoil management systems and precision mounts for electro-optic systems.

**+ DELIVERY**

Cadex provides the edge needed when you need it most. Our equipment is in service worldwide.

**+ SUPPORT**

With Cadex every product comes complete with knowledgeable customer support. Our quick and efficient staff is known worldwide for its legendary quality of service as well as its uncompromising discretion.



# PROMOTIONAL MATERIALS

**CADEX T-SHIRTS** - Part#: 8001-(size)

- High quality black t-shirt
- 50% Cotton / 50% Polyester
- Also available for women, 100% Cotton Part#: 8002-(size)



**CADEX PROUD SUPPORTER T-SHIRTS** - Part#: 8003-(size)

- Perfect for PRS competition
- 100% Polyester
- Also available for women Part#: 8004-(size)



**CADEX CAPS** - Part#: 8101-OS

Black cap with embroidered "Cadex Defence" logo on the front and "Extreme Range Supremacy" on the back.



**STICKERS**

Part#: 420-00025-BLK



**CHAMBER FLAGS**

Part#: 175-00075-FLG



**REUSABLE BAGS**

Part#: 420-00030-BLK



- Non-woven fabric (100g)
- Rated max 30 lbs (14 kg)

**PVC PATCHES**



Part#: 420-00026-BLK



Part#: 420-00027-CAM



Part#: 420-00028-BLK





**Serge Dextraze**  
President/CEO

**Message from the president**

*"For over 25 years, Cadex has designed and manufactured an extensive line of high quality and premium products for Special Operations, Military, Law Enforcement and Civilians across the globe. In each field of operation, we bring to you a team of specialized and dedicated professionals. Ready to guide you forward and best supporting your multiple mission requirements. We would like to thank our long standing customer base for their ongoing trust and support."*



**Patrice Picard**  
Sales Director  
Canada Office: 1-888-348-6774  
Cell: 514-821-7983  
patrice@cadexinc.com



**Robert Pettorsson**  
USA  
USA Sales and Marketing Manager  
Satellite Office: Phoenix  
Cell: 623.810.6591  
robert.p@cadexinc.com



**Darryl Miller**  
USA  
Military, Law Enforcement  
& Commercial Sales  
USA Office: Swanton  
Cell: 770-713-6354  
darryl@cadexinc.com



**Francois P. Lefebvre**  
USA  
Military, Law Enforcement  
& Commercial Sales  
Satellite Office: Fayetteville  
Cell: 910-605-8298  
frank.lefebvre@cadexinc.com



**Jamie Barkwell**  
Canada  
Sales Representative  
Canada Office: 450-348-6774  
Cell: 514-863-0910  
customerservice@cadexinc.com



**Vincent Roy**  
Canada  
Sales Representative  
Canada Office: 450-348-6774  
customerservice@cadexinc.com

**CUSTOMER'S PICTURES**

Do not hesitate to send us pictures of your builds at [marketing@cadexinc.com](mailto:marketing@cadexinc.com) so that we can showcase them on our website and social media! And thanks a lot to those who already did!



**If you appreciate  
Cadex products,  
please take  
a minute to let us  
know at  
[customerservice@cadexinc.com](mailto:customerservice@cadexinc.com)**

**Follow us!**



\*\*In case of disparity between the catalog and the website, the information presented on the website has priority\*\*



**CADEX DEFENCE**

**755 ave. Montrichard,  
Saint-Jean-sur-Richelieu, QC, Canada, J2X 5K8  
Tel: 450-348-6774 • Fax: 450-348-7157  
Toll free: 1 888 348-6774**

**CADEX DEFENSE CORP**

**107 Robin Hood Dr,  
Swanton, VT 05488, United States  
Tel: 802-466-4003 • Fax: 450-348-7157  
Toll free: 1 888 348-6774**

**WWW.CADEXDEFENCE.COM**





[WWW.CADEXDEFENCE.COM](http://WWW.CADEXDEFENCE.COM)