

PROAMMO
Central Europe

LEGE ARMIS SEDAT



HD Tec

„ELECTRA“ BALLISTIC VEST

LADIES

- Ladies' lightweight concealed vest
- New type of materials
- The shape of the vest respects the anatomical differences with its special design
- The vest is build upon lightweight ergonomic construction and provides high-comfort shape
- The vest provides anatomically shaped side protection
- Tight fastening thanks to low-profile velcros and elastic bands
- Possibility to choose ballistic protection in level II.A+ or III.A NIJ 0101.04, KR1 (NIJ Spike)

„ELECTRA“

BALLISTIC VEST

PROAMMO
Central Europe

LEGE ARMIS SEDAT



TTD of ballistic vest in level NIJ 0101.04 IIA+

- including side protection
- weight of the vest is 1,4 Kg size „M“
- protected area min. 28,5 dm² size „M“
- thickness of ballistic panel is 4 mm

TTD of ballistic vest in level NIJ 0101.04 IIIA

- including side protection
- weight of the vest is 2,3 Kg size „M“
- protected area min. 28,5 dm² size „M“
- thickness of ballistic panel is 5,5 mm
- size XS-XXXXXL (possibility of tailor-made)



MADE IN



„DEFENDER“ BALLISTIC VEST



- The vest is anatomically shaped and designed for non-limited and hidden usage during movement „walking, running, sitting, ect.“ even also during driving a vehicle, shooting and other activities.
- Vest sizing and fastening is made with velcros and elastic bands
- Internal parts of the vest are made from a mesh, which guarantees better air circulation
- Flexibility of the ballistic material allows maximum hidden usage
- Possibility to choose ballistic protection in level II.A+ or III.A NIJ 0101.04, KR1 (NIJ Spike)
- NIJ 0115.00, SK1 (VPAM-APR 2006 Prüfstufe 3 und Sondermunition)

TTD of ballistic vest in level NIJ 0101.04 IIA+

- including side protection
- weight of the vest is 1,5 Kg size „L“
- protected area min. 32,5 dm² size „L“
- thickness of ballistic panel is 4 mm


TTD of ballistic vest in level NIJ 0101.04 IIIA

- including side protection
- weight of the vest is 2,5 Kg size „L“
- protected area min. 32,5 dm² size „L“
- thickness of ballistic panel is 5,5 mm
- size XS-XXXXXL (possibility of tailor-made)

„DEFENDER“

BALLISTIC VEST

PROAMMO
Central Europe




- Possibility of production as model - ULTRA - with additional hard ballistic panel in Level IV+ NIJ 0101.04
- This model keeps all advantages of the Defender vest in combination with hard ballistic protection
- Model ULTRA lets you use the vest confidentially but provides you with higher level of protection

TTD for hard ballistic plate – NIJ 0101.04 IV+

- weight of ballistic plate: 2,1 kg
- protected area: 6,175 dm²
- thickness of ballistic plate: 19 mm
- size: 280x230 mm

Ballistic protection in level IV+ according NIJ 0101.04 for:

- .30-06 AP Armour Piercing
NIJ level IV 0101.04 Test Amunition
- 7,62 x 54 RBZ
- 7,62 x 39 API BZ
- 7,62 x 51 M61 AP
- 5,45 x 39 FMJ
- 5,56 x 45 FMJ
- 5,56 x 45 SS109



MAN

MADE IN

Czech Republic

PROAMMO
Central Europe



HD Tec

„VENOM“

BALLISTIC VEST

- New type of materials
- The vest is anatomically shaped and designed for non-limited and hidden usage during movement „walking, running, sitting, ect.“ even also during driving a vehicle, shooting and other activities.
- Thermoregulation materials on the inside
- Tight fastening thanks to low-profile velcros and elastic bands
- Ballistic plates are trimmed to provide undetectable edges
- Flexibility of the ballistic material allows maximum hidden usage
- Possibility to choose ballistic protection in level II.A+ or III.A NIJ 0101.04, KR1 (NIJ Spike)
- NIJ 0115.00, SK1 (VPAM-APR 2006 Prüfstufe 3 und Sondermunition)

**TTD of ballistic vest in level
NIJ 0101.04 IIA+**

- including side protection
- weight of the vest is 1,5 Kg size „L“
- protected area min. 32,5 dm² size „L“
- thickness of ballistic panel is 4 mm
- size XS-XXXXXL (possibility of tailor-made)



„VENOM“

BALLISTIC VEST



- Possibility of production as model - ULTRA - with additional hard ballistic panel in Level IV+ NIJ 0101.04
- This model keeps all advantages of the Venom vest in combination with hard ballistic protection
- Model ULTRA lets you use the vest confidentially but provides you with higher level of protection

TTD of ballistic vest in level NIJ 0101.04 IIIA

- including side protection
- weight of the vest is 2,5 Kg size „L“
- protected area min. 32,5 dm² size „L“
- thickness of ballistic panel is 5,5 mm



TTD for hard ballistic plate – NIJ 0101.04 III+ +

- weight of ballistic plate: 1,6 kg
- protected area: 6,175 dm²
- thickness of ballistic plate: 10 mm
- size: 280x230 mm

Ballistic protection in level IV+ according NIJ 0101.04 for:

- 7,62 x 39 API BZ
- 5,56 x 45 SS109
- 5,45 x 39 FMJ
- 5,56 x 45 FMJ

PROAMMO
Central Europe

LEGE ARMIS SEDAT



„LEGION“

TACTICAL
BALLISTIC VEST

PLATES



Designed for comfortable wearing
and maximum protection of the user

- MOLLE compatible webbing system
- Internal parts of the vest are made from a mesh, which guarantees better air circulation
- Ergonomically shaped
- High comfort during long term wearing
- Possibility of additional protection (neck, shoulders, arms, groins)
- Ballistic protection NIJ 01.01.04 III.A in whole area of vest



„LEGION“

TACTICAL

BALLISTIC VEST

PROAMMO
Central Europe



TTD for Carrier NIJ 0101.04 IIIA

- weight of the vest is 3,9 kg
- protected area min. 46 dm²
- thickness of light ballistic panel is 5,5 mm


TTD for hard ballistic plate – NIJ 0101.04 IV

- weight of ballistic plate: 2,1 kg
- protected area: 6,175 dm²
- thickness of ballistic plate: 19 mm
- size: 280x230 mm



Ballistic protection in level IV+ according NIJ 0101.04 for:

- .30-06 AP Armour Piercing
NIJ level IV 0101.04 Test Amunition
- 7,62 x 54 RBZ
- 7,62 x 39 API BZ
- 7,62 x 51 M61 AP
- 5,45 x 39 AP
- 5,56 x 45 SS109



RELATES

MADE IN
Czech Republic

PROAMMO
Central Europe

LEGE ARMIS SEDAT



„MATRIX“

BALLISTIC T-SHIRT



T-SHIRT

- intended for hidden wearing
- fill conditions of maximal latency
- designed for wearing without additional clothes over (T-shirt, teeshirt, shirt, sweat shirt, jacked)
- made from highly resistant flexible knitwear
- could be made by choice of submitter in form V or U in the area of neck


- antibacterial sweat conducting material on the underside directly contacting body part
- aramid fibers ballistic plate improves factors of latency, flexibility, thickness and weight
- water resistant pack of ballistic panel inhibits perspiration, water and small dust particles to penetration to the ballistic material
- tailor-made possibility
- possible to make with gun and walkie-talkie holster



„MATRIX“

BALLISTIC T-SHIRT

PROAMMO
Central Europe



TTD of Ballistic T-shirt Matrix IIA+ NIJ 0101.04

- including side protection
- thickness of ballistic panel is 4 mm
- weight of the Teeshirt is 1,3 Kg size „L“
- protected area min. 30,5 dm² size „L“

TTD of Ballistic T-shirt Matrix IIIA NIJ 0101.04

- including side protection
- thickness of ballistic panel is 5,4 mm
- weight of the Teeshirt is 2,1 Kg size „L“
- protected area min. 30,5 dm² size „L“

Optional

- KR1 (NIJ Spike)
- NIJ 0115.00, SK1 (VPAM-APR 2006 Prüfstufe 3 und Sondermunition)
- size XS-XXXXXL
(possibility of tailor-made)
- color: black, white
- possibility of increasing of ballistic protection with additional ballistic carrier up to level IV, NIJ 0101.04
- additional ballistic carrier has flexible set up on shoulders and waist
- intended for hidden wearing
- fill conditions of maximal latency



MADE IN



PROAMMO
Central Europe

LEGE ARMIS SEDAT



HD Tec

„STORM“

ANTI-FRAGMENT OVERALL



- Anti-fragment overall was designed for anti-fragment, fire and partly anti-stub protection.
- Made from the high quality materials which appropriate usage in exacting conditions or during intensive training.
- Possible to fix additional ballistic panels on hands and legs zone in class of ballistic protection IIIA NIJ 01.01.04, or additional anti-fragment protection till velocity of fragment 700 m/s in weight 1,1 g FSP.



„STORM“

ANTI-FRAGMENT OVERALL

PROAMMO
Central Europe



Specification of ballistic material and level of protection can be prepared by the users requirements.

Overall „STORM“ has anti-fragment protection till 350 m/s full body protection, 500 m/s protection of high risk places (STANAG 2920, Annex A, point A, fragment A3/6723/1). Anti-fragment protection is provided in whole area of overall, including neck and back half of the hood, where protection is most strengthened.

The fire protection is in the whole area of overall, where the outside material could stand the flame 4sec/800°C (EN ISO 11612 A1,A2,B1,C1,F1: 2008) and ballistic plate (aramid fiber) is totally flameproof. Thereby we can ensure complete safety of user in hardest conditions (explosion, fire, est...).

Due to the fact that the ballistic does not allowed a ventilation and air circulation, the overall has some zippered ventilation openings - it doesn't endanger the user and doesn't decrease the area of anti-fragment protection. (Location of ventilation: back, sleeves in under part of overall, underarms, groins, under part of legs)

- Anti-fragment overall has removable hood and gloves with velcros.
- Overall has reinforced area of shoulders, elbows, seat and knees.
- For the user identification there are velcros placed on the front and side pockets.
- For the additional ballistic or anti-fragment panels there are hidden fixtures placed in overall.

MADE IN



PROAMMO
Central Europe

LEGE ARMIS SEDAT



HD Tec


„COMANDER“ MODULAR BALLISTIC SYSTEM

The Modular system consists of:

- Plate carrier
- Additional protectors – neck and shoulders, arms, side protectors, groin protector
- Ballistic belt with special sit harness

Can be used separately or in any combinations.

Plate carrier provides hard ballistic protection of the front and back side of the body in level IV+ according NIJ 0101.04 and can be used as a concealed hard ballistic vest or as a tactical hard ballistic plate carrier.



„COMANDER“

MODULAR BALLISTIC SYSTEM

PROAMMO
Central Europe
LEGE ARMIS SEDAT



For higher protection - plate carrier can be combined with side protection plates (level IV+ according NIJ 0101.04) and additional protectors (level IIIA according NIJ 0101.04)

Ballistic belt increases an area of ballistic protection and covering low back, hips and abdomen

Ballistic belt also contains sit harness system with easy lock Cobra buckles which afford fast abseiling

TTD for VEST NIJ 0101.04 IIIA

- weight of the vest is 1,8 kg
- protected area is min. 18 dm²
- thickness of light ballistic panel is 5,5 mm

TTD for VEST AND ADDITIONAL PROTECTORS – NIJ 0101.04 IIIA

- weight of the system is 11 kg
- protected area is min. 68 dm²
- Thickness of light ballistic panel is 5,5 mm

TTD for hard ballistic plate – NIJ 0101.04 IV+

- weight of ballistic plate: 2,1 kg
- protected area: 6,175 dm²
- thickness of ballistic plate: 19 mm
- size: 280x230 mm

TTD for small hard ballistic plate – NIJ 0101.04 IV+

- weight of ballistic plate: 0,8 kg
- protected area: 2,8 dm²
- thickness of ballistic plate: 19 mm
- size: 195x145 mm

Ballistic protection in level IV+ according NIJ 0101.04 for:

- .30-06 AP Armour Piercing NIJ level IV 0101.04 Test Amunition
- 7,62 x 54 RBZ
- 7,62 x 39 API BZ
- 7,62 x 51 M61 AP
- 5,45 x 39 AP
- 5,56 x 45 SS109



MADE IN
Czech Republic