

CADE X

DEFENCE



2018 CATALOG



NEW FOR 2018

FALCON LITE BIPOD



PAGE 53-54

SNIPER GREY

Cerakote Sniper Grey and Hybrid Sniper Grey/Black now available



R7 COMPETITION MODELS

CDX-R7

LITE COMP or FIELD COMP



PAGE 5 TO 8

6MM CREEDMOOR

NOW AVAILABLE FOR:

- CDX-R7 Lite Comp
- CDX-R7 Field Comp
- CDX-R7 Sheepdog
- CDX-MC Kraken
- CDX-30 Guardian Lite
- CDX-30 Guardian Tac



TIKKA T3 CTR



NEW detachable base design to adapt the Tikka CTR magazine

CUSTOM ACTIONS

CDX-30/300/33, CDX-40 and CDX-50 actions now available separately



9" BIPOD RAIL



PAGE 55

CONTENT

Sniper rifles.....	4-28	
Chassis system	29-48	
Weapon accessories	49-68	
Shotgun accessories	69-72	
Electro-Optic	73-80	
Machine gun	81-94	
Breaching method.....	95-101	
Promotional material	102	
Cadex armor	103-104	
R&D solutions	105	
Contact us	106	



"As a Professional Shooter for over 20 years, I have had the opportunity to experience and trial many different Precision Firearms. As a Sniper, I have very high standards when it comes to Precision Rifles, and to be honest most manufacturers fall flat!

I have been shooting Cadex Precision Rifles for two years now, and to date, The Cadex Team has developed a line of the world's most accurate Precision Rifles. In choosing Cadex as your Brand, you have decided to take shooting to a whole new level!

Choose Right! Choose Cadex!"

Rob Furlong, Former Canadian Sniper

**.50 cal - 2657 yards
world record sniper kill
March 2002
Operation Anaconda**



R7 MODULARITY

**R7 SHEEPDOG
R7 SHEPHERD**



CALIBERS

SHEEPDOG	6 Creedmoor
	260 Rem
	6.5 Creedmoor
	6.5x47 Lapua
SHEPHERD	308 Win
	300 Win Mag
	300 Norma Mag
	338 Lapua Mag



CDX-R7 SHEEPDOG & SHEPHERD



CDX-R7 LITE COMP



CDX-R7 FIELD COMP

PRECISION RIFLES

CDX-R7 LITE COMP

The new CDX-R7 Lite Competition includes all features required by the most demanding competitive shooters. Its folding stock mechanism is a charm when it comes to cleaning and transport. The lightning fast R7 action with its 4 lug 50° bolt throw is a must to save time on PRS style stages. Based on a Rem 700 footprint and combined with a medium contour Bartlein Single Point Cut match grade barrel for optimum performance.

CDX-R7 LITE COMP *(Short action)*

Dimensions*:
45.08" x 4" x 7.6" | 114.5 x 10.16 x 19.3 cm

Weight*: 12.95 lbs | 5879 grams
With muzzle brake: 13.6 lbs | 6169 grams

**Without muzzle brake. Based on 26" barrel.*

CDX-R7 LITE COMP *(Long action)*

Dimensions*:
45.93" x 4" x 7.6" | 116.66 x 10.16 x 19.3 cm

Weight*: 13.15 lbs | 5965 grams
With muzzle brake: 13.79 lbs | 6255 grams

**Without muzzle brake. Based on 26" barrel.*



**Riflescope, scope mount, bipod and muzzle brake sold separately*
**Optional bipod rail not included*



FEATURES / SPECIFICATIONS

- Bolt action repeater, Rem 700 footprint
- 1.350" custom grade action
- 416 stainless action, bolt and barrel
- AICS magazine compatible (5 or 10 round)
- Interchangeable top rail 0, 20 or 30 MOA
- Ultra-fast 4 lug bolt with 50° bolt throw
- Tool-free bolt disassembly
- Lite Competition chassis (folding stock)
- Cerakote non-reflective paint
- Bartlein 1.238" straight taper fluted match grade barrel
- Equipped with a DX2 trigger

See complete rifle stock features at page 35-36

CALIBER	TOP RAIL			BARREL LENGTH				TWIST					
	20 MOA	30 MOA	45 MOA	20"	24"	26"	27"	1:17 1/2	1:10	1:9 1/2	1:9	1:8	1:7 1/2
SHEEPDOG	6 Creedmoor	•	•	•		•	•					•	
	260 Rem	•	•	•		•	•				•		
	6.5 Creedmoor	•	•	•		•	•				•		
	6.5x47 Lapua	•	•	•		•	•				•		
SHEPHERD	308 Win	•	•	•	•	•	On request	•	On request	On request			
	300 Win Mag	•	•	•		•	•		•				
	300 Norma Mag	•	•	•		•	•			•	On request		
	338 Lapua Mag	•	•	•			•		•				

OPTIONAL ITEMS



Monopod rail with flush cup (#03127-A173)



Aluminum bipod rail (#03127-A002)



Flush cup adaptor (#03127-A174)



Centre accessory rail kit (2) (#03127-A083)



Bean bag rider (#03127-269)



Buttstock spacer 1 5/16" (#03127-265)



Centre bipod rail (#03127-A019)



Muzzle brake



CDX-R7 FIELD COMP

PRECISION RIFLES

The new CDX-R7 Field Competition includes most features of the Lite Competition model but in a fixed stock variant. The polymer detachable base of the Field Series is a solid and cost effective solution that will satisfy the most demanding shooters. The fixed skeleton stock is completely tool-free and benefits the weight saving of the competition models. The CDX-R7 Field Competition is the best bang for your buck.

CDX-R7 FIELD COMP (Short action)

Dimensions*:
45" x 4" x 7.6" | 114.3 x 10.16 x 19.3 cm

Weight*: 12.9 lbs | 5851 grams
With muzzle brake: 13.54 lbs | 6141 grams

**Without muzzle brake. Based on 26" barrel.*

CDX-R7 FIELD COMP (Long action)

Dimensions*:
45.85" x 4" x 7.6" | 116.46 x 10.16 x 19.3 cm

Weight*: 13.1 lbs | 5942 grams
With muzzle brake: 13.74 lbs | 6232 grams

**Without muzzle brake. Based on 26" barrel.*



**Riflescope, scope mount, bipod and muzzle brake sold separately*
**Optional bipod rail not included*



CALIBER	TOP RAIL			BARREL LENGTH				TWIST					
	20 MOA	30 MOA	45 MOA	20"	24"	26"	27"	1:11 1/4	1:10	1:9 1/2	1:9	1:8	1:7 1/2
SHEEPDOG	6 Creedmoor	•	•	•		•	•						•
	260 Rem	•	•	•		•	•				•		
	6.5 Creedmoor	•	•	•		•	•				•		
	6.5x47 Lapua	•	•	•		•	•				•		
SHEPHERD	308 Win	•	•	•	•	•	On request	•	On request	On request			
	300 Win Mag	•	•	•		•	•		•				
	300 Norma Mag	•	•	•		•	•			•	On request		
	338 Lapua Mag	•	•	•			•		•				

FEATURES / SPECIFICATIONS

- Bolt action repeater, Rem 700 footprint
- 1.350" custom grade action
- 416 stainless action, bolt and barrel
- AICS magazine compatible (5 or 10 round)
- Interchangeable top rail 0, 20 or 30 MOA
- Ultra-fast 4 lug bolt with 50° bolt throw
- Tool-free bolt disassembly
- Field Competition chassis (fixed stock)
- Cerakote non-reflective paint
- Bartlein 1.238" straight taper fluted match grade barrel
- Equipped with a DX2 trigger

See complete rifle stock features at page 39-40

OPTIONAL ITEMS



Monopod rail with flush cup (#03127-A173)



Aluminum bipod rail (#03127-A002)



Flush cup adaptor (#03127-A174)



Centre accessory rail kit (2) (#03127-A083)



Bean bag rider (#03127-269)



Buttstock spacer 1 5/16" (#03127-265)



Centre bipod rail (#03127-A019)



Muzzle brake



PRECISION RIFLES

CDX-R7 SHEEPDOG & SHEPHERD

The CDX-R7 Sheepdog and Shepherd are precision rifles designed for shooters who prefer a traditional style stock to chassis systems. These rifles feature Cadex's new fully adjustable synthetic stock called the Strike Nuke. The ergonomics of this stock is a great blend between the stability offered by benchrest stocks and lightweight hunting stocks. This stock features a built-in micro-chassis system for improved accuracy. This out of the box rifle is as good as a custom gun.



CDX-R7 SHEEPDOG (Short action)

Dimensions*:
45.64" x 3.91" x 7.73" | 115.93 x 9.93 x 19.63 cm

Weight*: 12.01 lbs | 5447 grams
With muzzle brake: 12.65 lbs | 5737 grams

**Without muzzle brake. Based on 26" barrel.*

CDX-R7 SHEPHERD (Long action)

Dimensions*:
47.49" x 3.91" x 7.73" | 120.62 x 9.93 x 19.63 cm

Weight*: 12.54 lbs | 5688 grams
With muzzle brake: 13.18 lbs | 5978 grams

**Without muzzle brake. Based on 27" barrel.*



Built-in aluminum micro-chassis technology
**No bedding required*

CALIBER	TOP RAIL			BARREL LENGTH				TWIST					
	20 MOA	30 MOA	45 MOA	20"	24"	26"	27"	1:11 1/4	1:10	1:9 1/2	1:9	1:8	1:7 1/2
SHEEPDOG	6 Creedmoor	•	•	•		•	•						•
	260 Rem	•	•	•		•	•				•		
	6.5 Creedmoor	•	•	•		•	•				•		
	6.5x47 Lapua	•	•	•		•	•				•		
SHEPHERD	308 Win	•	•	•	•	•	On request	•	On request	On request			
	300 Win Mag	•	•	•		•	•		•				
	300 Norma Mag	•	•	•		•	•			•	On request		
	338 Lapua Mag	•	•	•			•		•				




**Riflescope, scope mount, bipod and muzzle brake sold separately
Optional rails not included

OPTIONAL ITEMS



Bean bag rider
(#03127-269)



NVD rail system
(#03127-695)



Monopod rail with flush cup
(#03127-A173)




Standard monopod rail
(#02528-012)



Flush cup adaptor
(#03127-A174)



Aluminum bipod rail
(#03127-A002)



3" accessory rail
(#03127-A078)



Muzzle brake

FEATURES / SPECIFICATIONS

- Bolt action repeater, Rem 700 footprint
- 1.350" custom grade action
- 416 stainless action, bolt and barrel
- AICS magazine compatible (5 or 10 round)
- Interchangeable top rail 0, 20 or 30 MOA
- Ultra-fast 4 lug bolt with 50° bolt throw
- Tool-free bolt disassembly
- Cerakote non-reflective paint
- Bartlein 1.238" straight taper fluted match grade barrel
- Built-in aluminum micro-chassis
- Equipped with a DX2 trigger

See complete rifle stock features
at page 29-30

MULTI-CALIBER SYSTEM

CDX-MC KRAKEN

The CDX-MC KRAKEN, is a multi-caliber rifle using an innovative (patent pending) barrel change system. This multi-caliber system features the lowest shift of point of impact between takedown and reassembly of the same barrel on the market. Cadex CDX-MC uses a traditional barrel to action threading system while incorporating a special tool designed to unscrew and torque its barrel from the breech side. A single screw secures the chassis detachable base for a fast conversion between short and long action calibers. Maintaining the same P.O.I is critical at extreme range.

CDX-MC KRAKEN

Dimensions*:
46.1" x 4.2" x 8" | 117.1 x 10.67 x 20.32 cm

Dimensions folded*:
37.2" x 4.9" x 8" | 94.49 x 12.45 x 20.32 cm

Weight*: 15.2 lbs | 6877 grams
With muzzle brake: 15.8 lbs | 7167 grams

*Without muzzle brake. Based on 26" barrel.



*Riflescope, scope mount, bipod and muzzle brake sold separately
*Shown with optional suppressor band



Complete kit (optional)




Available with Skeleton Stock

CALIBER	TOP RAIL			BARREL LENGTH				TWIST						BOLT FACE TYPE
	20 MOA	30 MOA	45 MOA	20"	24"	26"	27"	1:11 1/2	1:10	1:9 1/2	1:9	1:8	1:7 1/2	
6 Creedmoor	•	•	•		•	•						•		B
260 Rem	•	•	•		•	•					•			B
6.5 Creedmoor	•	•	•		•	•					•			B
6.5x47 Lapua	•	•	•		•	•					•			B
308 Win	•	•	•	•	•	On request		•	On request	On request				B
300 Win Mag	•	•	•		•	•			•					C
300 Norma Mag	•	•	•		•	•				•	On request			D
338 Lapua Mag	•	•	•				•			•				D

FEATURES / SPECIFICATIONS

- Bolt action repeater
- Heavy duty 1.550" custom grade action
- 416 stainless action, bolt and barrel
- Mirage mitigation technology fore-end
- Multiple caliber group bolts (B, C, D)
- AICS style magazine compatible
- Left and right cheek piece included
- 1.300" heavy barrel straight taper with barrel band and threaded muzzle for slip on suppressor or muzzle brake
- Bartlein 5R Single Point Cut rifling technology
- 3 lug bolt with 60° bolt throw
- Tool-free firing pin disassembly
- Cerakote non-reflective paint
- With or without suppressor band
- Choice of DX1 or DX2 trigger



OPTIONAL ITEMS



Centre accessory rail kit (2)
(#03127-A083)



Bean bag rider
(#03127-269)



Buttstock spacer 1 5/16"
(#03127-265)



Centre bipod rail
(#03127-A019)



Muzzle brake

PRECISION RIFLES

CDX-50 TREMOR 50 BMG

The CDX-50 TREMOR, a 50 caliber Precision Rifle built to Military Spec, is capable of delivering a huge payload accurately while maintaining very manageable recoil. The CDX-50 is a lightweight bolt action rifle that brings new technology to the 50 BMG of years gone by. This is the ultimate extreme range anti-material rifle.

CDX-50 TREMOR

Dimensions*:
51.5" x 4.6" x 8.4" | 130.81 x 11.68 x 21.34 cm

Dimensions folded*:
42.4" x 5.4" x 8.4" | 107.7 x 13.71 x 21.34 cm

Weight*: 22.6 lbs | 10 251 grams
With muzzle brake: 23.9 lbs | 10 836 grams


*Without muzzle brake. Based on 29" barrel.



*Riflescope, scope mount, bipod and muzzle brake sold separately



Available with Skeleton Stock



Triple recoil lug system

FEATURES / SPECIFICATIONS

- Bolt action repeater (5 round)
- Heavy duty 1.960" custom grade action
- 416 stainless action, bolt and barrel
- 29" or 32" fluted match grade, 8 groove, 1:15 twist barrel
- Mirage mitigation technology fore-end
- Bartlein Single Point Cut rifling 1.680" heavy barrel straight taper with barrel band (optional) and threaded muzzle for slip on suppressor or muzzle brake
- 20 MOA or 40 MOA full length top rail
- 4 lug bolt with 50° bolt throw
- Tool-free firing pin disassembly
- Cerakote non-reflective paint
- Equipped with a Cadex DX2 trigger

See complete rifle stock features at page 31-32

OPTIONAL ITEMS



Centre accessory rail kit (2)
(#03127-A083)



Bean bag rider
(#03127-269)



Buttstock spacer 1 5/16"
(#03127-265)



Centre bipod rail
(#03127-A019)



Muzzle brake
(#3850-044)

PRECISION RIFLES

CDX-40 SHADOW

375 CT
408 CT

The CDX-40 Shadow is the Cadex Precision Rifle chambered in either 375 or 408 CT. These ultimate calibers were designed for extreme range shooting and anti-material up to 4000 yards with proper training and shooting conditions. Push your limits even further with the CDX-40 SHADOW.

CDX-40 SHADOW

Dimensions*:
49.9" x 4.3" x 8.25" | 126.75 x 10.92 x 21 cm


Dimensions folded*:
41" x 5.04" x 8.25" | 104.14 x 12.8 x 21 cm

Weight*: 18.5 lbs | 8391 grams
With muzzle brake: 19.4 lbs | 8808 grams

*Without muzzle brake. Based on 29" barrel.



Available with Skeleton Stock



Triple recoil lug system

TWIST RATES		
375 CT	1:10" (5R GROOVES)	SPECIAL REQUEST
375 CT	1:11.5" (6 GROOVES)	STANDARD
408 CT	1:13" (8 GROOVES)	STANDARD

FEATURES / SPECIFICATIONS

- Bolt action repeater
- Heavy duty 1.600" custom grade action
- 416 stainless action, bolt and barrel
- Bartlein 1.350" straight taper fluted match grade barrel
- Mirage mitigation technology fore-end
- Tool-free firing pin disassembly
- 29" or 32" match grade Bartlein barrel
- 3 lug bolt with 60° bolt throw
- 20, 40 or 60 MOA full length top rail
- Cerakote non-reflective paint
- 7 round magazine DSSF
- With or without suppressor band

See complete rifle stock features at page 31-32



*Riflescope, scope mount, bipod and muzzle brake sold separately
*Shown with optional suppressor band

OPTIONAL ITEMS



Centre accessory rail kit (2)
(#03127-A083)



Bean bag rider
(#03127-269)



Buttstock spacer 1 5/16"
(#03127-265)



Centre bipod rail
(#03127-A019)



Muzzle brake
(#3850-045)

PRECISION RIFLES

CDX-LITE

CDX-30 GUARDIAN
CDX-300 FREEDOM
CDX-33 PATRIOT

The CDX-30 Guardian LITE, CDX-300 Freedom LITE, and CDX-33 Patriot LITE precision rifles combine all mandatory features that an operator needs in the field. Nothing is left to chance and every detail has been designed to offer the best long range sub-minute sniper system on the market. The CDX precision rifles will be your most reliable partner. One shot, one kill... Then extract safely.

MODEL	CALIBER	TOP RAIL			BARREL LENGTH				TWIST					
		20 MOA	30 MOA	45 MOA	20"	24"	26"	27"	1:11 1/4	1:10	1:9 1/2	1:9	1:8	1:7 1/2
CDX-30 Guardian	6 Creedmoor	•	•	•										•
	260 Rem	•	•	•		•	•					•		
	6.5 Creedmoor	•	•	•		•	•					•		
	6.5x47 Lapua	•	•	•			•						•	
	308 Win	•	•	•	•	•	On request		•	On request	On request			
CDX-300 Freedom	300 Win Mag	•	•	•		•	•			•				
CDX-33 Patriot	300 Norma Mag	•	•	•		•	•					•	On request	
	338 Lapua Mag	•	•	•				•			•			



*Riflescope, scope mount, bipod and muzzle brake sold separately
*Shown with optional suppressor band

FEATURES / SPECIFICATIONS

- Bolt action repeater
- Heavy duty 1.550" custom grade action
- 416 stainless action, bolt and barrel
- Bartlein 1.300" straight taper fluted match grade barrel with 5R Single Point Cut rifling technology
- Includes a right and left cheek piece
- Short action (10 round)
- Long action (5 round)
- 3 lug bolt with 60° bolt throw
- Tool-free firing pin disassembly
- Cerakote non-reflective paint
- Mirage mitigation technology fore-end
- With or without suppressor band
- Choice of DX1 or DX2 trigger

See complete rifle stock features at page 33-34

20" BARREL

GUARDIAN

Dimensions*: 39.9" x 3.7" x 7.7" | 101.35 x 9.4 x 19.56 cm
Dimensions folded*: 31.1" x 4.7" x 7.7" | 78.99 x 11.94 x 19.56 cm
Weight*: 13.1 lbs | 5969 grams - With muzzle brake: 13.8 lbs | 6259 grams

*Without muzzle brake.

24" BARREL

GUARDIAN, FREEDOM AND PATRIOT

Dimensions*: 43.9" x 3.7" x 7.7" | 111.5 x 9.4 x 19.56 cm
Dimensions folded*: 35.1" x 4.7" x 7.7" | 89.15 x 11.94 x 19.56 cm
Weight*: 13.5 lbs | 6151 grams - With muzzle brake: 14.2 lbs | 6441 grams

*Without muzzle brake.

26" BARREL

GUARDIAN, FREEDOM AND PATRIOT

Dimensions*: 45.9" x 3.7" x 7.7" | 116.58 x 9.4 x 19.56 cm
Dimensions folded*: 37.1" x 4.7" x 7.7" | 94.23 x 11.94 x 19.56 cm
Weight*: 13.7 lbs | 6241 grams - With muzzle brake: 14.4 lbs | 6531 grams

*Without muzzle brake.

27" BARREL

PATRIOT

Dimensions*: 46.9" x 3.7" x 7.7" | 119.13 x 9.4 x 19.56 cm
Dimensions folded*: 38.1" x 4.7" x 7.7" | 96.77 x 11.94 x 19.56 cm
Weight*: 13.8 lbs | 6277 grams - With muzzle brake: 14.5 lbs | 6567 grams

*Without muzzle brake.

OPTIONAL ITEMS



Centre accessory rail kit (2)
(#03127-A083)



Bean bag rider
(#03127-269)



Buttstock spacer 1 5/16"
(#03127-265)



Centre bipod rail
(#03127-A019)



Muzzle brake



Available with Skeleton stock

CDX-TAC

CDX-30 GUARDIAN
CDX-300 FREEDOM
CDX-33 PATRIOT

The CDX-30 Guardian TAC, CDX-300 Freedom TAC, and CDX-33 Patriot TAC sniper rifles are cost efficient solutions for law enforcement agencies or the civilian market that do not see an advantage in a folding stock mechanism. Same reliability and accuracy combined into a well proven package at a fraction of the cost.

MODEL	CALIBER	TOP RAIL			BARREL LENGTH				TWIST					
		20 MOA	30 MOA	45 MOA	20"	24"	26"	27"	1:11½	1:10	1:9½	1:9	1:8	1:7½
CDX-30 Guardian	6 Creedmoor	•	•	•										•
	260 Rem	•	•	•		•	•					•		
	6.5 Creedmoor	•	•	•		•	•					•		
	6.5x47 Lapua	•	•	•		•	•					•		
	308 Win	•	•	•	•	•	On request		•	On request	On request			
CDX-300 Freedom	300 Win Mag	•	•	•		•	•			•				
CDX-33 Patriot	300 Norma Mag	•	•	•		•	•				•	On request		
	338 Lapua Mag	•	•	•				•			•			



*Riflescope, scope mount, bipod and muzzle brake sold separately
*Shown with optional suppressor band

FEATURES / SPECIFICATIONS

- Bolt action repeater
- Heavy duty 1.550" custom grade action
- 416 stainless action, bolt and barrel
- Bartlein 1.300" straight taper fluted match grade barrel with 5R Single Point Cut rifling technology
- Short action (10 round)
- Long action (5 round)
- 3 lug bolt with 60° bolt throw
- Tool-free firing pin disassembly
- Cerakote non-reflective paint
- Mirage mitigation technology fore-end
- With or without suppressor band
- Choice of DX1 or DX2 trigger

See complete rifle stock features at page 37-38

20" BARREL

GUARDIAN

Dimensions*: 39.9" x 3.7" x 7.7" | 101.35 x 9.4 x 19.56 cm
Weight*: 12 lbs | 5516 grams - With muzzle brake: 12.8 lbs | 5806 grams

*Without muzzle brake.

24" BARREL

GUARDIAN, FREEDOM AND PATRIOT

Dimensions*: 43.9" x 3.7" x 7.7" | 111.5 x 9.4 x 19.56 cm
Weight*: 12.4 lbs | 5607 grams - With muzzle brake: 13 lbs | 5897 grams

*Without muzzle brake.

26" BARREL

GUARDIAN, FREEDOM AND PATRIOT

Dimensions*: 45.9" x 3.7" x 7.7" | 116.58 x 9.4 x 19.56 cm
Weight*: 12.6 lbs | 5697 grams - With muzzle brake: 13.2 lbs | 5987 grams

*Without muzzle brake.

27" BARREL

PATRIOT

Dimensions*: 46.9" x 3.7" x 7.7" | 119.13 x 9.4 x 19.56 cm
Weight*: 12.7 lbs | 5745 grams - With muzzle brake: 13.3 lbs | 6035 grams

*Without muzzle brake.

OPTIONAL ITEMS



Centre accessory rail kit (2)
(#03127-A083)



Bean bag rider
(#03127-269)



Buttstock spacer 1 5/16"
(#03127-265)



Centre bipod rail
(#03127-A019)



Muzzle brake


NOW AVAILABLE
SEPARATELY

ACTION

CDX-MC KRAKEN




- BLK
- TAN
- ODG
- SSV
- GRY



RECEIVER

- Machining: CNC
- Material: Stainless 416
- Length: 9.150"
- Diameter: 1.550"
- Thread: 1 3/16"-18 tpi
- Rockwell: 41-43 Rc
- .350" built-in recoil lug
- Deep laser engraving markings
- Fits up to 3.850" magazines
- #10-32 top rail screws
- Oversize bolt stop pin
- Unique top rail localisation system with integrated recoil groove machined into the action upper section
- Magazine cut out: AICS DSSF or AICS SSSF
- Cadex footprint
- Compatible with most Rem 700 triggers



BOLT

- Machining: CNC
- Material: Stainless 416
- Firing pin: Cadex design with improved locktime
- Cadex heavy duty extractor
- Ejector: Rem style
- Easy 1/4 turn tool-free bolt disassembly
- Rockwell: 43-45 Rc
- Multiple bolt faces available: Type B, C, D
- Shroud: Cadex design with 2 position top safety
- Operating handle: Multiple bolt knob styles
- Bolt stop: Cadex design
- Spiral fluted bolt 3 lug with 60° bolt throw
- Cadex design cocking piece
- Easy firing pin assembly replacement
- Same firing pin for all calibers



Kraken universal firing pin assembly
(Part#: 3850-K016)




REM 700 FOOTPRINT - CUSTOM ACTIONS


CDX-R7 SHEEPDOG & SHEPHERD

(short action)

(long action)




- BLK
- TAN
- ODG
- SSV
- GRY



Unique top rail localisation system with integrated recoil groove machined into the action upper section

RECEIVER

- Machining: CNC
- Material: Stainless 416
- Length: (Sheepdog: 7.85") (Shepherd: 8.70")
- Weight of the action with bolt: 2.45 lbs / 1111 grams (Sheepdog)
- Diameter: 1.350"
- Thread: 1 1/16"-18 tpi
- Rockwell: 41-43 HRc
- Deep laser engraving markings
- .250" hardened steel recoil lug
- Stainless 0, 20, 30 MOA top rail
- 8-40 top rail screws
- Heavy duty bolt stop
- Sheepdog: AICS DSSF 3.055" Shepherd: AICS up to 3.850" CIP
- Rem 700 footprint
- Compatible with most Rem style triggers



Compatible with any Cadex chassis for R7 actions



BOLT



- Machining: CNC
- Material: Stainless 416
- Cadex heavy duty extractor
- Ejector: Rem style
- Tool-free bolt disassembly
- Rockwell: 43-45 HRc
- Multiple bolt faces available: Type B, C, D
- Shroud with cocking indicator
- Operating handle: Multiple bolt knob styles
- Bolt stop: Cadex design
- Spiral fluted bolt
- Cadex design cocking piece
- Spiral fluted bolt 4 lug with 50° bolt throw for ultra-fast cycling



NOW AVAILABLE
SEPARATELY


ACTIONS

CDX-30 / CDX-300 / CDX-33



RECEIVER

- Machining: CNC and wire EDM
- Material: Stainless 416
- Length: 9"
- Diameter: 1.550"
- Thread: 1 1/16"-18 tpi
- Rockwell: 41-43 Rc
- .350" hardened steel recoil lug
- Deep laser engraving markings
- 8-40 top rail screws
- Includes a 20 MOA stainless steel Picatinny rail
- Oversize bolt stop pin
- Unique top rail localization system with integrated recoil groove machined into the action upper section
- Magazine cut out: AICS DSSF or AICS SSSF
- Cadex footprint
- Compatible with most Rem 700 triggers




BOLT

- Machining: CNC
- Material: Stainless 416
- Firing pin: Cadex design with improved locktime
- Cadex heavy duty extractor
- Ejector: Rem style
- Easy 1/4 turn tool-free bolt disassembly
- Rockwell: 43-45 Rc
- Multiple bolt faces available: Type B, C, D
- Shroud: Cadex design with 2 position top safety
- Operating handle: Multiple bolt knob styles
- Bolt stop: Cadex design
- Spiral fluted bolt
- Cadex design cocking piece
- Easy firing pin assembly replacement

ACTIONS


CDX-40 / CDX-50

NOW AVAILABLE
SEPARATELY



RECEIVER


- Machining: CNC
- Material: Stainless 416
- Length: (40: 10") (50: 11,900")
- Diameter: (40: 1.600") (50: 1,960")
- Thread: (40: 1 3/16"-18 tpi) (50: 1 1/2"-18 tpi)
- Rockwell: 41-43 HRc
- 40: .350" hardened steel recoil lug
- 50: .420" hardened steel recoil lug
- 10-32 top rail screws
- Includes a 20 MOA stainless steel Picatinny rail
- Oversize bolt stop pin
- Unique top rail localisation system with integrated recoil groove machined into the action upper section
- Magazine cut out: Cadex SSSF or DSSF
- Cadex footprint
- Compatible with most Rem style triggers
- Deep laser engraving markings



BOLT

- Machining: CNC
- Material: Stainless 416
- Firing pin: Cadex design with improved locktime
- Cadex heavy duty extractor
- Ejectors: Rem style double ejectors
- Easy 1/4 turn tool-free bolt disassembly
- Rockwell: 43-45 HRc
- Easy firing pin assembly replacement
- Shroud: Cadex design with 2 position top safety
- Operating handle: Multiple bolt knob styles
- Bolt stop: Cadex design
- Spiral fluted bolt
- Cadex design cocking piece
- Bolt face type E: 375/408 CT
- Bolt face type F: 50 BMG

BOLT KNOBS



SPECIFICATIONS

CDX-30, CDX-300, CDX-33 and R7 series

Part#: **3850-008A** - Part#: **3850-008B**
Part#: **3850-008C** - Part#: **3850-008D**

SPECIFICATIONS

CDX-40, CDX-50 and CDX-MC Kraken

Part#: **3850-108A** - Part#: **3850-108B**
Part#: **3850-108C** - Part#: **3850-108D**

- One piece 4140 steel screw-in bolt handle
- 1/4-28 threaded
- A: Oversized cross hatch bolt knob
- B: Grooved tactical knob
- C: Knurled tactical knob
- D: Rounded knob

IMPORTANT
If bought separately for Cadex rifles, please confirm the caliber and model.



BARRELS

CADEX BARTLEIN



Fluted barrel - Cadex overlap suppressor ready - Optional suppressor band - Includes barrel thread protector cap - Single Point Cut rifling

In order for Cadex to offer the best extreme range SUB-MOA precision rifle, we selected Bartlein Barrels. Teamed with our Cadex designed straight taper contour, fluted barrel and threaded muzzle, all Cadex barrels are Match Grade, Single Point Cut rifling with an optimized twist rate. For all standard calibers, Cadex selected the 5R technology for easier bore cleaning and less bullet jacket deformation.



REM STYLE TRIGGERS

DX1^{v2} / Single Stage

- Adjustable pull weight
- Adjustable travel
- Adjustable trigger shoe
- Multiple openings machined into the aluminum body to facilitate dirt cleaning and sear adjustment
- Fits any Remington 700 action and Cadex rifles (except 50 BMG)
- Aluminum body to last a lifetime

The Cadex DX1 trigger is a single stage trigger adjustable from 1.5 to 5 lbs. It features an adjustable trigger shoe to improve ergonomics.

- * Trigger pull weight can be influenced by multiple factors.
- * Some trimming may be required depending on the rifle stock model.
- * **Doesn't feature any safety or bolt release.**

SPECIFICATIONS

DX1 Single Stage Trigger
Part#: **6119-A001**



DX2^{v2} / Double Stage


- Adjustable first stage pull weight
- Adjustable second stage pull weight
- Adjustable second stage travel
- Adjustable trigger shoe
- Multiple openings machined into the aluminum body to facilitate dirt cleaning and sear adjustment
- Fits any Remington 700 action and Cadex rifles
- Aluminum body to last a lifetime

The Cadex DX2 trigger is a double stage trigger adjustable from 2 to 5 lbs. Both stages can be adjusted separately. It features an adjustable trigger shoe to improve ergonomics.

- * First stage is set at approximately 10 ounces.
- * Trigger pull weight can be influenced by multiple factors.
- * Some trimming may be required depending on the rifle stock model.

SPECIFICATIONS

DX2 Double Stage Triggers
Part#: **6119-A002**
Part#: **6119-A002S** (With safety and bolt release)
Part#: **6119-A002MC** (For McMillan 50 BMG)



MX1 MUZZLE BRAKE

The Cadex MX1 muzzle brake is designed to deflect the muzzle blast away from the shooter and his spotter. Gases exit sideways and upwards to reduce felt recoil, dust cloud and improve rifle control. It will soften your 338 Lapua recoil like if it was a 243 Win.

HIGHLY EFFECTIVE
RECOIL
MITIGATION



SPECIFICATIONS	
5/8-24	Part#: 3850-028 (Remington)
3/4-20	Part#: 3850-022 (PGWDTI)
3/4-24	Part#: 3850-024 (Barrett, Desert Tech)
M18X1	Part#: 3850-034 (Sako-Tikka)
7/8-24	Part#: 3850-045 (375/408 CT)
1-14UNF	Part#: 3850-044 (50 BMG)
Material: Stainless Steel 416	

Fits all calibers
up to 338



GEN 2 IMPROVED DESIGN

BEAN BAG RIDER

The Bean Bag Rider was designed to sit securely on your bean bag. The Bean Bag Rider allows the shooter to make minute corrections while ensuring the bean bag won't slip out of position. Adapts to all Cadex rifles or chassis equipped with the Cadex original or Skeleton Stock.



SPECIFICATIONS	
Bean Bag Rider	Part#: 03127-269
Dimensions: 3.16" x 1.01" x 0.92" 8.03 x 2.57 x 2.34 cm	
Weight: 0.029 lbs 13 grams	
Material: Fiber reinforced composite	

SUPPRESSORS

SPECIFICATIONS	
Precision rifle suppressors	
308 Win/338 Lapua	Part#: 6426-A003
375/408 CT	Part#: 6426-A004
50 BMG	Part#: 6426-A002



SPECIFICATIONS	
Carbine suppressor 5.56mm	
Part#: 6426-A001 Also available in tan	
*Attaches on Cadex or Vortex flash hider	



SPECIFICATIONS	
Carbine 5.56mm Flash Hider with suppressor adaptor	
Part#: 6426-059	



MANTA

SUPPRESSOR COVERS

SPECIFICATIONS	
Covers for 308 Win/338 Lapua/375 CT/408 CT	
Part#: 6426-K006	
Dimensions: 7" x 2.13" 17.78 x 5.41 cm	
Weight: 0.46 lbs 210 grams	



Extremely effective mirage reduction device for suppressors. Available in tan or black.

SPECIFICATIONS	
Covers for 50 BMG	
Part#: 6426-K008	
Dimensions: 10" x 3.25" 25.4 x 8.26 cm	
Weight: 1.08 lbs 492 grams	



MICRO-CHASSIS SYSTEM

STRIKE NUKE



The Cadex Strike Nuke micro-chassis system is designed for shooters looking for traditional stock ergonomics while benefitting from the advantages of chassis systems. The Strike Nuke is a Rem 700 footprint stock adaptable to most Rem 700 custom action clones and Cadex R7 Sheepdog & Shepherd actions.



- 1 RECOIL PAD**
Adjustable recoil pad height.
- 2 LENGTH OF PULL**
Optional additional spacers to increase the L.O.P. (L.O.P: 13.5")
- 3 CHEEK PIECE**
Tool-free up and down cheek piece adjustment. Side to side adjustable.
- 4 QD SLING ATTACHMENT**
Buil-in flush cups (both sides).
- 5 OPTIONAL**
Monopod rail or Bean bag rider.

- 6 GRIP**
Ambidextrous palm swell with comfortable thumb rest.
- 7 TRIGGER GUARD**
Oversized trigger guard and magazine release for easy manipulation with gloves.
- 8 ALUMINUM MAG WELL**
- 9 INLETTING**
Designed to fit Rem 700 and clones.
- 10 MAGAZINE**
AICS magazine compatible.
- 11 OPTIONAL**
Aluminum bipod rail.
- 12 OPTIONAL**
Accessory rail kit (2) or flush cup adaptor
- 13 FORE-END TUBE**
Wide semi V-Shaped fore-end.



Built-in aluminum micro-chassis technology
*No bedding required




Optional 1/4" spacers (#03127-K016)
Multiple bipod rail positioning

Max. barrel Dia 1.350" straight taper to 1.250"

OPTIONAL ITEMS



Bean bag rider (#03127-269)



NVD rail system (#03127-695)




Monopod rail with flush cup (#03127-A173)




Standard monopod rail (#02528-012)



Flush cup adaptor (#03127-A174)



Aluminum bipod rail (#03127-A002)



3" accessory rail (#03127-A078)

SHORT/LONG ACTION

Dimensions:
31.97" x 2.14" x 6.95" | 81.2 x 5.44 x 17.65 cm

Weight: 3.86 lbs | 1751 grams



STRIKE SERIES

DUAL STRIKE

Ultimate sniper system currently in use worldwide by special operations units and long range shooters.



Multiple interchangeable magazine sleeves are available to fit most AICS magazine on the market



1 TOOL-FREE
Fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.57")

2 MONOPOD RAIL
Or optional Bean bag rider.

3 FOLDING BUTTSTOCK
Reverse folding buttstock offers bolt handle protection and ultra-compact transport.

4 GRIP
Finger-grooved rubberized Ergo Grip.

5 TRIGGER GUARD
Oversized trigger guard and magazine release for easy manipulation with gloves.

6 DUAL TOP RAIL
20 MOA full length dual top rail.

7 CHASSIS
Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

8 DETACHABLE BASE
Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made with aluminum.

9 OPTIONAL
Centre accessory rail kit (2).

10 SPARE SCREWS

11 OPTIONAL
Centre bipod rail.

12 FORE-END TUBE
Heavy Duty fore-end tube providing rail placement at 3, 6 and 9 o'clock.

SHORT ACTION

Dimensions:
33.5" x 2.25" x 8.13" | 85.09 x 5.74 x 20.65 cm

Dimensions folded:
24.73" x 4.92" x 8.13" | 62.9 x 12.5 x 20.65 cm

Weight: 7.27 lbs | 3300 grams

LONG ACTION

Dimensions:
34.25" x 2.34" x 8.13" | 86.99 x 5.96 x 20.65 cm

Dimensions folded:
25.27" x 4.68" x 8.13" | 64.2 x 11.9 x 20.65 cm

Weight: 7.43 lbs | 3372 grams

50 BMG

Dimensions:
34" x 3.03" x 8.34" | 86.36 x 7.71 x 21.18 cm

Dimensions:
24.76" x 5.07" x 8.34" | 62.9 x 12.9 x 21.18 cm

Weight: 8.15 lbs | 3697 grams



OPTIONAL ITEMS



Centre accessory rail kit (2)
(#03127-A083)



Bean bag rider
(#03127-269)



Buttstock spacer 1 5/16"
(#03127-265)



Centre bipod rail
(#03127-A019)



Available with Skeleton Stock

CONFIGURATIONS	SA	LA	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M24)	.30-06 Sprng	7mm Rem Mag	.300 Win Mag	.300 WSM	.300 RUM	.338 Lapua	.375 CT	.408 CT	.50 BMG
Rem 700	•	•	•	•	•	•	•	•	•	•	•	•	•				
Rem 40-XB	•						•										
Mc Millan		•											•				•
PGWDTI																	•
Stiller Tac & Predator*	•	•	•	•	•	•		•	•	•	•	•	•	•	•		
SAKO TRG	•	•					•			•				•			
Surgeon 591, 1086 & 1581	•	•	•	•	•	•	•	•	•	•	•	•	•				
Defiance Rebel only	•	•	•	•	•	•		•	•	•	•	•	•				

May also fit many other Wildcat calibers *Stiller 408 CT (1.45" & 1.60")

Max. barrel Dia 1.800"

STRIKE SERIES

LITE STRIKE

Same ultimate sniper rifle system as the Dual Strike model but with emphasis on weight reduction. Small contour fore-end tube with same rail capabilities.



Multiple interchangeable magazine sleeves are available to fit most AICS magazine on the market



1 TOOL-FREE
Fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.57")

2 MONOPOD RAIL
Or optional Bean bag rider.

3 FOLDING BUTTSTOCK
Reverse folding buttstock offers bolt handle protection and ultra-compact transport.

4 GRIP
Finger-grooved rubberized Ergo Grip.

5 TRIGGER GUARD
Oversized trigger guard and magazine release for easy manipulation with gloves.

6 LITE TOP RAIL
20 MOA full length top rail.

7 CHASSIS
Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

8 DETACHABLE BASE
Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made with aluminum.

9 OPTIONAL
Centre accessory rail kit (2).

10 SPARE SCREWS

11 OPTIONAL
Centre bipod rail.

12 FORE-END TUBE
Heavy Duty fore-end tube providing rail placement at 3, 6 and 9 o'clock.

SHORT ACTION

Dimensions:
33.13" x 2.2" x 8" | 84.1 x 5.6 x 20.32 cm

Dimensions folded:
24.37" x 4.75" x 8" | 61.9 x 12.07 x 20.32 cm

Weight: 6.24 lbs | 2831 grams

LONG ACTION

Dimensions:
34.05" x 2.2" x 8" | 86.5 x 5.6 x 20.32 cm

Dimensions folded:
25.19" x 4.75" x 8" | 64 x 12.07 x 20.32 cm

Weight: 6.39 lbs | 2900 grams

1 pound lighter than the Dual Strike model

CONFIGURATIONS	SA	LA	Left Hand	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M2-4)	.30-06 Sprg	7mm Rem Mag	.300 Win Mag	.300 WSM	.300 RUM	.338 Lapua	.375 CT	.408 CT	.50 BMG
NEW Cadex R7	•	•				•	•	•			•	•	•	•				
Rem 700	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
NEW Rem 40-XB	•							•										
Savage*	•	•		•	•	•	•		•	•	•	•		•				
PGWDTI**	•	•					•							•				
Stiller Tac & Predator	•	•	•	•	•	•	•		•	•	•	•	•	•				
Tikka T3/T3X (AICS mags)	•		•		•	•	•					•						
Tikka T3/T3X (Factory mags)	•	•	•	•	•	•	•		•	•	•	•						
NEW Tikka T3/T3X CTR	•	•	•			•	•											

May also fit many other Wildcat calibers
*Savage: 10-11-12-14-16-110-111-114-116 2006 to current generation except 12 target series
** PGWDTI: Requires some permanent modifications to the action

OPTIONAL ITEMS



Centre accessory rail kit (2)
(#03127-A083)



Bean bag rider
(#03127-269)



Buttstock spacer 1 5/16"
(#03127-265)



Centre bipod rail
(#03127-A019)



Available with Skeleton Stock

LITE COMPETITION

STRIKE COMPETITION SERIES

The Lite Competition Series features an open top chassis designed to fit all Remington 700 clone actions and few other models. Perfect for custom actions with integrated top rail. It features a mirage mitigation technology fore-end with more bipod placement possibilities. This chassis includes all features required by the most demanding competitive shooters including a folding stock mechanism.



Perfect for custom rifle builds and long range competition



Available for Cadex Custom Actions R7 SHEEPDOG & SHEPHERD

SHORT ACTION

Dimensions:
35.74" x 2.3" x 7.17" | 90.78 x 5.84 x 18.21 cm
Dimensions folded:
26.75" x 4.6" x 7.17" | 67.95 x 11.68 x 18.21 cm
Weight: 5.19 lbs | 2354 grams

LONG ACTION

Dimensions:
36.59" x 2.3" x 7.17" | 92.94 x 5.84 x 18.21 cm
Dimensions folded:
27.57" x 4.6" x 7.17" | 70.03 x 11.68 x 18.21 cm
Weight: 5.61 lbs | 2545 grams



Multiple interchangeable magazine sleeves are available to fit most AICS magazine on the market

Max. barrel Dia 1.350"

CONFIGURATIONS		SA	LA	Left Hand	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M24)	.30-06 Sprgr	7mm Rem Mag	.300 Win Mag	.300 WSM	.300 RUM	.338 Lapua	.375 CT	.408 CT	.50 BMG
NEW	Cadex R7	•	•			•	•	•			•	•		•	•				
	Rem 700	•	•	•	•	•	•	•	•	•	•	•	•		•				
NEW	Rem 40-XB	•						•											
	Savage*	•	•		•	•	•	•		•	•	•	•		•				
	Tikka T3/T3X (AICS mags)	•		•		•	•	•					•						
	Tikka T3/T3X (Factory mags)	•	•	•	•	•	•	•		•	•	•	•						
NEW	Tikka T3/T3X CTR	•	•	•			•	•											
	Stiller TAC, Pred & Spectre	•	•	•	•	•	•	•		•	•	•	•	•	•				
	Defiance (Rem 700 clone only)	•	•	•	•	•	•	•		•	•	•	•	•	•				
	Surgeon 591 & 1086	•	•		•	•	•	•		•	•	•	•	•	•				
	Xtreme titanium SA & LA	•	•	•	•	•	•	•		•	•	•	•	•					

May also fit many other Wildcat calibers *Savage: 10-11-12-14-16-110-111-114-116 2006 to current generation except 12 target series

OPTIONAL ITEMS



Field series 20 MOA top rail



Bean bag rider (#03127-269)



Buttstock spacer 1 5/16" (#03127-265)



Flush cup adaptor (#03127-A174)



Aluminum bipod rail (#03127-A002)



Centre bipod rail (#03127-A019)



Centre accessory rail kit (2) (#03127-A083)

1 SKELETON STOCK
Tool-free fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.25")

2 MONOPOD RAIL
Or optional Bean bag rider.

3 FOLDING BUTTSTOCK
Reverse folding buttstock offers bolt handle protection and ultra-compact transport.

4 GRIP
Finger-grooved rubberized Ergo Grip.

5 TRIGGER GUARD
Oversized trigger guard and magazine release for easy manipulation with gloves.

6 OPEN TOP
Allows optic to be mounted directly on the action using traditional scope bases, Picatinny rail or built-in action rail.

7 CHASSIS
Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

8 DETACHABLE BASE
Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made with aluminum.

9 MAGAZINE
AICS magazine compatible.

10 OPTIONAL
Centre accessory rail kit (2).

11 SPARE SCREWS

12 OPTIONAL
Centre bipod rail.

13 OPTIONAL
Bipod rail.

14 FORE-END TUBE
Competition fore-end tube featuring mirage mitigation technology.

15 FORE-END TUBE
Longer tube for even more bipod positioning and stability.

FIELD TACTICAL

STRIKE SERIES

SHORT ACTION

Dimensions:
34" x 2.2" x 8" | 86.36 x 5.6 x 20.32 cm
Weight: 5.50 lbs | 2494 grams

LONG ACTION

Dimensions:
34.76" x 2.2" x 8" | 88.3 x 5.6 x 20.32 cm
Weight: 5.58 lbs | 2531 grams



Also available as Tactical Core version

Rugged Law Enforcement sniper rifle system with full rail capability and aluminum detachable base. Delivered with full length 20 MOA top rail and accessory rails at 3, 6, and 9 o'clock.



Multiple interchangeable magazine sleeves are available to fit most AICS magazine on the market



Max. barrel Dia 1.350"

CONFIGURATIONS

	SA	LA	Left Hand	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M24)	.30-06 Sprg	7mm Rem Mag	.300 Win Mag	.300 WSM	.300 RUM	.338 Lapua	.375 CT	.408 CT	.50 BMG
NEW Cadex R7	•	•				•	•	•		•	•		•	•				
Rem 700	•	•	•	•	•	•	•		•	•	•	•	•	•				
NEW Rem 40-XB	•							•										
Savage*	•	•		•	•	•	•	•	•	•	•	•		•				
Tikka T3/T3X (AICS mags)	•		•			•	•	•				•						
Tikka T3/T3X (Factory mags)	•	•	•	•	•	•	•		•	•	•	•						
NEW Tikka T3/T3X CTR	•	•	•				•	•										
Stiller TAC & Predator	•	•	•	•	•	•	•	•	•	•	•	•	•	•				

May also fit many other Wildcat calibers *Savage: 10-11-12-14-16-110-111-114-116 2006 to current generation except 12 target series

1 SKELETON STOCK

Tool-free fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.25")

2 MONOPOD RAIL

Or optional Bean bag rider.

3 GRIP

Finger-grooved rubberized Ergo Grip.

4 TRIGGER GUARD

Oversized trigger guard and magazine release for easy manipulation with gloves.

5 CHASSIS

Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

6 DETACHABLE BASE

Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made with aluminum.

7 LITE TOP RAIL

20 MOA full length top rail.

8 OPTIONAL

Centre accessory rail kit (2).

9 FORE-END TUBE

Small contour fore-end tube providing rail placement at 3, 6 and 9 o'clock.

OPTIONAL ITEMS



Centre accessory rail kit (2)
(#03127-A083)



Bean bag rider
(#03127-269)



Buttstock spacer 1 5/16"
(#03127-265)



Small rubberized ergo grip
(#175-00023-BLK)

Available for Cadex Custom Actions R7
SHEEPDOG & SHEPHERD



FIELD COMPETITION

STRIKE COMPETITION SERIES

The Field Competition Series features an open top chassis designed to fit all Remington 700 clone actions and few other models. Perfect for custom actions with integrated top rail or Cadex R7 Sheepdog & Shepherd. It features a mirage mitigation technology fore-end with more bipod placement possibilities. This chassis includes all features required by the most demanding competitive shooters.



Perfect for custom rifle builds and long range competition

1 SKELETON STOCK
Tool-free fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.25")

2 MONOPOD RAIL
Or optional Bean bag rider.

3 GRIP
Finger-grooved rubberized Ergo Grip.

4 TRIGGER GUARD
Oversized trigger guard and magazine release for easy manipulation with gloves.

5 OPEN TOP
Allows optic to be mounted directly on the action using traditional scope bases, Picatinny rail or built-in action rail.

6 CHASSIS
Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

7 DETACHABLE BASE
Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made with polymer (most models).

8 MAGAZINE
AICS magazine compatible.

9 OPTIONAL
Centre accessory rail kit (2).

10 OPTIONAL
Centre bipod rail. *2018 production only

11 OPTIONAL
Bipod rail.

12 FORE-END TUBE
Competition fore-end tube featuring mirage mitigation technology.

13 OPTIONAL
Flush cup sling adaptor.

14 FORE-END TUBE
Longer tube for even more bipod positioning and stability.

SHORT ACTION

Dimensions:
35.66" x 2.3" x 7.17" | 90.58 x 5.84 x 18.21 cm
Weight: 5.24 lbs | 2377 grams

LONG ACTION

Dimensions:
36.51" x 2.3" x 7.17" | 92.74 x 5.84 x 18.21 cm
Weight: 5.37 lbs | 2436 grams

Available for Cadex Custom Actions R7
SHEEPDOG & SHEPHERD



Max. barrel
Dia 1.350"

CONFIGURATIONS

	SA	LA	Left Hand	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M24)	.30-06 Spgr	7mm Rem Mag	.300 Win Mag	.300 WSM	.300 RUM	.338 Lapua	.375 CT	.408 CT	.50 BMG
NEW Cadex R7	•	•			•	•	•			•	•		•	•				
Rem 700	•	•	•	•	•	•	•	•	•	•	•	•		•				
NEW Rem 40-XB	•						•											
Savage*	•	•		•	•	•	•		•	•	•	•		•				
Tikka T3/T3X (AICS mags)	•		•		•	•	•					•						
Tikka T3/T3X (Factory mags)	•	•	•	•	•	•	•		•	•	•	•						
NEW Tikka T3/T3X CTR	•	•	•			•	•											
Stiller TAC, Pred & Spectre	•	•	•	•	•	•	•		•	•	•	•	•	•				
Defiance (Rem 700 clone only)	•	•	•	•	•	•	•		•	•	•	•	•	•				
Surgeon 591 & 1086	•	•		•	•	•	•		•	•	•	•	•	•				
Xtreme titanium SA & LA	•	•	•	•	•	•	•		•	•	•	•	•					

May also fit many other Wildcat calibers *Savage: 10-11-12-14-16-110-111-114-116 2006 to current generation except 12 target series

OPTIONAL ITEMS



Field series 20 MOA top rail



Bean bag rider
(#03127-269)



Buttstock spacer 1 5/16"
(#03127-265)



Flush cup adaptor
(#03127-A174)



Aluminum bipod rail
(#03127-A002)



Centre bipod rail
(#03127-A019)



Centre accessory rail kit (2)
(#03127-A083)

URBAN STRIKE

STRIKE SERIES

SHORT ACTION

Dimensions:
32.99" x 2.2" x 7.75" | 83.8 x 5.6 x 19.7 cm
Weight: 3.52 lbs | 1600 grams

LONG ACTION

Dimensions:
33.85" x 2.2" x 7.75" | 86 x 5.6 x 19.7 cm
Weight: 3.59 lbs | 1630 grams

Compact and ultralight shooting platform perfect for urban sniping and varmint hunting.

Compact ultralight shooting platform



Max. barrel Dia 1.350"

CONFIGURATIONS	SA	LA	Left Hand	.204 Ruger	.223 Rem	.22-250 Rem	.243 Win	.308 Win	.308 Win (M24)	.30-06 Sprg	7mm Rem Mag	.300 Win Mag	.300 WSM	.300 RUM	.338 Lapua	.375 CT	.408 CT	.50 BMG
Rem 700	•	•	•	•	•	•	•		•	•	•	•	•	•				
NEW Rem 40-XB	•							•										
Savage*	•	•		•	•	•	•		•	•	•	•		•				
Tikka T3/T3X (AICS mags)	•		•			•	•					•		•				
Tikka T3/T3X (Factory mags)	•	•	•	•	•	•	•		•	•	•	•						
NEW Tikka T3/T3X CTR	•	•	•				•	•										
Stiller	•	•	•	•	•	•	•		•	•	•	•	•	•				

May also fit many other Wildcat calibers *Savage: 10-11-12-14-16-110-111-114-116 2006 to current generation except 12 target series

- 1 MAGPUL MOE STOCK**
Magpul 6-position retractable buttstock. (L.O.P.: 10.5" - 13.7")
(Optional cheek riser highly recommended)

2 GRIP
Finger-grooved rubberized Ergo Grip.

3 TRIGGER GUARD
Oversized trigger guard and magazine release for easy manipulation with gloves.

4 CHASSIS
Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

5 DETACHABLE BASE
Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made with polymer (most models).

6 LOW PROFIL TOP RAIL
20 MOA low profile top rail.

7 OPTIONAL
Centre accessory rail kit (2).

8 OPTIONAL
Bipod rail.

9 FORE-END TUBE
Small contour fore-end tube providing rail placement at 6 o'clock.

OPTIONAL ITEMS



Centre accessory rail kit (2)
(#03127-A083)



Flush cup adaptor
(#03127-A174)



Aluminum bipod rail
(#175-00023-BLK)



Small rubberized ergo grip
(#175-00023-BLK)



0.75" cheek riser

STRIKE SERIES

CORE MODELS

The Core chassis are models that do not include a buttstock and grip. These chassis are designed to adapt to most AR style parts. The owner can pick any aftermarket parts of his choice for his custom build.




TACTICAL CORE



*Chassis features available at page 38

OT CORE



*Chassis features available at page 42

COMPARISON TABLE

CHASSIS MODELS	BUTTSTOCK STYLE								BUTTSTOCK FEATURES						TOP RAIL STYLE			CHASSIS FEATURES				CHASSIS RAILS & ATTACHMENTS					
	Cadex folding stock	Skeleton stock	Micro-chassis	MOE retractable stock	No stock	Adjustable butt pad	Adjustable cheek rest	Adjustable length of pull	Bean bag rider	Butt stock spacer 1½"	PRS recoil pad kit	Monopod rail	Picatinny full length top rail for NVD	Low profile top rail	No top rail	Rubberized ero grip	Magazine sleeve*	Aluminum detachable base*	Polymer detachable base*	Centre bipod rail	Centre accessory rail kit (2)	Tube bipod rail	3" accessory rail	5" accessory rail	Bipod/Sling stud	Tube flush cup adaptor	
Dual Strike (STKDL)	• Optional (folding)				•	•	•	Optional	Optional		•	•			•	•	•		Optional	Optional	•	•	•	•	•		
Lite Strike (STKLT)	• Optional (folding)				•	•	•	Optional	Optional		•	•			•	•	•		Optional	Optional	•	•	•	•	•		
Lite Competition (STKLCP)	• (folding)				•	•	•	Optional	Optional		•		Optional	•	•	•	•		Optional	Optional	Optional			•	Optional		
Field Tactical (STKFT)	• (fixed)				•	•	•	Optional	Optional		•	•			•	•	•			Optional	•	•	•	•	•		
Tactical Core (STKTC)				•								•				•	•			Optional	•	•	•	•	•		
OT Core (STKOTC)				•									Optional	•				•		Optional	Optional			•	Optional		
Field Competition (STKFCP)	• (fixed)				•	•	•	Optional	Optional		•		Optional	•	•			•		Optional	Optional			•	Optional		
Urban Strike (STKFU)			•			Optional	•	Optional					•		•			•		Optional	Optional			•	Optional		
Strike Nuke (STKNUK)		•			•	•	• (spacers)	Optional			Optional	Optional		•				• (fixed)			Optional	Optional		•	Optional		



LEFT HANDED MODELS

Available for Remington 700, Stiller, Tikka T3/T3X, Defiance, Xtreme and most Rem 700 clones. (See appropriate chassis spec chart)

LITE STRIKE

Same ultimate sniper rifle system as the Dual Strike model but with emphasis on weight reduction.

LITE COMPETITION

Designed to incorporate all features needed by competitive shooters.

FIELD TACTICAL

Rugged Law Enforcement sniper system with full rail capability and aluminum detachable base.

TACTICAL CORE

Rugged, naked, and ready for customizing to shooter's preferences.

URBAN STRIKE

Compact and ultra-light shooting platform perfect for urban sniping and varmint hunting.

OT CORE

The OT Core is an open top chassis designed to fit actions featuring their proprietary top rail.

FIELD COMPETITION

Same amazing chassis as the Lite Competition but with a fixed stock.



MODULAR SYSTEM

TRANSFORM YOUR HUNTING RIFLE INTO A PRECISION RIFLE

- Accuracy improvement
- Increased stability
- Fits any AR style buttstock
- Fits most AR style grips
- Detachable magazine
- Reduces felt recoil
- 20 MOA rail for long distance shots
- Improved ergonomics
- Multiple accessory rails



Example of compatible accessories




BUTTSTOCK FEATURES


TOOL-FREE ADJUSTABLE BUTTSTOCK




CADEX SKELETON STOCK



MAGPUL MOE STOCK



MAGPUL PRS STOCK



AVAILABLE COLORS



PRECISION RIFLES

CERAKOTE COATINGS

BLK	C-102 GRAPHITE BLACK
TAN	H-257 TEXAS TAN
ODG	H-232 MAGPUL™ O.D. GREEN
SSV	C-293 VORTEX BRONZE
GRY	H-234 SNIPER GREY

CHASSIS SYSTEM

SHERWIN-WILLIAMS

BLK	POLANE DEAD FLAT BLACK F63B75301
TAN	POLANE POLYURETHANE ENAMEL FLAT DARK EARTH F63TXH6123-8716
ODG	POLANE O.D. GREEN F63TXG6099-8716

CERAKOTE COATINGS

SSV	C-293 VORTEX BRONZE
GRY	H-234 SNIPER GREY

SNIPER DRAG BAG

SPECIFICATIONS

Drag bag 46" Part#: 175-00051

Dimensions interior:
45" x 12" x 3" | 114.3 x 30.48 x 7.62 cm

Dimensions exterior:
46" x 13.5" x 3.5" | 116.84 x 34.29 x 8.89 cm

Weight: 6.5 lbs | 2948 grams

SPECIFICATIONS

Drag bag 52" Part#: 175-00050

Dimensions interior:
51" x 12" x 3" | 129.54 x 30.48 x 7.62 cm

Dimensions exterior:
52" x 13.5" x 3.5" | 132.08 x 34.29 x 8.89 cm

Weight: 6.8 lbs | 3084 grams

SPECIFICATIONS

Drag bag 62" Part#: 175-00052


Dimensions interior:
60" x 12" x 3" | 152.4 x 30.48 x 7.62 cm

Dimensions exterior:
62" x 13.5" x 3.5" | 157.48 x 34.29 x 8.89 cm

Weight: 7.4 lbs | 3357 grams

FEATURES

- Accessory packs (for spare barrels, tooling, etc.)
- Heavy duty zipper.
- Double stitched reinforced seams.
- Reinforced carrying handle.
- Integrated backpack straps.
- Integrated tool pouch inside.
- Multiple Molle loops for attaching Camo or additional equipments.
- Attachment straps to secure the rifle.
- Protective hood and drag tether.
- 5" Velcro surface.
- Comes with a Cadex Velcro Patch Tan/Green.



ACCESSORIES

PADDED RIFLE SLING


SPECIFICATIONS

Part#: 3850-K002

Dimensions:
39" x 1.57" x 0.2" | 99.06 x 3.9 x 0.5 cm

Dimensions extended:
63" x 1.57" x 0.2" | 160 x 3.9 x 0.5 cm

Weight: 0.4 lbs | 181 grams



CHAMBER FLAG


SPECIFICATIONS


Part#: 175-00075-FLG

Dimensions:
2.25" x 0.22" x 4.6"
5.71 x 0.56 x 11.68 cm

Weight: 0.011 lbs | 5 grams

Material: Plastic







HARD CASES

FOR CDX-30 / CDX-300 / CDX-338

Part#: 175-00057-TAN (without foam)
Part#: 175-00058-TAN (with cut-out foam)






FOR CDX-40 / CDX-50



Part#: 175-00066-BLK (without foam)
Part#: 175-00066-BLK-F40 (with cut-out foam)
Part#: 175-00066-BLK-F50 (with cut-out foam)

FOR CDX-MC KRAKEN



Part#: 175-00068-BLK (with cut-out foam)
*Picture may differ from actual product

Cover holds:
Barrel change tool kit, cleaning rod and accessories

Bottom holds:
CDX-MC rifle, 10 magazines, 2 bolts, 2 conversion kit, bipod, suppressor, 2 spare barrels with muzzle brake

FALCON BIPOD

The Cadex Falcon Bipod has been designed to provide ultimate stability. It features multiple take down feet attachments such as claws or standard feet that adapt to any terrain. Can be installed on any Cadex rifles or chassis, or any rifle featuring a bipod rail.

FEATURES:

- Fast deployment legs without buttons to push.
- Ultra-tight machining tolerances for maximum stiffness and reduced free play.
- Reversible legs for choice of index or thumb push button operation.
- Easy to operate canting lever. Tilt angle + - 15.5°.
- Folds/deploys forward, rearward 45° or standard 90°.
- Standard feet, optional claws or optional spikes.
- Incredibly stable (width from 11" to 14.5").
- Designed to withstand recoil up to 50 BMG.
- Height adjustable from 6.25" to 8".



OPTIONAL FEET



Falcon Claws (#7431-K104)




Falcon Spikes (#7431-K106)

SPECIFICATIONS

Falcon Bipod (10-32) Part#: 7431-K011

**All chassis and rifles (except 375/408/50)*

Shortened: 11.12" x 5.19" x 6.32" | 28.24 x 13.19 x 16.05 cm
Extended: 12.99" x 5.19" x 7.94" | 32.99 x 13.19 x 20.17 cm
Folded: 8.81" x 5.01" x 1.76" | 22.38 x 12.74 x 4.47 cm
Weight: 1.24 lbs | 562 grams
Material: Aluminum 6061-T6




SPECIFICATIONS

Falcon Bipod (1/4-28) Part#: 7431-K013

**375/408/50 rifles, 50 BMG chassis and earlier than 2014 Dual Strike*

Shortened: 11.12" x 5.82" x 6.3" | 28.24 x 14.79 x 16 cm
Extended: 12.99" x 5.82" x 7.93" | 32.99 x 14.79 x 20.14 cm
Folded: 8.81" x 5.01" x 1.76" | 22.38 x 12.74 x 4.47 cm
Weight: 1.25 lbs | 565 grams
Material: Aluminum 6061-T6




SPECIFICATIONS

Falcon Bipod with universal Picatinny mount Part#: 7431-K012

**All chassis and rifles with Picatinny rail*

Shortened: 11.12" x 5.19" x 6.28" | 28.24 x 13.19 x 15.95 cm
Extended: 12.99" x 5.19" x 7.9" | 32.99 x 13.19 x 20.07 cm
Folded: 8.81" x 5.01" x 1.76" | 22.38 x 12.74 x 4.47 cm
Weight: 1.34 lbs | 608 grams
Material: Aluminum 6061-T6




SPECIFICATIONS

Falcon Bipod with QD Picatinny mount Part#: 7431-K015

**All chassis and rifles with Picatinny rail*

Shortened: 11.12" x 5.19" x 6.28" | 28.24 x 13.19 x 15.95 cm
Extended: 12.99" x 5.19" x 7.9" | 32.99 x 13.19 x 20.07 cm
Folded: 8.81" x 5.01" x 1.76" | 22.38 x 12.74 x 4.47 cm
Weight: 1.37 lbs | 620 grams
Material: Aluminum 6061-T6



45° forward and rearward



90° shortened



Falcon bipod shown with optional claws



Folds forward and rearward



90° extended

FALCON LITE BIPOD

COMPARISON TABLE

The Falcon Lite bipod is the result of an extensive product development project for a military unit. Their snipers were in need of a light bipod, solid, stable and featuring both a panning and canting capability. At less than 400 grams, the Falcon Lite features a quick-detach (QD) Picatinny mount, a tensioning lever, telescopic aluminum tube legs and modular feet attachments. This bipod has a very wide footprint spread and some of the tightest machining tolerances on the market making it the most stable lightweight bipod you'll find. The modular locking feet attachments are a must to adapt to any shooting surfaces.

Falcon Lite Bipod Part#: 7431-K102

**All chassis and rifles with Picatinny rail*

Shortened: 10.53" x 3.31" x 6.24" | 26.76 x 8.4 x 15.91 cm

Extended: 13.55" x 3.31" x 8.88" | 32.99 x 8.4 x 22.56 cm

Folded: 8.43" x 4.49" x 1.74" | 21.41 x 11.41 x 4.41 cm

Weight: 0.88 lbs | 399 grams

Material: Aluminum 6061-T6

OPTIONAL FEET

Falcon Claws (#7431-K104)















Falcon Spikes (#7431-K106)

Includes a fast dismantle adapter capable to block the panning feature while maintaining the canting feature

Telescopic legs (9 positions)

QD Picatinny mount

FALCON LITE BIPOD

	FALCON BIPOD				FALCON LITE BIPOD
	 	 	 	 	 
MOUNTING OPTIONS	*CADEX ONLY* Direct fore-end tube mount 10-32 <small>*All chassis and rifles (except 375/408/50)</small>	*CADEX ONLY* Direct fore-end tube mount 1/4-28 <small>*375/408/50 rifles, 50 BMG chassis and earlier than 2014 Dual Strike</small>	Universal Picatinny mount 	QD Picatinny mount 	QD Picatinny mount 
HEIGHT RANGE	6.32" - 7.94" (16.05 - 20.17 cm)	6.30" - 7.93" (16 - 20.14 cm)	6.28" - 7.90" (15.95 - 20.07 cm)	6.28" - 7.90" (15.95 - 20.07 cm)	6.24" - 8.88" (15.85 - 22.56 cm)
WEIGHT	1.24 lbs (562 grams)	1.25 lbs (565 grams)	1.34 lbs (608 grams)	1.37 lbs (620 grams)	0.88 lbs (399 grams)
OPTIONAL FEET	Claws - Spikes	Claws - Spikes	Claws - Spikes	Claws - Spikes	Claws - Spikes
90° FOOTPRINT SPREAD	11.4" - 13.27"	11.4" - 13.27"	11.4" - 13.27"	11.4" - 13.27"	10.5" - 13.54"
LEG POSITIONS (ANGLE)	0 - 45 - 90 - 135 - 180	0 - 45 - 90 - 135 - 180	0 - 45 - 90 - 135 - 180	0 - 45 - 90 - 135 - 180	0 - 45 - 90 - 135 - 180
TOTAL LEG POSITIONS (ANGLE)	5	5	5	5	5
TOTAL LEG POSITIONS (HEIGHT)	6	6	6	6	9
CANT ANGLE	+/- 15.5°	+/- 15.5°	+/- 15.5°	+/- 15.5°	+/- 13.5° (27° total)
PAN ANGLE	N/A	N/A	N/A	N/A	+/- 15° (30° total)
MAIN MATERIAL	Aluminum 6061-T6	Aluminum 6061-T6	Aluminum 6061-T6	Aluminum 6061-T6	Aluminum 6061-T6
PART NUMBER	7431-K011 (Replace 7431-K001)	7431-K013 (Replace 7431-K003)	7431-K012 (Replace 7431-K002)	7431-K015	7431-K102

UNIVERSAL CHASSIS SCREW KIT

CADEX DEFENCE UNIVERSAL CHASSIS SCREW KIT		
BIPOD RAIL ASSY. 2 X P/N: 100-00076 Ref. Manual Annexe L Detail D BIPOD ATTACHMENT 1 X P/N: 03127-322	BOTTOM TUBE ASSY. 2 X P/N: 100-00143 Ref. Manual Fig. 16 & 19	MODULAR RAILS & TUBE SLING ASSY. 6 X P/N: 100-00076 Ref. Manual Annexe L Detail D
SIDE PLATES ASSY 2 X (x 2 SPARE) P/N: 100-00143 4 X (x 2 SPARE) P/N: 100-00222 Ref. Manual Fig. 15	ERGO GRIP ASSY. 1 X INCLUDE WASHER & TOOTH WASHER P/N: 100-00026	TOP RAIL KIT 4 X (6-48 X 3/8) P/N:100-01209 4 X (8-40 X 3/8) P/N:100-00140 Ref. Manual Fig. 17

SPECIFICATIONS

Universal Screw Kit
Part#: 03127-K013

Material: Blackened Stainless

The Chassis Universal Screw kit contains an assortment of replacement screws to revamp your chassis. If your chassis has seen better days and you'd like to refresh its hardware then this kit is what you are looking for. Contains enough screws to outfit any Cadex Strike chassis.

CONTAINS:

2x Bipod rail screws

1x Bipod/Sling stud

2x Fore-end tube assy screws

8x Modular rail screws

4x Side plate/Boomerang screws (long)

6x Side plate/Boomerang screws (short)

1x Grip assy washers and screws

4x #6-48 top rail screws

4x #8-40 top rail screws

375/408 CT BOTTOM METAL

The Cadex 375/408 CT Bottom Metal is born from the lack of quality magazines on the market for 375/408 CT. The poor reliability of these mags forced us to create our own mag design to outfit the CDX-40 Shadow. This bottom metal is designed to replicate the same magazine to action positioning as the original CT mag. However the Cadex 375/408 CT magazine is a 7 round double stack single feed (DSSF) mag. Built-in aluminum pillars for ease of installation in soft rifle stocks. Made out of an aluminum billet.

SPECIFICATIONS


375/408 CT Bottom Metal
Part#: 03127-A086-K1

Dimensions:
9" x 1.47" x 3.62" | 22.86 x 3.73 x 9.19 cm


Weight: 0.42 lbs | 191 grams

Material: Aluminum 6061-T6

*Drawing and inletting measurements available on request at customerservice@cadexinc.com



*Magazine Part#: 4300 sold separately (see page 57)



9" BIPOD RAIL



The Cadex 9" bipod rail allows more mounting positions than a conventional 3.5" bipod rail. It fits most of our chassis and rifle models.

SPECIFICATIONS

9" Bipod Rail Part#: 03127-K015

Dimensions:
9.3" x 0.87" x 0.37" | 23.62 x 2.2 x 0.94 cm

Weight: 0.16 lbs | 75 grams

Material: Aluminum 6061-T6

COMPATIBLE WITH :

Rifles: CDX-R7 Lite Comp, CDX-R7 Field Comp, CDX-R7 Shepherd, CDX-R7 Sheepdog, CDX-MC Kraken, CDX-33 Patriot, CDX-300 Freedom, CDX-30 Guardian

Chassis: Strike Nuke, Dual Strike (not 50 BMG), Lite Strike, Field Tactical, Lite Competition, Field Competition

MULTI-CALIBRE MAGAZINES



- Military grade magazines.
- Solid anti-corrosion coating.
- Rigid steel mag body.
- Easy to clean.

- .223 magazines also fit .204 Ruger, 6.8 SPC, .300 Blackout/Whisper
- .308 magazines also fit .22-250 Rem, .243 Win, 6 Creedmoor, .260 Rem, 6.5 Grendel/Creedmoor, 6.5 x 47 Lapua
- .300 WSM magazines also fit 270 WSM
- .300 magazines also fit 7mm Rem Mag
- .30-06 magazines can also fit .308 Win fitted with VLD bullets

PART #	CALIBRE	ACTION	TYPE	INTERNAL LENGTH	LENGTH	CAPACITY
MAG100-0037	.223 REM	Short	DSSF	2.990"	3.055"	10
MAG100-0041	.308 WIN	Short	DSSF	2.990"	3.055"	5
MAG100-0040	.308 WIN	Short	DSSF	2.990"	3.055"	10
MAG100-0008	.300 WSM	Short	DSSF	2.990"	3.055"	7
MAG100-0039	.30-06 SPRG	Long	SSSF	3.640"	3.715"	5
MAG100-0001	.300 WM	Long	SSSF	3.640"	3.715"	5
MAG100-0004	.300 WM	Long	SSSF	3.700"	3.775"	5
MAG100-0023	.300 WM	Long	SSSF	3.755"	3.850"	5
MAG100-0044	.300 RUM	Long	SSSF	3.640"	3.715"	5
MAG100-0003	.338 LAP	Long	SSSF	3.640"	3.715"	5
MAG100-0005	.338 LAP	Long	SSSF	3.700"	3.775"	5
MAG100-0022	.338 LAP	Long	SSSF	3.775"	3.850"	5
MAG100-020	.338 LAP	Long	DSSF	3.775"	3.850"	5

**Might also fit other specialty calibers with minor modifications*

ACCURATE - MAG

CADEX MAGAZINES



Part#: MAG4300
(for CDX-40 or
Stiller Tac 408)

Part#: MAG2949
(for CDX-50 or
PGWDTI LRT3)

Double Stack
Part#: MAG2538D
(for McMillan Tac 50)



The extra wide bottom plate assists in magazine manipulation.

- Rigid magazine body made of metal with an anti-corrosion coating.
- Injection molded follower and bottom plate.
- Easy to clean.

PART #	CALIBRE	ACTION	TYPE	INTERNAL LENGTH	LENGTH	CAPACITY
MAG4300	.375/408 CT	CDX-40	DSSF	4.625"	4.725"	7
MAG2949	.50 BMG	CDX-50	SSSF	5.520"	5.790"	5
MAG2538D	.50 BMG	CDX-50	DSDF	5.645"	5.790"	5

SLING MOUNTS

SPECIFICATIONS

Monopod rail with flush cup

Part#: 03127-A173

Dimensions:

2.64" x 0.83" x 0.43" | 6.71 x 2.11 x 1.09 cm

Weight: 0.053 lbs | 24 grams

Material: Aluminum 6061-T6



SPECIFICATIONS

Flush cup sling adaptor


Part#: 03127-A174

Dimensions:

1.44" x 0.75" x 0.33" | 3.67 x 1.91 x 0.86 cm

Weight: 0.029 lbs | 13 grams

Material: Aluminum 6061-T6



SPECIFICATIONS

Small Picatinny sling adaptor

Part#: 1757

Dimensions:

1.53" x 0.62" x 0.75" | 3.89 x 1.58 x 1.91 cm

Weight: 0.029 lbs | 13 grams

Material: Aluminum 6061-T6



SPECIFICATIONS

VTAC L.U.S.A 4 point sling adaptor

Part#: 1398 (NSN: 1005-01-561-0488)

Dimensions:

1.52" x 1.33" x 0.75" | 3.86 x 3.4 x 1.91 cm

Weight: 0.051 lbs | 23 grams

Material: Aluminum 6061-T6



The Cadex quick-detachable Sling Swivel Mounts accept all common types of push button QD swivels available on the market. They are versatile mounts that allow shooters to vary the location of the sling attachment on their weapon.

FEATURES:

- Fits all Mil Std quick-release sling swivels.
- Attaches to Mil Std M1913 rails.
- Compact size.
- VTAC L.U.S.A. four sling attachment methods:
 - Passing the sling through the sling loop
 - HK hooks and similar quick-release devices
 - Push button type quick-release sling swivels
 - Locking type sling swivels for sling studs



Flush cup sling adaptors to be used with standard push button swivel attachments



UNITIZED SCOPE RINGS



Standard rear



R130 (30mm) | R134 (34mm)

Bubble level rear



R230 (30mm) | R234 (34mm)

Standard front



F130 (30mm) | F134 (34mm)

Top rail high front



F230H (30mm) | F234H (34mm)

Side rail front



F330 (30mm) | F334 (34mm)

Doctor mount with Simrad front



F430 (30mm) | F434 (34mm)

Cadex's Unitized Scope Rings provide a rock solid mount for sniper optics, with multiple applications for flat-top ARs and bolt action rifles.

FEATURES:


- CNC machined for precise alignment of the front and rear scope bearing surfaces.
- The base incorporates a high grade steel cross lug and nuts to secure the mount to the weapon rail.
- The dovetail is machined to fit all Mil Std M1913 rails.
- Unitized body ensures that the scope is secure with no twisting of the optical tube assembly and no shifting under heavy recoil.
- Customers may request different ring diameters and heights to fill their particular requirements.



BASE PART #	HEIGHT	DIAMETER	TYPE
1552-B30L	1.250"	30mm	LOW
1552-B30H	1.500"	30mm	HIGH
1552-B34L	1.250"	34mm	LOW
1552-B34H	1.500"	34mm	HIGH

CUSTOMIZE YOUR SCOPE MOUNT

Step 1: Select your base Step 2: Select your rear top Step 3: Select your front top



GLASS PUNCH

The Cadex Glass Punch provides users with a rapid means of breaking glass under different tactical conditions. Installs on firearms equipped with Mil Std M1913 rails. The punch's length ensures it will protrude forward of the firearm muzzle.

FEATURES:

- Prevents the need to transition to a hand held punch and side-arm.
- Permits the operator to keep two hands on their firearm.
- Incorporates a spring-loaded hammer mechanism activated by pressing the punch against the glass.
- Perfect for short barrel carbines.



SPECIFICATIONS

Glass Punch

Part#: 1185

Dimensions:

7.27" x 1.68" x 1.03" | 18.48 x 4.27 x 2.62 cm

Weight: 0.36 lbs | 165 grams

Material: Aluminum 6061-T6



MODULAR **PICATINNY** RAILS




Modular Picatinny rails in 3" and 5" are designed to fit on Cadex modular products.

FEATURES:

- Ultra-solid 6061-T6 aluminum.
- Rugged lightweight construction.
- The Modular Picatinny rail fits on Strike Chassis, 870 Modular Fore-end Pump Guard and more.
- Mounting screws included.

3" Modular Picatinny rail



5" Modular Picatinny rail

SPECIFICATIONS

3" Modular Picatinny rail
Part#: 03127-A078

Dimensions:
3.01" x 0.83" x 0.37" | 7.66 x 2.12 x 0.96 cm

Weight: 0.05 lbs | 22 grams

Material: Aluminum 6061-T6

SPECIFICATIONS

5" Modular Picatinny rail
Part#: 03127-A017

Dimensions:
4.90" x 0.83" x 0.37" | 12.46 x 2.12 x 0.96 cm

Weight: 0.07 lbs | 32 grams


Material: Aluminum 6061-T6

CARBINE **PICATINNY** RAILS

The Cadex 4.2" and 6" Carbine Picatinny Rails attach to the handguard of the M4/C8 Carbine or M16/C7 rifle to provide a sturdy Picatinny rail for mounting grips, lasers, and other accessories. Fit also AR15 equipped with A2 handguard.

FEATURES:

- Rails can be installed on the top and bottom of the handguard to provide multiple mounting points.
- The rail's base is angled to match the handguard taper.
- Made from Lightweight aluminum.



4.2" Carbine Picatinny rail

SPECIFICATIONS

4.2" Picatinny rail
Part#: CMR-418-01

Dimensions:
4.2" x 0.83" x 0.56" | 10.66 x 2.11 x 1.43 cm

Weight: 0.07 lbs | 32 grams

Material: Aluminum 6061-T6


SPECIFICATIONS

6" Picatinny rail
Part#: CMR-418-02

Dimensions:
6" x 0.83" x 0.56" | 15.24 x 2.11 x 1.43 cm

Weight: 0.09 lbs | 43 grams

Material: Aluminum 6061-T6



6" Carbine Picatinny rail



MP5 FORE-END RAIL



The Cadex MP5 Fore-end Rail provides the operator with a solid base to accessorize the Heckler & Koch MP5.

FEATURES:

- Three M1913 mounting rails, at 3, 6, and 9 o'clock.
- Provides rigid mounting for lights, lasers, and other accessories.
- Easy installation using existing mounting holes.



SPECIFICATIONS

MP5 Fore-end Rail

Part#: 1165

Dimensions:


3.94" x 2" x 1.78" | 10.03 x 5.1 x 4.52 cm

Weight: 0.27 lbs | 124 grams

Material: Aluminum 6061-T6

ACCURACY
INTERNATIONAL
AW/AICS

FORE-END RAIL



**Previous model*



**Previous model*

The Cadex Fore-end Rail provides users of the Accuracy International Rifle or chassis with a world-class mount for inline night vision, lasers, and accessories. Designed for the Accuracy International Chassis System (AICS), it provides Mil Std M1913 rails at the 3, 9, and 12 o'clock position.

FEATURES:

- Permits the sniper to install/remove night vision devices without adjusting zero of their primary sniper optic.
- Places the sniper optic and attached night vision on the same plane.
- Side rails provide excellent zero retention of side-mounted laser.
- 0 MOA is standard, but other MOAs are also available on special run.
- Rail interfaces for Remington 700 mounted in the AICS are available upon request.



**Improved design allowing more clearance for the bipod and barrel*

SPECIFICATIONS

Accracy International Fore-end Rail

Part#: 1272-A002

Dimensions:

11.81" x 3.34" x 2.72" | 30 x 8.5 x 6.9 cm

Weight: 1.09 lbs | 496 grams

Material: Aluminum 6061-T6

TRI-RAIL MOUNT



**Individually removable rails*



The Cadex Tri-Rail Mount for the C7/C8, M4/M16 and AR-15 family of small arms provides users with a robust mount for laser pointers, illumination devices, and bipods. Mil Std 1913 rails at the 3, 6 and 9 o'clock positions.

FEATURES:

- The rail reduces heat transferred to attached electro-optics.
- Installation requires no modifications to the weapon.
- Removable rails permit the user to reduce the weapon's weight and profile, according to their mission.

SPECIFICATIONS

C7/C8 & M4/M16 Tri-Rail Mount
Part#: 1220

Dimensions:
3.33" x 2.92" x 2.83" | 8.47 x 7.42 x 7.21 cm

Weight: 0.37 lbs | 166 grams

Material: Aluminum 6061-T6



M4 EXTENDED FORE-END RAIL

The Cadex M4 Extended Fore-end Rail provides the user with a world-class mount. It is a light and strong rail system. The Cadex rail extension system is produced out of one solid piece of aluminum 6061-T6 and designed for toughness and durability. Its ergonomic design, with multiple rail configurations, allows for great maneuverability and precision improvement. It meets the Mil Std M1913 for rails.

FEATURES:

- Fits on Knight's Armament model. May fit other AR models but we can't guarantee a perfect fit.
- Comes standard with 2 Picatinny rails.
- Full floating rail extension.
- One piece design for toughness and durability.
- Multiple end rail position configurations.
- Ergonomic design for maneuverability improvement.
- Allows the operator to extend the handle grip position on the fore-end of the rifle.

SPECIFICATIONS

M4 Extended Rail
Part#: 4093

Dimensions:
6.34" x 2.19" x 2.3" | 16.1 x 5.56 x 5.84 cm

Weight: 0.6 lbs | 271 grams

Material: Aluminum 6061-T6



**Fits on Knight's Armament model. May fit other AR models but we can't guarantee a perfect fit.*

FOLDING & STUBBY GRIP

SPECIFICATIONS

Folding grip Part#: 622-000-BLK
622-000-TAN • 622-000-ODG

Dimensions:
2.81" x 1.67" x 5.62" | 7.16 x 4.26 x 14.28 cm

Dimensions folded:
2.4" x 1.67" x 5.68" | 6.09 x 4.26 x 14.42 cm

Weight: 0.29 lbs | 131 grams

Material: Nylon



The Cadex Vertical Folding Grip and Stubby Grip provide the operator with a weapon hold that is adaptable to changing tactical conditions.

FEATURES:

- Folds parallel to the barrel to be more compact and provide multiple hand hold options.
- Fits Mil Std 1913 and Weaver rails.
- Comes in Black, OD Green and Tan.
- Rattle proof self-draining storage compartment for 2 X CR123 (Folding) and 1 x CR123 (Stubby) batteries.
- Ambidextrous design.
- Solid and lightweight.

SPECIFICATIONS

Stubby grip

Part#: 1979-BLK • 1979-TAN • 1979-ODG

Dimensions:
2.76" x 1.7" x 3.83" | 7.01 x 4.32 x 9.73 cm

Weight: 0.21 lbs | 95 grams

Material: Nylon



AR10/AR15 RECEIVER

SPECIFICATIONS

AR10 (B series only) Part#: 1570-003

Dimensions:
8.96" x 1.59" x 4.34" | 22.77 x 4.06 x 11.03 cm

Weight: 0.74 lbs | 336 grams

Material: Aluminum 7075-T6



SPECIFICATIONS

AR15 Part#: 1570-001

Dimensions:
7.69" x 1.45" x 4.11" | 19.54 x 3.7 x 10.45 cm

Weight: 0.58 lbs | 264 grams

Material: Aluminum 7075-T6



Cadex's AR10 and AR15 lower Receivers are manufactured to fit Armalite & Noveske upper receiver assemblies. They are precision machined from aeronautical grade 7075-T6 aluminum to provide the user with a high quality lower receiver for their AR10 (B series only) or AR15 rifle.

FEATURES:

- Interchangeable with high quality AR10 (B series only) or AR15 parts.
- The magazine well opening is extended with a large bevel that provides a guide for easier magazine insertion.
- Machined ribs at the front of the magazine well for a secure grip.
- Oversized trigger guard.
- Made from an aluminum billet (no casting).

AR10 Receiver
(B series only - Designed to fit M14 magazines)



AR15 Receiver

SHOTGUN BUTTSTOCK ADAPTOR

870 TOP RAIL



SPECIFICATIONS

870 Tactical Buttstock Adaptor
Part#: LB-1486

Dimensions:
4.66" x 1.35" x 3.23" | 11.84 x 3.43 x 8.22 cm

Weight: 0.62 lbs | 280 grams


Dimensions with sling mount:
4.66" x 2.02" x 3.23" | 11.84 x 5.13 x 8.22 cm

Material: Aluminum & Stainless Steel

The Cadex Quick Release Butt Adaptor for the Remington 870 provides the operator with a versatile combat/breaching shotgun combination in one weapon.

FEATURES:

- Allows the shotgun to be quickly configured as a combat or breaching shotgun.
- The butt release is a push button mechanism which provides positive locking of the butt with no excess movement.



SPECIFICATIONS

870 Fixed Buttstock Adaptor
Part#: 1486-037

Dimensions:
3.45" x 1.35" x 3.24" | 8.76 x 4.87 x 8.23 cm

Weight: 0.49 lbs | 220 grams

Dimensions with sling mount:
3.45" x 2.02" x 3.24" | 8.76 x 5.13 x 8.23 cm

Material: Aluminum & Stainless Steel



SPECIFICATIONS

870 Top Rail Part#: 1486-A010

Dimensions:
20.88" x 2.17" x 3.13" | 53.04 x 5.51 x 7.95 cm

Weight: 0.61 lbs | 278 grams

Material: Aluminum 6061-T6



Cadex's rail system takes the Remington 870 shotgun to a new level of versatility, providing a mounting platform that tailors the shotgun to the mission.

FEATURES:

- The Mil Std M1913 rails permit the mounting of red dot sights so the shooter can engage targets quickly and accurately.
- Different combinations of iron sights and mini red dot sights can be mounted to achieve a co-witnessed installation.
- Two side rails are included for mounting lasers or other accessories such as any of Cadex's Sling Mounts or Flashlight Mounts.

MAG CAP DUAL RAIL



SPECIFICATIONS

Mag Cap Dual Rail
Part#: 1486-A012

Dimensions:
1.58" x 2.17" x 1.96" | 4.01 x 5.51 x 4.98 cm

Weight: 0.22 lbs | 101 grams

Material: Aluminum 6061-T6



Cadex's rail system greatly improves effectiveness of the Remington 870 shotgun, providing a mounting platform which allows users to tailor the shotgun to the mission. The twin M1913 rails permit mounting of flashlights and lasers providing stability and focus when cycling the action of the shotgun.

FEATURES:

- Reuses the original 870 mag cap.
- Twin M1913 Rails.
- Mounts in conjunction with the barrel lug and magazine cap, no modification required.
- Users can install accessories such as Sling Mounts or Flashlight Mount.

PICATINNY

HAND STOP



SPECIFICATIONS

Hand Stop Part#: 1164

Dimensions:
1.5" x 0.62" x 1.74" | 3.81 x 1.57 x 4.42 cm

Weight: 0.07 lbs | 31 grams

Material: Aluminum 6061-T6



The Cadex Hand Stop enhances safe handling of short barreled weapons by preventing the operator's lead hand from moving forward of the muzzle. It also optimizes weapon control and accuracy by providing a tactile indicator of hand position, which permits a repeatable weapon hold.

FEATURES:

- Adaptable to both Mil Std M1913 and Weaver rails.
- Assists positive retention of the weapon for maximum muzzle control during rapid fire.
- Perfect for shotgun and carbine.

FORE-END PUMP GUARD

Customize your own 870 Modular Fore-End Pump Guard

The 870 Modular Fore-end Pump Guard made from 6061-T6 corrosion resistant aluminum offers a world class ergonomic design allowing you to retrofit any Remington 870 pump handle. 24 threaded inserts allow for multiple rail placements in order to customize your shotgun the way you like it.

FEATURES:

- Made out of aluminum 6061-T6 for maximum resistance.
- Multiple rail positions.
- Ergonomic design.
- Allows you to retrofit easily any hand guard of Remington 870 shotgun.
- Fits from 0 to 7 rails.



*Shown with optional accessories

870 MCS Modular Fore-end Pump also available (Part#: 5181)



Optional hand stop (Part#: 5181-HS) (Also fits on #4197)

Optional rails and sling system attachment




5" Part#: 03127-A017



3" Part#: 03127-A078



Part#: 03127-A174



Optional Picatinny hand stop (Part#: 1164)

SPECIFICATIONS

Modular Fore-End Pump Guard
Part#: 4197

Dimensions:
7.02" x 1.85" x 2.42" | 17.83 x 4.72 x 6.15 cm

Weight: 0.64 lbs | 291 grams


Material: Aluminum 6061-T6

SURVEILLANCE KIT


BUILD YOUR OWN

DESCRIPTION TABLE	
2700-KIT5	Surveillance Kit 2700 complete system (Part I/B/C/D/E/F/J)
2322-B	Surveillance Kit Extension
2322-C	Surveillance Kit Centre Rail
2322-D	Spacer for Inverter Kit
2322-E	Extra Side Rail for Inverter Kit
2322-F	3 rails Inverter Kit
2322-I	Surveillance Kit Front Section (2700 Model)
2322-J	Surveillance Kit Back Section (2700 Model)
2322-K	Adaptor for Rifle Scope
2322-P	Inverter Kit to Picatinny Adaptor


SPECIALTY ADAPTERS	
2322-H144	Adaptor Block for Canon Camera
2322-H145	Adaptor Block for Vector Laser Range Finder
2322-H146	Adaptor Block for 60x Swarovski Spotter Scope
2322-H147	Adaptor Block for 40x Leupold Spotter Scope Goldring
2322-H149	Adaptor Block for LRF Vectronix PLF25C
2322-H150	Adaptor Block for Coral-CR-C AN/PAS 503




2322-K: Adaptor for rifle scope




K ADAPTOR FOR RIFLE SCOPE




I SURVEILLANCE KIT FRONT SECTION
One quick adjust button for your night optic plus a precise micro adjustment wheel means you can achieve the perfect fit.




P INVERTER KIT TO PICATINNY ADAPTOR




F 3 RAILS INVERTER KIT
The Inverter Kit includes a unique spotting scope cradle that ensures the chassis and other mounted accessories are stable and aligned. It also allows the scope to float within the inverter as it is the scope's only point of attachment providing a secure connection between your spotting scope and the surveillance chassis. Can fit up to 5 rails.




E EXTRA SIDE RAIL FOR INVERTER KIT
Optional rail also available for mounted accessories.




D SPACER FOR INVERTER KIT




B SURVEILLANCE KIT EXTENSION
The extension is recommended for mounting night vision device at the front of the spotting scope.




C SURVEILLANCE KIT CENTRE RAIL
Multiple tripod mounts allow you to balance your gear on the tripod base and equally distribute the weight along the Surveillance Kit.



J SURVEILLANCE KIT BACK SECTION
The camera mount is equipped with a horizontal (left/right) adjustment for a precise fit. With the click of a button your camera's height is adjusted to match your spotting scope. If finer adjustment is needed, simply use the micro adjustment wheel and the perfect fit is achieved.





SURVEILLANCE KIT

Cadex offers a wide variety of surveillance kits. Customers may request other mounting options to fill their particular requirements. Specially designed for the sniper or surveillance team, the Surveillance Kit decreases the amount of weight carried. The Surveillance Kit is easy to manipulate during extreme cold weather conditions and in darkness.



FOLDS AT 45°

The Cadex Surveillance Kit is convenient and easy to operate. Its adjustment system allows the operator to easily fine tune the component's placement. The Surveillance Kit's pivoting camera mount allows the operator to set up for photographic surveillance in a matter of seconds. Sighting scope inversion means your head is not the most visible point in your sighting system.

FEATURES:

- Easy to operate even with gloves.
- No tools required.
- Folds and dismantles for transportation.



SPECIFICATIONS

Surveillance Kit
Part#: 2700-KIT5 (Complete System)

Dimensions:
30.19" x 4.91" x 11.42" | 76.67 x 12.48 x 29.01 cm

Weight: 4.54 lbs | 2061 grams

Material: Aluminum 6061-T6



PHOTONIS NIGHT VISION TUBES



How far can I see with my intensified Night Vision Device ?

This is the most commonly asked question by Night Vision Device (NVD) users. One of the most critical "parameters" for Night Vision Devices (NVD) is the Detection/ Recognition/ Identification (DRI) range at various light levels. The further distance the user can see, the faster he can react.

FEATURES:

- Multi-Mission Night Vision
- Extended bandwidth
- Autogating (ATG)
- Reduced Halo
- Excellent Life-Time



NOCTURN

The NOCTURN family of low light cameras provides day-through-night imaging, capturing images in extreme lighting conditions from daylight through quarter-moon darkness. NOCTURN cameras are ruggedized, making them ideal for surveillance, security, and mobile applications such as border patrol, reconnaissance UAVs and armored vehicle perimeter monitoring.




XR5™ Technology

The XR5™ Image Intensifier reveals more detail of the night and offers an extended range capability. We applied the latest technology to the XR5™ to enable the user to detect more details of the operation.



LOW PROFILE FLIP UP MOUNT



The Cadex Low Profile Flip Up Mount is a ruggedized aluminum NVG mount that combines lightness to low profile design with a maximum range of adjustability.

FEATURES:

- Ergonomic "one touch" height adjustment allows operator to adjust height with one hand.
- Low profile follows helmet contour when folded.
- Six position adjustable mounting plate fits numerous facial profiles and helmet mounting systems.
- The Low Profile Flip Up Mount will lock in the upright and down positions.
- If the NVG is bumped or impacted the Low Profile Flip Up Mount will fold and lock in upright position protecting the NVG and operator.



6 positions adjustable mounting plate



Also compatible with Ops-Core helmets



Combined configuration Dovetail + Bayonet



SPECIFICATIONS

Low Profile Flip Up Mount Part#: 643-5878FK

Dimensions: 2.89" x 4.58" x 2.87" | 7.34 x 11.63 x 7.29 cm
Dimensions folded: 2.89" x 2.04" x 3.45" | 7.32 x 5.18 x 8.76 cm
Weight: 0.4 lbs | 181 grams
Material: Aluminum 6061-T6

FLIP UP MOUNT



Ultra-lightweight and maintenance-free design made out of reinforced nylon to endure desert sand and salt water. Fits a wide variety of helmet designs and is compatible with dovetail or bayonet style NVG interfaces. Cadex offers multiple kits that will adapt to your specific needs.

FEATURES:

- Lightest Flip Up Mount offered by Cadex.
- Large adjust knobs provide easy adjustments with gloves on.
- Nylon construction allows for silent manipulation of flip up.
- Endures desert sand and salt water.

SPECIFICATIONS


Flip Up Mount

Part#: 643-93FK-206 (with Dovetail carriage)
Part#: 643-93FK-207 (with Bayonet/PVS carriage)
Dimensions: 3.48" x 4.23" x 4.71" | 8.85 x 10.76 x 11.97 cm
Weight: 0.33 lbs | 151 grams
Material: Nylon ST-801 Black / Aluminum 6061-T6

SPECIFICATIONS

MICH Shroud

Part#: 643-A214
Dimensions: 3.35" x 1.62" x 2.98" | 8.51 x 4.12 x 7.58 cm
Weight: 0.13 lbs | 60 grams
Material: Aluminum 6061-T6 / Stainless steel




MICH Shroud



Lightweight, rugged and maintenance-free design















Also compatible with Ops-Core helmets



Stowed position

— FLIP UP MOUNT CONFIGURATIONS —


LOW PROFILE FLIP UP MOUNT (ALUMINUM)		FLIP UP MOUNT (POLYMER)	
Part#: 643-5878FK (Dovetail)	Part#: 643-5878-A010 (PVS/Bayonet)	Part#: 643-93FK-026 (Dovetail)	Part#: 643-93FK-027 (PVS/Bayonet)
			
			
			

— UNIVERSAL HELMET STRAP KIT —

The Cadex NVG Helmet Mount provides operators with the ultimate precision mounting platform for night vision devices. NVG devices are held rigidly in the viewing position and when flipped up, are locked firmly into position. Rugged adjustment mechanism for easy one hand operation.

FEATURES:

- Personalized height and eye relief of night vision device.
- An easy-to-use screw mechanism gives the operator complete control of the tension of the flip-up mount.
- Provides mounts for both bayonet and dovetail type brackets.
- Optional counter-weight or battery pack bracket.
- Available for different helmet designs.
- Ultra lightweight.



Interchangeable front bracket

Counter-weight or battery pack ready

ACH Side-Mounted Helmet Bracket
Part#: 1835-A010

- Mil Std M1913 style rail
- Fits ACH style helmets
- Left and right side assemblies

Side-Mounted Helmet Braket
Part#: 1835

- Mil Std M1913 style rail
- Fits numerous military helmets
- Can be fitted to any model of helmet upon request.

Universal Helmet Strap Kit
Part#: 643-93SK-026 (for MICH Helmet)
Part#: 643-93SK-027 (for PASGT Helmet)

Dimensions:
15.14" x 4.5" x 7.72" | 38.47 x 11.44 x 19.61 cm

Weight: 0.4 lbs | 181 grams

Material: Nylon ST-801 Black


**Also available complete with adjustable straps for helmets without mounting holes.*

SOLO SIGHT MOUNT



The SOLO Sight Mount is the backbone of the US Marine Corp's HMGSS (Heavy Machine Gun Sight System). Named the BERM (Ballistic Extended Rail Mount), it has been assigned the M520 designation.

INTERFACES WITH:



The SOLO sight mount dramatically enhances the fighting capabilities of the soldier during day and night conditions. The system is the world's premier military off-the-shelf sight mounting solution. It is designed to enhance the sighting capabilities of NATO-standard weapons such as:

- The M2 .50 cal (12.7mm) Heavy Machine gun
- The 40mm MK19 Grenade Machine gun
- The 40mm Heckler & Koch Grenade Machine Gun

The SOLO platform integrates up to three sight modules in a wide variety of configurations, and provides both day and night sight capabilities.

The system allows for a rapid switch from active to passive target acquisition mode. During firing, the operator adjusts the range with one hand while the other is free to control the weapon. An illuminated range dial permits the operator to rapidly set the range for a quick engagement, day or night.

SPECIFICATIONS	SOLO Sight Mount Part#: 724-940
	Dimensions: 17.27" x 7.18" x 8.61" 43.88 x 18.26 x 21.89 cm
	Weight: 9.3 lbs 4220 grams
	Material: Aluminum 6061-T6

SOLO SIGHT MOUNT


The SOLO mount incorporates a precise mechanical spin drift compensation for 40mm high velocity grenades. The SOLO also has a unique integral mount buffer system, which allows the operator to keep an eye on the sight and also protects the optical modules by absorbing 88% of harsh peak recoil forces.

FEATURES:

- Accommodates up to 4 day/night electro-optic devices.
- Increases lethality of both 40mm and .50 cal platforms.
- 40mm mechanical spin drift compensation.
- 88% absorption of peak recoil forces.
- Illuminated Range Dial.
- Customizable configurations.



The SOLO Sight Mount converts a zone-spreading machine gun into a precise target engagement tool with one round one hit capability at extreme ranges.



KOLOS SIGHT MOUNT



The KOLOS Sight Mount converts a zone-spreading machine gun into a precise target engagement tool with one round one hit capability at extreme ranges.



The KOLOS Sight Mount significantly enhances day and night fighting capabilities of the .50 Caliber M2 Machine Gun, 40mm MK19. With the KOLOS mount, the gunner is able to rapidly transition from active to passive target acquisition methods to produce maximum effective fire on the target.

Because of the KOLOS mount buffer system, the gunner can keep his eye against the sight eye cup during firing to maintain the sight picture.

FEATURES:

- Low profile buffering of optics systems.
- Accommodates up to 4 day/night electro-optic devices.
- Increases lethality of .50 cal platforms.
- 88% absorption of peak recoil forces.
- Customizable configurations.

KOLOS Sight Mount
Part#: 2607

Dimensions:
8.14" x 5.78" x 2.55" | 20.68 x 14.68 x 6.48 cm

Weight: 4.12 lbs | 1869 grams

Material: Aluminum 6061-T6

QUICK DETACH BRACKETS

QD Bracket, Male Interface SOLO
Part#: 00573-A222

Dimensions:
6.9" x 1.69" x 2.41" | 17.52 x 4.29 x 6.12 cm

Weight: 0.71 lbs | 322 grams

Material: Aluminum 6061-T6

QD Bracket, M2 Interface SOLO
Part#: 00573-A219

Dimensions:
7.54" x 3.7" x 1.6" | 19.15 x 9.4 x 4.06 cm

Weight: 0.73 lbs | 332 grams

Material: Aluminum 6061-T6

QD Bracket, MK19 Interface SOLO
Part#: 00573-A221

Dimensions:
7.51" x 2.42" x 3.52" | 19.08 x 6.15 x 8.94 cm

Weight: 1.05 lbs | 476 grams


Material: Aluminum 6061-T6

Fixed Bracket, MK19 Interface SOLO
Part#: 00573-A223

Dimensions:
7.38" x 1.58" x 3.03" | 18.75 x 4.01 x 7.7 cm

Weight: 1 lbs | 457 grams

Material: Aluminum 6061-T6



The Quick Detach Bracket is a mount interface for the SOLO and KOLOS which provides for "no tool" mounting on both the M2 12.7mm (.50cal) machine gun and the 40mm GMG (AGL).

FEATURES:

- Allows the user to remove and install the SOLO/KOLOS from their weapon with complete return to zero.
- Quick Detach Bracket installation does not require any modifications to the weapons.
- Does not interfere with normal function or handling drills.
- All versions of the SOLO already in service can be retrofitted with this mount.



QD Bracket, 40mm Male/Female HK GMG (C16)
Part#: 00573-A011

Dimensions:
5.48" x 5.14" x 0.99" | 13.92 x 13.06 x 2.51 cm

Weight: 1.77 lbs | 803 grams

Material: Steel

RECOIL RAIL FAMILY

The Cadex Recoil Rail provide electro-optic devices with protection from firing shock of hard recoiling weapons, such as the M2 .50 caliber machine gun and large caliber sniper weapons.

The Cadex Recoil Rail uses a patented buffer system to absorb approximately 30% of the peak recoil forces which would otherwise be transferred to the mounted optic.

FEATURES:

- Absorbs approximately 30% of peak recoil forces.
- Returns the electro-optic to its original position after firing.
- Increases life expectancy of electro-optic devices.
- Can be used as bipod rail to improve follow up shots.
- Custom interfaces available for a variety of devices.
- Reduces the blur effect of iron sights when firing in full automatic mode.



Absorbs approximately 30% of Peak Recoil Force



Mortar attachment (not included)



SPECIFICATIONS

Recoil Rail

Part#: RR-2337

Dimensions:

6.1" x 1.73" x 0.39" | 15.5 x 4.4 x 1.01 cm

Weight: 0.41 lbs | 187 grams

Material: Aluminum 6061-T6

SPECIFICATIONS

60mm BSMc Mortar Recoil Rail

Part#: RR-2337-A007

Dimensions:

6" x 1.75" x 1" | 15.2 x 4.4 x 2.5 cm

Weight: 0.4 lbs | 184 grams

Material: Aluminum 6061-T6

CM2 QUICK RELEASE BRACKET

The Cadex CM2 Quick Release Bracket provides users with a solid optics mount for the M2 12.7mm (.50 cal) Heavy Machine Gun.

FEATURES:

- A 7.5" Mil Std M1913 Picatinny rail for secure optics mounting.
- Quick detach installation does not require any modification to the weapon.
- Made from a single piece of lightweight 6061-T6 aluminum.
- Tabs are made from a reinforced acetal to improve sliding and locking capabilities.
- Reinforced composite tabs also ensure that they are break-proof and will not wear out over time.
- A stainless steel screw secures the tabs to the Quick Release Bracket aluminum body.



SPECIFICATIONS

CM2 Quick Release Bracket

Part#: 2905-A002

Dimensions:

9.06" x 4.13" x 3.94" | 23 x 10.5 x 10 cm

Weight: 1.6 lbs | 726 grams

Material: Aluminum 6061-T6



A Quick Release Bracket for the M2 is also available with Recoil Rail. Part#: 2905-A002RR

C9/M249 BUTTSTOCK ADAPTOR



*Warning: Fits only on C9/M249 models equipped with an hydraulic buffering system



The Cadex Buttstock Adaptor allows the fitting of issued and aftermarket M4/C8 carbine buttstocks to the C9/M249* light machine gun so that the user can tailor their length of pull and eye relief as required.

FEATURES:

- Mounts by using the existing take down pins.
- Accommodates a wide variety of M4/C8 carbine butts.
- Allows organizations to use the same buttstock and sling plate components for their carbine and light machine gun fleets, simplifying spare parts and training requirements.

SPECIFICATIONS

C9/M249 Buttstock Adaptor Part#: 536

Dimensions: 2.3" x 2.06" x 3.65" | 5.84 x 5.25 x 9.29 cm

Weight: 0.32 lbs | 145 grams

Material: Aluminum 6061-T6

The Cadex Dual Rail for the C9, M249 and FN Minimi Light Machine Guns provides the user with a versatile, lightweight mount for laser pointers and illumination devices.

FEATURES:

- Mil Std M1913 rails at the 3 and 9 o'clock positions.
- Reduces heat and vibration transferred to attached electro-optics.
- Provides excellent zero retention of mounted devices.
- Clamps to the weapon receiver and indexes with the machine gun's front mount bushing.

The Cadex Tri-Rail for the C9, M249 and FN Minimi LMGs provides the gunner a solid mount for lights, aiming lasers, and other weapon accessories.

FEATURES:

- Minimizes heat transfer to the gunner's hand when firing at high rate of fire.
- Provides three Mil Std M1913 rails, at 3, 6 and 9 o'clock.
- The side rail location is optimized to place aiming lasers in the same horizontal plane as the barrel axis.
- Keeps accessories mounted close to the weapon's center of gravity.

C9/M249 DUAL RAIL

SPECIFICATIONS

C9/M249 Dual Rail Part#: 578

Dimensions: 5.15" x 3.76" x 3.2" | 13.08 x 9.57 x 8.13 cm

Weight: 0.53 lbs | 241 grams

Material: Aluminum 6061-T6



C9/M249 TRI-RAIL


SPECIFICATIONS

C9/M249 Tri-Rail Part#: 1212

Dimensions: 10.98" x 2.66" x 3.89" | 27.9 x 6.78 x 9.89 cm

Weight: 1.06 lbs | 482 grams

Material: Aluminum 6061-T6



C6 BUTT



The Cadex C6 Butt provides the operator with a world-class fully adjustable precision buttstock. Designed in such way as to enhance shooting comfort, resulting in field precision. Easily adjustable for the length of pull. This new C6 Butt is entirely compatible with the existing C6 Butt which makes it simple to retrofit the existing one. Ergonomic design for easy maneuverability and precision improvement, it extends (2 inch travel) / collapses without any tools.

FEATURES:

- Easy to retrofit existing C6.
- Extends (2 inch travel) /collapses without any tools.
- Ergonomic design for easy maneuverability.
- Made of aluminum 6061-T6 with some components made of fiber reinforced composite.
- Ambidextrous.
- Up/down cheek piece adjustment.
- Forward/rearward cheek piece adjustment.



SPECIFICATIONS

C6 Butt Part#: 4016

Dimensions:
8.66" x 2.08" x 5.56" | 22 x 5.28 x 14.12 cm

Dimensions extended:
10.66" x 2.08" x 7.76" | 27.08 x 5.28 x 19.71 cm

Weight approx.: 2.2 lbs | 998 grams

Material: Aluminum 6061-T6

C6/M240 DUAL RAIL

The Cadex Dual Rail for the C6, M240, and MAG 58 Machine Guns provides users with a robust mount for laser pointers and illumination devices.

FEATURES:

- Mil Std M1913 rails at the 3, and 9 o'clock positions. Optional positioning at 6 o'clock and 45° angle.
- Reduces heat and vibration transferred to attached electro-optics.
- Provides excellent zero retention of mounted devices.
- Configurable rails.
- Optional 6 o'clock rail positioning for mounting a folding grip.




SPECIFICATIONS

C6/M240 Dual Rail Part#: 1166-2

Dimensions:
6.14" x 3.52" x 1.89" | 15.5 x 8.95 x 4.81 cm

Weight: 0.63 lbs | 285 grams


Material: Aluminum 6061-T6



Optional 3rd Picatinny rail



Optional 3rd rail positioning



Thermal insulators

M2 CRADLE MOUNT



SPECIFICATIONS

M2 Cradle Mount Part#: 6987-A100

Dimensions:
20" x 13.75" x 15" | 50.8 x 34.93 x 38.1 cm


Weight: 50.1 lbs | 22 725 grams

Material: Steel / Cerakote paint




The Cadex M2 Cradle Mount has been developed to provide an easy to operate affordable mounting solution for the Browning M2.



- A- Micro adjustable elevation system with 1 mil increment per click.
- B- 2-point balanced mounting system. SOLO Optic enhancement package ready
- C- Blackened stainless steel Machine Gun mounting pins.
- D- User-friendly threaded traverse locking mechanism
- E- Responsive clutch locking elevation mechanism.
- F- Standard military ammo box plate.
- G- Standard M2 pintle adapter.
- H- Mark 93 Adapter Kit - M240/M249.
- I- M249 ammo box adaptor plate.



Mark 93 Adapter Kit - M240/M249
H-Part#: 06987-A016
I-Part#: 06987-A015



MAXIMUM ELEVATION RANGE



MG VEHICLE ARM

**NOT AVAILABLE IN
NORTH AMERICA**

The Cadex MG Vehicle Arm attaches to the multi-position MG support using its ACMAT pintle. It allows the mounting of a machine gun at two different locations, either at the end of the arm or at its center section using the NATO pintle. A fast release button is used to lock/unlock the MG pintle instead of the traditional push pin. Two tension adjustment knobs are used to restrain free movement of the machine gun depending on its weight.

The MG Vehicle Arm is a low profile system that can deploy in a couple of seconds for fast target engagement and can fold rapidly for transport. This is the ultimate MG mount and no other arm offers as much adjustability.

SPECIFICATIONS

MG Vehicle Arm
Part#: 05573-A112

Dimensions:
15.47" x 5.68" x 8.73" | 39.29 x 14.43 x 22.17 cm

Weight: 13.1 lbs | 5940 grams

Material: Manganese Phosphate Steel / Aluminum 6061-T6

SPECIFICATIONS

Multi-Position MG Support
Part#: 05573-A111

Dimensions:
4.94" x 3.8" x 38.57" | 12.55 x 9.65 x 97.97 cm

Weight: 6.78 lbs | 3075 grams

Material: Manganese Phosphate Steel



Cadex Multi-position MG support allows the mounting of the machine gun vehicle arm to be adjusted rapidly to fit operator's ergonomics. Internal piston controls the rising speed of the machine gun. Allows 12" of adjustment with 1" increments. Features a locking knob and a tension lever.

Multiple vehicle brackets can be offered to fit different vehicle models.

C16 COVER LATCH & HANDLE



Extended Cocking Handle
(Compatible with HK GMG only)



C16 Cover Latch

SPECIFICATIONS

C16 Cover Latch
Part#: 05119-A001

Dimensions:
10.66" x 3.57" x 3.26" | 27.08 x 9.07 x 8.28 cm
Weight: 1.86 lbs | 844 grams
Material: Aluminum / Stainless / Delrin

SPECIFICATIONS

Extended Cocking Handle
Part#: 05119-A050

Dimensions:
5.23" x 4.6" x 1.44" | 13.28 x 11.68 x 3.66 cm
Weight: 0.69 lbs | 313 grams
Material: Aluminum / Stainless / Delrin

Cadex Cover Latch assembly was designed for mission success. Built from 6061-T6 Aluminum, Delrin and Stainless steel.

FEATURES:

- Cover Latch assembly is easily indexed during complex operations both day and night.
- Single handed manual operation.
- Operator friendly for gun drills loading/unloading.
- Installs in minutes on the existing cover. No modifications required.

M2 FIRE

Cadex's M2 Front Interface Rail Equipment (M2 FIRE) rail system increases the target acquisition and engagement capabilities of the .50 caliber M2 Heavy Barrel machine gun.


FEATURES:

- Clamps to the barrel support of the M2HB weapon.
- Provides three Picatinny rails, at 3, 6, and 9 o'clock.
- Provides a solid mount for heavy weapon spotlights and aiming/illumination lasers.
- Does not affect normal function of the weapon, including barrel changes.
- Machined channels protect device cables.

SPECIFICATIONS

M2 Fire Part#: 1626-A001

Dimensions:
22.74" x 4.35" x 7.08" | 57.78 x 11.04 x 17.98 cm
Weight: 5.47 lbs | 2480 grams
Material: Aluminum 6061-T6



Optional Top Rail Part#: 1626-A002

- The optional top rail assembly provides a mounting surface for reflex sights.
- Does not interfere with weapon's iron sights.

MOUNTABLE ACCESSORIES:



Recoil rail / Part#: RR-2337



Reflex sight



Flood light

37MM LAUNCHING CUP



Cadex 37mm Launching Cup is ideal for less lethal and crowd control situations. The Launching Cup is used in conjunction with a 37mm ballistic cartridge. The Cadex Launching Cup has a unique venting system which enables the operator to launch a hand deployed chemical grenade at graduated distances of 40, 60 and 100 m.

FEATURES:

- Allows for delivery of payload to extended ranges.
- May be used for denying access, cordons and channeling ops.
- A valuable tool to create distance and opportunity.

SPECIFICATIONS

37mm Launching Cup Part#: 4340

Dimensions:
2.61" x 1.42" | 6.63 x 3.6 cm
Weight: 1.44 lbs | 652 grams
Material: Aluminum 6061-T6



BREACHING MULTI-TOOLS

The Cadex Telescopic Tactical Breaching Multi-Tool is one of the most powerful breaching tools available. A combination of breaching hammer, halligan tool, hinge breaker, and expedient ram. The Cadex Tactical Breaching Multi-Tool provides superior capabilities over traditional single use tools. Recently upgraded after ten years of service, the improved TBH allows the user to adapt their equipment to the mission at hand.

FEATURES:

- Its unique design incorporates the functionality of multiple tools, in a simple package. Carry one or carry five?
- Its telescopic design makes it very compact to carry. It can be used collapsed or extended.
- Can be interchanged between the hinge breaker or the optional "brake and rake".
- CQB Tactical Breaching Multi-Tool also available for use in restricted confines or as a secondary team tool.
- Replacement parts available on request.

CQB Part#: 580-A009

Dimensions:
9" x 2.5" x 16.24" | 22.86 x 6.35 x 41.27 cm **Extended:** 22.24" | 56.51 cm
Weight: 12.14 lbs | 5507 grams

THB Part#: 580-A005

Dimensions:
9" x 2.5" x 23" | 22.86 x 6.35 x 58.42 cm **Extended:** 33.12" | 84.13 cm
Weight: 16.83 lbs | 7636 grams
Material: Aluminum 7075 (Tube) AISI 1045 Hardened Steel (Head and Fork)

CQB



Extended CQB

TBH



Extended TBH


Optional "Brake & Rake" Tip (Part#: 580-A001)



Sling and sling mount included



CLIMBING HOOKS 4" & 7"



Long Assault Climbing Hook 7"

Short Assault Climbing Hook 4"

The Cadex Short (4") and Long (7") Assault Climbing Hook (SACH) provides the entry teams with an extremely versatile tool for vertical methods of entry in scenarios where it is not practical to use the larger Cadex extra Long Assault Climbing Hook.

FEATURES:

- Designed for use with an extension pole system to securely fix assault ladders in place on the wide variety of surfaces encountered during operations.
- Can be hand-emplaced.
- Carbide spikes ensure proper hook grip.
- Folds for easy transport and storage.

SPECIFICATIONS

Short Climbing Hook 4"
Part#: SH-1234

Dimensions:
1.97" x 2.35" x 4.67" | 5.02 x 5.97 x 11.87 cm

Static hook capacity: 1300 lbs | 589 670 grams

Weight: 0.78 lbs | 355 grams

Material: Aeronautical Aluminum (Frame) Carbide (Spike)

SPECIFICATIONS

Long Climbing Hook 7"
Part#: LH-1234

Dimensions:
2.03" x 2.35" x 6.9" | 5.16 x 5.97 x 17.53 cm

Static hook capacity: 1300 lbs | 589 670 grams

Weight: 1.1 lbs | 497 grams

Material: Aeronautical Aluminum (Frame) Carbide (Spike)



CLIMBING HOOK 14"

The Cadex Extra Long Assault Climbing Hook provides the entry teams with a versatile tool for use with pole systems to securely position assault ladders on irregularly shaped or rounded surfaces. It opens to multiple angles to provide three surfaces, allowing the hook to grab the face, top, and rear of differently shaped surfaces.

FEATURES:

- Designed for use with an existing pole system to securely fix assault ladders in place on the wide variety of surfaces encountered during operations.
- Can be employed with or without carabiners.
- Can be hand emplaced.
- The replaceable stainless steel spikes are extremely resistant to wear or breakage.
- Folds for easy transport and storage.
- Ideal for mud walls.

SPECIFICATIONS

Extra Long Climbing Hook 14"
Part#: DH-1867

Dimensions:
3.45" x 3.35" x 10.74" | 8.76 x 8.51 x 27.28 cm


Static hook capacity: 1000 lbs | 453 592 grams

Weight: 2.43 lbs | 1100 grams

Material: Aluminum 7075-T6 (Frame) Stainless Steel (Spike)



Each hook comes with 3 sets of hardened spikes in the following lengths:



POLE LADDER



Pole ladder step

The Cadex Pole Ladder provides a secure rigid method of entry. A standard kit includes one hook, four pole sections and two half pole sections for over 25 feet of portable climbing power.

Custom kits can easily be built to suit the needs of the mission.

The kit's transport bag holds all five sections as well as the hook (transport bag is optional).

The Cadex Pole Ladder System is a modular ladder designed to provide assault personnel with a tool for rapid vessel entry and ability to scale most obstacles or buildings.

The hook is a strong, lightweight assembly easily folded by pressing the releases on each side of the hook.

Featuring stainless steel spikes and 8" of clearance the hook will attach securely to most surfaces. Different spike lengths are available.


The pole sections and hook assemble quickly, making this ladder extremely portable and compact for transport to the mission.

FEATURES:

- Modular design allows for custom kits suited to the needs of the mission.
- Pole tensile static load capacity is 2500 lbs.
- Hook has 8 inches of clearance.
- Large anti-slip step with good finger clearance.



POLE LADDER



Multiple spike lengths available

1/2"
(12.7 mm)

1"
(25.4 mm)

1 1/2"
(38.1 mm)

Pole Ladder transport bag



Non-Skid Delrin leg cover



SPECIFICATIONS

Pole Ladder

Dimensions (Hook):
12" x 6.1" x 12.83" | 30.5 x 15.5 x 32.59 cm

Weight (Hook): 6 lbs | 2721 grams

Dimensions (Pole):
3.39" x 12.28" x 2.4" | 8.61 x 31.19 x 6.1 cm

Weight (Pole): 7 lbs | 3175 grams

Material (Hook & Pole): Aeronautical Aluminum

Material (Spikes): Stainless Steel



LADDER REEL



The Cadex Ladder Reel gives the user the capability to rapidly deploy their cable-type assault ladder. Its small size permits the ladder to be stowed in a compact package for transport to the entry site, and also provides the user with a quick recovery system for their ladders.

FEATURES:

- Provides the user tangle-free ladder deployment.
- Prevents cable ladders from becoming kinked, helping extend ladder life.
- Knurling on the handles provides a non-slip holding surface for positive control when in use.
- Holds up to 15 meters of cable type ladders, such as the Yates Special Ops Ladder.

SPECIFICATIONS

Ladder Reel Part#: LR-995
Dimensions: 18.75" x 11.75" | 47.62 x 29.84 cm
Weight: 8.6 lbs | 3900 grams
Material: Aluminum 6061-T6 / Black Acetal Composite

PROMOTIONAL MATERIAL

SHOW STAND

- Modular design allows for custom kits suited to the needs of the dealer.
- Can fit up to five brackets, shelvings or chassis.
- Designed to work with complete rifles.



T-SHIRT & PATCHES



Buy online at cadexdefence.com/store

CHASSIS TABLE STAND

- Designed to work with chassis or complete rifles.
- Modular Delrin block to fit SSSF or DSSF mag housings.
- Best way to advertise our chassis.



CADEX ARMOR



CADEX Armor, a division of CADEX Inc., is a leading international specialist in the development, design and supply of defensive and inconspicuous armored security vehicles.

These special armored vehicles provide full "peace of mind" mobile protection for government officials, law enforcement personnel, security agencies, as well as private organizations and VIPs concerned about the violent threats of today's hostile urban environment.

Extreme care has been taken in the design and build of each of our armored vehicles to ensure that there is a perfect balance of complete ballistic and blast protection while maintaining a superior on/off road performance.

The Management team of CADEX Armor, consists of industry experts with decades of experience in the automotive and armoring industry. Our understanding of client safety needs and knowledge of new ballistic materials have helped us bring to market what we believe to be a truly better and stronger built Armored Security Vehicle.




Mr. Kemal Gursoy

CADEX ARMOR Project Specialist

VISIT CADEXARMOR.COM FOR MORE INFORMATION



CADEX R&D SOLUTIONS



+ EXPERTISE

Cadex has worked with both conventional military and Special Forces, successfully delivering our product to a broad range of customers worldwide. Cadex works with its customers in a team approach to identify the mission requirements in order to meet their specific needs.

+ INNOVATION

Cadex's design and manufacturing team ensures the customer has access to leading edge technology.

+ DESIGN

When creating the design, Cadex's R&D department works seamlessly with the production department to ensure the manufactured item meets the customer's requirements no matter the complexity.

+ SOLUTION

Cadex's R&D department's initial design is quickly turned into a prototype for customer evaluation. Cadex can use its 3D printing, molding, and machining capabilities to produce a broad range of prototypes.

+ MANUFACTURE


Cadex can call upon its in-house capabilities to produce a broad range of products. This includes weapon components, tactical breaching equipment, gun stocks, recoil management systems, and precision mounts for electro-optic systems.

+ DELIVERY

Cadex provides the edge needed when you need it most. Our equipment is in service worldwide.

+ SUPPORT


With Cadex every product comes complete with knowledgeable customer support. Our quick and efficient staff is known worldwide for its legendary quality of service as well as its uncompromising discretion.



Serge Dextraze
President/CEO

Message from the president

"For over 20 years, Cadex has designed and manufactured an extensive line of high quality and premium products for Special Operations, Military, Law Enforcement and Civilians across the globe. In each field of operation, we bring to you a team of specialized and dedicated professionals. Ready to guide you forward and best supporting your multiple mission requirements. We would like to thank our long standing customer base for their ongoing trust and support."



Patrice Picard
Canadian & International
Senior Sales Manager
Canada Office: 450-348-6774
Cell: 514-821-7983
patrice@cadexinc.com



Darryl Miller
USA
Military, Law Enforcement
& Commercial Sales
USA Office: Swanton
Cell: 770-713-6354
darryl@cadexinc.com



Peter Fullerton
Canadian & International
Military, Law Enforcement
Project Specialist
Canada Office: 450-348-6774
Cell: 514-821-7984
peter@cadexinc.com



Jim Peter Safar
International
Business Development Director
Canada Office: 450-348-6774
Cell: 514-998-9439
jimpeter@cadexinc.com



If you appreciate
Cadex products,
please take a minute
to let us know at

customerservice@cadexinc.com

Follow us!



CUSTOMER'S PICTURE

Do not hesitate to send us pictures of your builds to: marketing@cadexinc.com so we can showcase them on our website and social media! And thanks a lot to those who already did!



CADEX

DEFENCE ★ ★ ★

CADEX INC HEAD OFFICE

755 ave. Montrichard,
Saint-Jean-sur-Richelieu, QC
Canada, J2X 5K8
Tel: 450-348-6774
Fax: 450-348-7157

USA OFFICE

3 Label Lane,
Swanton, VT 05488
Tel: 770-713-6354
Fax: 450-348-7157

PARTNER IN MISSION

WWW.CADEXDEFENCE.COM