

# NEW & 2020

## HUNTING RIFLES

FOR THE MOST DEMANDING HUNTERS

CDX-R7 CRBN &



- Proof-Research carbon fiber barrel
- Synthetic Monte-Carlo stock with aluminum bedding blocks
- Stainless steel action with pinned Picatinny top rail
- Ultra-fast cycling 4 lug bolt with 50° bolt throw



PAGE 5-6

#### **BUDGET FRIENDLY VARIANT**

## CDX-R7 SPTR A

• Cadex button rifling stainless steel barrel





PAGE 5-6

#### **HUNTING RIFLE AVAILABLE CALIBERS**

6.5 Creedmoor - 6.5 PRC - 308 Win - 300 WSM - 7mm Rem Mag 28 Nosler - 300 Win Mag - 300 PRC - 338 Lapua Mag

## UNITIZED SCOPE MOUNT

**Super Low (1.00")** 

Available in:

- 30mm
- 34mm



## TUNDRA STRIKE

- Synthetic Monte-Carlo stock with aluminum bedding blocks
- Multiple models to fit the following actions:

• Ready to install on your preferred stock or chassis

R7 BARRELED ACTION COMBOS

• Key in hand ready to shoot solution

- Cadex R7 SA/LA series
- Rem 700 SA/LA and clones



## SURVEILLANCE KIT **ADAPTORS**



## PETERSON CARTRIDGE

Canadian **Distributor** 



- Precision Ammunition
- Match-grade brass

  PAGE 25-26

## FALCON LITE SP

 Falcon Lite SP (single pivot) bipod



#### STRIKE NUKE EVO

• Now for Tikka T3(x) and T3(x) CTR models



## CADEX ELECTRO-OPTICS

- Monoculars
- Binoculars
- Night vision clip-on devices
- Stand alone thermal weapon sights
- Thermal imaging clip-on devices

# **ARGA ELITE SYSTEM**

• Rail 12.5" with rock solid locking · QD adaptor block with or without





#### 2020 CALIBER ADDITIONS

- 6.5 PRC
- 28 Nosler
- 7mm Rem Mag
- 300 PRC
- 300 WSM

# anti-slip feature (user's choice) Picatinny style variant • Bipod stud style variant



# CDX-R7 MODULARITY —

# - CDX-R7 MODULARITY -

# **BIG GAME HUNTING**



CDX-R7 CRBN



CDX-R7 SPTR



PRS COMPETITION







LONG RANGE SHOOTING





# LAW ENFORCEMENT



CDX-R7 LITE (Special request only)





**CDX-R7 CRBN** 

HUNTING RIFLES ——— CDX-R7 CRBN AND CDX-R7 SPTR

fter spending years perfecting our multiple tactical and long range platforms, it was time for Cadex to diversify its selection. This is why for 2020 we are coming out with two rifles oriented towards the performance hunter. The CDX-R7 CRBN rifle is designed with back country hunters in mind. Unlike other manufacturers out there aiming at the absolute lightest materials available, Cadex oriented this rifle towards a perfect balance between weight reduction. and no compromise on stability. We equipped the CDX-R7 CRBN model with the best carbon fiber barrel on the market: Proof-Research.

Not everyone is a firm believer in carbon fiber barrels. Some people are more conservative and they prefer a traditional stainless steel barrel. For this reason we designed the CDX-R7 SPTR, a variant equipped with a sporter profiled stainless barrel. We added some longitudinal flutes for weight reduction, faster cooling and nicer look. The CDX-R7 SPTR shares the same features as the CDX-R7 CRBN except the barrel type, which makes it more affordable.

If you are looking for a reliable hunting rifle of a superior craftsmanship, fit and finish than what is offered from most mass production gun makers, the CDX-R7 CRBN and CDX-R7 SPTR is what you've been searching for.

CDX-R7 CRBN SA (Short Action)

45.25" x 2.85" x 6.8" | 114.93 x 7.24 x 17.27 cm

Weight\*: 8.2 lbs | 3719 grams

\*With muzzle brake and metal magazine. Based on 24" barrel.


CDX-R7 CRBN LA (Long Action)

#### Dimensions\*:

48.06" x 2.85" x 6.8" | 122.07 x 7.24 x 17.27 cm

Weight\*: 8.3 lbs | 3765 grams

\*With muzzle brake and metal magazine. Based on 26" barrel.



\*Shown here in Long Action 338 Lapua 26" HB barrel - Full Black

CDX-R7 CRBN (CARBON) PROOF

blocks \*No bedding required

3	HGB	
	1	

AICS magazine compatible (short and long action).

rebarreling system.

#### CDX-R7 SPTR

- Same as above but equipped with a Cadex sporter profiled stainless steel barrel.
- · Longitudinal barrel flutes for weight reduction, rigidity, faster cooling and nicer look.

• 416 stainless steel, 1.350" custom grade bolt

• 4 lug bolt with ultra-fast 50° short bolt throw.

• 1/4 turn tool-free bolt disassembly for an easy

(aluminum), 20 or 30 MOA (stainless steel).

DX2 EVO single/two stage selectable trigger.

 Proof-Research carbon fiber match grade barrel (stainless steel inner core). Hunting style muzzle

brake included. Easy and unique do-it-yourself

• Tundra Strike synthetic Monte-Carlo rifle stock with aluminum bedding blocks. Rubberized inserts at grip and fore-end locations for better

handling. Comfortable high density neoprene cheek pad. Cerakote non-reflective coating.

Interchangeable pinned top rail in 0 MOA

action repeater (Rem 700 footprint).

Low profile slim round bolt knob.

access to the firing pin.

See complete rifle stock features at page 27-28 and action features page 49

# TAN ODG SSV GRY HTB HOD HSB

## CDX-R7 SPTR (SPORTER)

\*Shown here in Short Action 6.5 Creedmoor 24" sporter barrel - Hybrid Tan Black

#### CDX-R7 SPTR SA (Short Action)

#### Dimensions\*:

45.25" x 2.85" x 6.8" | 114.93 x 7.24 x 17.27 cm

**Weight\*:** 8.2 lbs | 3719 grams

\*With muzzle brake and metal magazine. Based on 24" barrel.

#### Dimensions\*:

48.06" x 2.85" x 6.8" | 122.07 x 7.24 x 17.27 cm

CDX-R7 SPTR LA (Long Action)

Weight\*: 8.5 lbs | 3856 grams

\*With muzzle brake and metal magazine. Based on 26" barrel.

he CDX-R7 SHP Series are precision rifles designed for shooters who prefer a traditional style stock to chassis systems. These rifles feature Cadex's fully adjustable synthetic stock called the Strike Nuke Evo. The ergonomics of this stock are a great blend between the stability offered by tactical stocks and lightweight hunting stocks. This stock features a built-in aluminum micro-chassis system for improved accuracy. This rifle out of the box will compete with any custom gun.

CDX-R7 SHP SA (Short Action)

Dimensions\*:

47.4" x 3.91" x 7.73" | 120.40 x 9.93 x 19.63 cm

**Weight\*:** 13 lbs | 5897 grams

\*With muzzle brake. Based on 26" barrel.


CDX-R7 SHP LA (Long Action)

Dimensions\*:

48" x 3.91" x 7.73" | 121.92 x 9.93 x 19.63 cm

Weight\*: 13.5 lbs | 6123 grams

\*With muzzle brake. Based on 26" barrel.



# FEATURES / SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- 4 lug bolt with ultra-fast 50° short bolt throw. Standard round bolt knob or optional oversized cross hatch bolt knob.
- 1/4 turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable pinned top rail in 0, 20 or 30 MOA (stainless steel).
- DX2 EVO single/two stage selectable trigger.
- Cadex 1.238" straight taper fluted match grade button rifling barrel. (Optional Bartlein single point cut rifling fluted barrel also available on special request.) Easy and unique do-it-yourself rebarreling system.
- Strike Nuke EVO with built-in aluminum micro-chassis. Cerakote non-reflective coating.
- M-LOK fore-end. Optional night vision rail.
- AICS magazine compatible (short and long action).
- MX2 Tactical muzzle brake included.

See complete rifle stock features at page 29-30 and action features at page 49



00

Standard monopod rail

(#02528-012)

M-LOK optional accessories visit page 68





(#03127-A173-K1)














# OPTIONAL ITEMS

For all compatible



Bean baa rider (#03127-269-K1)

Spacer Kit (3 pcs.) (#03127-K016-K3)

MX1 muzzle brake

(#03127-695-K1)



















micro-chassis technology (No bedding required)

CDX-R7 CPS SA (Short Action)

#### Dimensions\*:

33.3" x 4" x 7.89" | 89.66 x 10.16 x 20.04 cm Without buttstock: 26.8" x 4" x 7.89" | 68 x 9.93 x 20.04 cm

**Weight\*:** 10.49 lbs | 4750 grams

\*Without muzzle brake. Based on 16.5" barrel.







The same of	CONTRACTOR OF THE PARTY OF THE			
	CALIBER	BARREL LENGTH	TWIST RATE	THREAD PITCH
	6.5 Creedmoor NEW	16.5"	1:8	5/8-24
	308 Win	16.5"	1:10	5/8-24
	Other configurations,	calibers and barrel len	gth available for Militar	y and LE applications

# FEATURES / SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- 4 lug bolt with ultra-fast 50° short bolt throw. Standard round bolt knob or optional oversized cross hatch bolt knob.
- 1/4 turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable pinned full length 20 MOA top rail.
- DX2 EVO single/two stage selectable trigger.
- Bartlein 1.238" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.
- Field QD (quick detach) chassis with ultra-fast buttstock takedown system. Cerakote non-reflective coating.
- Accessory rails at 3, 6 and 9 o'clock.
- AICS magazine compatible (short and long action).

See complete rifle stock features at page 41-42 and action features at page 49

# OPTIONAL ITEMS






(#03127-A083-K2)



(#03127-A019-K1)





Titanium compact suppressor



Arca tripod adaptor RC2 tripod adaptor (#03127-960-K1) (#03127-962-K1)



# CDX-R7 LCP SERIES

he CDX-R7 LCP Series includes all features required by the most demanding PRS competitive shooters. Its folding stock mechanism is a charm when it comes to cleaning and transport. The lightning fast R7 action with its 4 lug 50° bolt throw is a must to save time on PRS style stages. Based on a Rem 700 footprint and combined with a medium contour Bartlein Single Point Cut match grade fluted barrel for optimum performance. Compatible with M-LOK accessories.

CDX-R7 LCP SA (Short Action)

#### Dimensions\*:

42.3" x 4" x 7.6" | 107 x 10.16 x 19.3 cm

#### **Dimensions folded\*:**

36.5" x 4.37" x 7.6" | 92.7 x 11.1 x 19.3 cm

Weight\*: 12.95 lbs | 5879 grams

With muzzle brake: 13.6 lbs | 6169 grams

\*Without muzzle brake. Based on 26" barrel.

#### CDX-R7 LCP LA (Long Action)

#### Dimensions\*:

45.9" x 4" x 7.6" | 116.58 x 10.16 x 19.3 cm

#### Dimensions folded\*:

37.3" x 4.37" x 7.6" | 94.74 x 11.1 x 19.3 cm

With muzzle brake: 13.79 lbs | 6255 grams

Weight\*: 13.15 lbs | 5965 grams

\*Without muzzle brake. Based on 26" barrel.

## FEATURES / SPECIFICATIONS

- 416 stainless steel, 1.350" custom grade bolt action repeater (Rem 700 footprint).
- 4 lug bolt with ultra-fast 50° short bolt throw. Standard round bolt knob or optional oversized cross hatch bolt knob.
- 1/4 turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable pinned top rail in 0, 20 or 30 MOA (stainless steel).
- DX2 EVO single/two stage selectable trigger.
- Bartlein 1.238" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.
- Lite Competition chassis (LCP) with folding stock. Cerakote non-reflective coating.
- M-LOK full length competition fore-end tube with mirage mitigation technology.
- AICS magazine compatible (short and long action).

See complete rifle stock features at page 35-36 and action features at page 49

#### THREAD PITCH **CALIBER** N/A 6 Creedmoor N/A N/A 6.5 Creedmoor N/A 6.5x47 Lapua 6.5 PRC NEW N/A N/A N/A 300 Win Mag N/A 300 PRC NEW N/A 300 Norma Mag N/A 338 Lapua Mag N/A

# OPTIONAL ITEMS

Fit also optional tripod adaptors page 69



For all compatible M-LOK optional accessories visit page 67-68























MX1 muzzle brake



Monopod rail with flush cup (#03127-A173-K1)

ELR baa rider (#03127-950-K1)

Bean baa rider (#03127-269-K1)

Buttstock spacer 1 5/16" Centre accessory rail kit (2) (#03127-265-K1)

Centre bipod rail (#03127-A019-K1)

Recommended PRS accessory Arca Elite system page 67

he CDX-R7 FCP Series includes most features

that will satisfy the most demanding shooters.

The fixed skeleton stock is completely tool-free

your buck. Compatible with M-LOK accessories.

and benefits the weight saving of the competition

models. The CDX-R7 FCP Series is the best bang for

stock variant. The polymer detachable base of

the Field Series is a solid and cost effective solution

of the CDX-R7 LCP Series model but in a fixed

• 4 lug bolt with ultra-fast 50° short bolt throw. Standard round bolt knob or optional oversized cross hatch bolt knob.

• 1/4 turn tool-free bolt disassembly for an easy access to the firing pin.

• Interchangeable pinned top rail in 0, 20 or 30 MOA (stainless steel).

• DX2 EVO single/two stage selectable trigger.

Bartlein 1.238" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.

• Field Competition chassis (FCP) with fixed stock. Cerakote non-reflective coating.

M-LOK full length competition fore-end tube with mirage mitigation technology.

• AICS magazine compatible (short and long action).

See complete rifle stock features at page 37-38 and action features at page 49

#### THREAD PITCH **CALIBER** N/A 6 Creedmoor N/A 260 Rem N/A 6.5 Creedmoor N/A 6.5x47 Lapua 6.5 PRC NEW N/A N/A 300 Win Mag N/A 300 PRC NEW N/A N/A 300 Norma Mag N/A 338 Lapua Mag N/A

#### CDX-R7 FCP SA (Short Action)

#### Dimensions\*:

45" x 4" x 7.6" | 114.3 x 10.16 x 19.3 cm

**Weight\*:** 12.9 lbs | 5851 grams

With muzzle brake: 13.54 lbs | 6141 grams

\*Without muzzle brake. Based on 26" barrel.

#### CDX-R7 FCP LA (Long Action)

#### Dimensions\*:

45.85" x 4" x 7.6" | 116.46 x 10.16 x 19.3 cm

Weight\*: 13.1 lbs | 5942 grams

With muzzle brake: 13.74 lbs | 6232 grams

\*Without muzzle brake, Based on 26" barrel.





# OPTIONAL ITEMS

Fit also optional tripod adaptors page 69



For all compatible M-LOK optional accessories visit page 67-68













(#03127-A083-K2)







Monopod rail with flush cup (#03127-A173-K1)

ELR baa rider (#03127-950-K1)

Bean baa rider (#03127-269-K1)

Buttstock spacer 1 5/16" Centre accessory rail kit (2) (#03127-265-K1)

Centre bipod rail (#03127-A019-K1)

MX1 muzzle brake







Riflescope, scope mount, bean bag rider, centre bipod rail, M-LOK 9" bipod rail, bipod and muzzle brake sold separately

# CDX-MC KRAKEN®



he CDX-MC KRAKEN®, is a multi-caliber rifle using an innovative (patent pending) barrel change system. This multi-caliber system features the lowest shift of point of impact (0.1 mil) between takedown and reassembly of the same barrel on the market. Cadex CDX-MC uses a traditional barrel to action threading system while incorporating a special tool designed to unscrew and torque its barrel from the breech side. A single screw secures the chassis detachable base for a fast conversion between short and long action calibers. Maintaining the same P.O.I. is critical at extreme range and the Kraken® surpasses any other multi-caliber system on the market. Add your P.O.I. off sets between each barrels in your ballistics software and you'll never have to reconfirm a zero again!



#### Dimensions\*:

46" x 4.2" x 8" | 116.8 x 10.67 x 20.32 cm

#### Dimensions folded\*:

37.2" x 4.9" x 8" | 94.49 x 12.45 x 20.32 cm

Weight\*: 15.2 lbs | 6877 grams

With muzzle brake: 15.8 lbs | 7167 grams

\*Without muzzle brake. Based on 26" barrel.

		T	OP RA	IL	/в	ARRE	L LEN	NGTH	7		TWIS	ST RA	\TE			IREAD PITCH	0 4
CALIBER	30.	30,00	45,4	8//2		*/~		;  }	1.1.7	0,,	\s\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<u>, /</u>	%. / /		2 3 N		
6 Creedmoor	•	On request	On request		•	On request							•	•		On request	В
260 Rem	•	On request	On request		•	On request						•		•		On request	В
6.5 Creedmoor	•	On request	On request		•	On request						•		•		On request	В
6.5x47 Lapua	•	On request	On request		•	On request						•		•		On request	В
308 Win	•	On request	On	On request	•	On request		•	On request		On request			•		On request	В
300 Win Mag	On request	•	On request		On request	•			•					•		On request	С
300 PRC NEW	On request	•	On request		On request	•					On request	•		•		On request	С
300 Norma Mag	On request	•	On request		On request	•					On request	•		•		On request	D
338 Lapua Mag	On request	•	On request				•			•				5	•	On request	D
338 Norma Mag	On	•	On request				•			•					•	On request	D





## FEATURES / SPECIFICATIONS

- Quick caliber change (2 to 3 minutes) with virtually no shift of point of impact (<0.1 mil) on the same barrel. Best multi-caliber system with the lowest shift of P.O.I.
- 416 stainless steel, heavy duty 1.550" custom grade bolt action repeater with integral recoil lug.
- 3 lug bolt with 60° short bolt throw. Standard round bolt knob or optional oversized cross hatch bolt knob.
- 1/4 turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable 20, 30 or 45 MOA full length
- DX2 EVO single/two stage selectable trigger.
- Bartlein 1.300" straight taper fluted match grade barrel with 5R single point cut rifling technology. Unique barrel tenon design with machined grooves to work in conjunction with the Kraken tooling kit.
- Threaded muzzle for muzzle brake installation. Optional <sup>3</sup>/<sub>4</sub>-20 threads with suppressor band for use with a Cadex slip-on suppressor. Easy and unique do-it-yourself rebarreling system
- Multiple caliber group bolts (Type B, C or D).
- Proprietary Kraken chassis system with folding stock. Cerakote non-reflective coating.
- Mirage mitigation technology fore-end tube.
- Easy access to the conversion kit and trigger group by taking down one single captive screw.
- AICS magazine compatible (short and long action).

See complete rifle stock features at page 33-34 and action features at page 52





ELR bag rider

Bean bag rider

(#03127-269-K1)

Conversion Kit



OPTIONAL ITEMS

Centre accessory rail kit (2)

(#03127-A083-K2)

Centre bipod rail

(#03127-A019-K1)

Buttstock spacer 15/16" (#03127-265-K1)



MX1 muzzle brake
































# CDX-LITE SERIES

he CDX-30 LITE, CDX-300 LITE and CDX-33 LITE precision rifles combine all mandatory features that an operator needs in the field. Nothing is left to chance and every detail has been designed to offer the best long range sub-minute sniper system on the market. The CDX-LITE precision rifles will be your most reliable partner. Often imitated but never equaled. One shot, one kill... Then extract safely.

Available with Skeleton Stock

			T	OP RA	.IL	В	ARRE	L LEN	GTH			TWI	ST RA	TE		T	HREAD PITCH
MODEL	CALIBER	Ş	30.08	45, AS	<u> </u>	<b>)</b>	<b>Š</b> /~	\$\/\d	<u> </u>	7/1/2	0/.;	, \$\displays{\displays{1}}	\$\/\	, e, / <u>/</u>			PITCH OF THE PITCH
	6 Creedmoor	•	On request	On request		•	•							•	•		On request
	260 Rem	•	On request	On request		•	•						•		•		On request
CDX-30 LITE	6.5 Creedmoor	•	On request	On request		•	•						•		•		On request
CDX-30 LITE	6.5x47 Lapua	•	On request	On request		•	•						•		•		On request
	6.5 PRC NEW	•	On request	On request		•	•						•		•		On request
	308 Win	•	On request	On request	On request	•	On request		•	On request		On request			•		On request
CDX-300 LITE	300 Win Mag	On request	•	On request		On request	•			•					•		On request
CDX-300 LITE	300 PRC NEW	On request	•	On request		On request	•					On request	•		•		On request
	300 Norma Mag	On request	•	On request		On request	•					On request	•		•		On request
CDX-33 LITE	338 Lapua Mag	On request	•	On request				•			•					•	On request
	338 Norma Mag	On request	•	On request				•			•					•	On request

## FEATURES / SPECIFICATIONS

- 416 stainless steel, heavy duty 1.550" custom grade bolt action repeater.
- 3 lug bolt with ultra-smooth 60° short bolt throw. Standard round bolt knob or optional oversized cross hatch bolt knob.
- 1/4 turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable 20, 30 or 45 MOA full length top rail.
- DX2 EVO single/two stage selectable trigger.
- Bartlein 1.300" straight taper fluted match grade barrel with 5R single point cut rifling technology.
- Threaded muzzle for muzzle brake installation. Optional 3/4-20 threads with suppressor band for use with a Cadex slip-on suppressor. Easy and unique do-it-yourself rebarreling system.
- Lite Strike chassis system with folding stock. Cerakote non-reflective coating.
- Mirage mitigation technology fore-end tube.
- AICS magazine compatible (short and long action).

See complete rifle stock features at page 33-34 and action features at page 50

## CDX-30/300/33 LITE

CDX-30 LITE

\*Without muzzle brake

**Dimensions\*:** 43.8" x 3.7" x 7.7" | 111.25 x 9.4 x 19.56 cm

**Dimensions folded\*:** 35.4" x 4.7" x 7.7" | 89.91 x 11.94 x 19.56 cm

**Dimensions folded\*:** 31.4" x 4.7" x 7.7" | 79.75 x 11.94 x 19.56 cm

Weight\*: 13.1 lbs | 5969 grams - With muzzle brake: 13.8 lbs | 6259 grams

**Weight\*:** 13.5 lbs | 6151 grams - With muzzle brake: 14.2 lbs | 6441 grams

\*Without muzzle brake.

#### CDX-30/300/33 LITE

**Dimensions\*:** 45.8" x 3.7" x 7.7" | 116.33 x 9.4 x 19.56 cm

**Dimensions folded\*:** 37.4" x 4.7" x 7.7" | 94.99 x 11.94 x 19.56 cm

Weight\*: 13.7 lbs | 6241 grams - With muzzle brake: 14.4 lbs | 6531 grams

\*Without muzzle brake.

#### CDX-33 LITE

**Dimensions\*:** 46.8" x 3.7" x 7.7" | 118.87 x 9.4 x 19.56 cm

**Dimensions folded\*:** 38.4" x 4.7" x 7.7" | 97.53 x 11.94 x 19.56 cm

**Weight\*:** 13.8 lbs | 6277 grams - With muzzle brake: 14.5 lbs | 6567 grams

\*Without muzzle brake.

## OPTIONAL ITEMS

#### Fit also optional tripod adaptors page 69



Centre accessory rail kit (2)



Centre bipod rail (#03127-A019-K1)



Foldina stock

Buttstock spacer 1 5/16" (#03127-265-K1)




Bean bag rider



ELR baa rider (#03127-950-K1)



MX1 muzzle brake



# CDX-TAC SERIES



he CDX-30 TAC. CDX-300 TAC and CDX-33 TAC precision rifles are cost efficient solutions for law enforcement agencies or the civilian market that do not see an advantage in a folding stock mechanism. Same reliability and accuracy combined into a well proven package at a fraction of the cost.

				OP RA	IL	В	ARRE	L LEN	GTH			TWI	ST RA	\TE			HREAD PITCH
MODEL	CALIBER	Ş	30.00	POM SX	8//		<b>)</b>	<i>هُ</i> کُرُ	<u> </u>	71/1/2	0/.;/		§/,	95,			HREAD PITCH STATE OF
	6 Creedmoor	•	On request	On request		•	•							•	•		On request
	260 Rem	•	On request	On request		•	•						•		•		On request
CDX-30 TAC	6.5 Creedmoor	•	On request	On request		•	•						•		•		On request
CDX-30 IAC	6.5x47 Lapua	•	On request	On request		•	•						•		•		On request
	6.5 PRC NEW	•	On request	On request		•	•						•		•		On request
	308 Win	•	On request	On request	On request	•	On request		•	On request		On request			•		On request
CDX-300 TAC	300 Win Mag	On request	•	On request		On request	•			•					•		On request
CDX-300 TAC	300 PRC NEW	On request	•	On request		On request	•					On request	•		•		On request
	300 Norma Mag	On request	•	On request		On request	•					On request	•		•		On request
CDX-33 TAC	338 Lapua Mag	On request	•	On request				•			•					•	On request
	338 Norma Mag	On request	•	On request				•			•				á	•	On request

## FEATURES / SPECIFICATIONS

- 416 stainless steel, heavy duty 1.550" custom grade bolt action repeater.
- 3 lug bolt with ultra-smooth 60° short bolt throw. Standard round bolt knob or optional oversized cross hatch bolt knob.
- 1/4 turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable 20, 30 or 45 MOA full length top rail.
- DX2 EVO single/two stage selectable trigger.
- Bartlein 1.300" straight taper fluted match grade barrel with 5R single point cut rifling technology. Easy and unique do-it-yourself rebarreling system.
- Threaded muzzle for muzzle brake installation. Optional 3/4-20 threads with suppressor band for use with a Cadex slip-on suppressor.
- Field Tactical chassis system with fixed stock. Cerakote non-reflective coating.
- Mirage mitigation technology fore-end tube.
- AICS magazine compatible (short and long action).

See complete rifle stock features at page 39-40 and action features at page 50

#### CDX-30 TAC

**Dimensions\*:** 39.9" x 3.7" x 7.7" | 101.35 x 9.4 x 19.56 cm

Weight\*: 12 lbs | 5516 grams - With muzzle brake: 12.8 lbs | 5806 grams

\*Without muzzle brake.

#### CDX-30/300/33 TAC

**Dimensions\*:** 43.9" x 3.7" x 7.7" | 111.5 x 9.4 x 19.56 cm

Weight\*: 12.4 lbs | 5607 grams - With muzzle brake: 13 lbs | 5897 grams

\*Without muzzle brake.

#### CDX-30/300/33 TAC

**Dimensions\*:** 45.9" x 3.7" x 7.7" | 116.58 x 9.4 x 19.56 cm

Weight\*: 12.6 lbs | 5697 grams - With muzzle brake: 13.2 lbs | 5987 grams

\*Without muzzle hrake

#### CDX-33 TAC

**Dimensions\*:** 46.9" x 3.7" x 7.7" | 119.13 x 9.4 x 19.56 cm

Weight\*: 12.7 lbs | 5745 grams - With muzzle brake: 13.3 lbs | 6035 grams

\*Without muzzle brake.

## OPTIONAL ITEMS

#### Fit also optional tripod adaptors page 69



Centre accessory rail kit (2)



(#03127-A019-K1)



Buttstock spacer 1 5/16" (#03127-265-K1)




Bean bag rider



ELR bag rider (#03127-950-K1)



MX1 muzzle brake



# CDX-40 SHADOW

he CDX-40 Shadow is the Cadex Precision Rifle chambered in either 375 EnABELR or 375/408 CT. These ultimate calibers were designed for extreme range shooting and anti-materiel up to 4000 yards with proper training and shooting conditions. Push your limits even further with the CDX-40 SHADOW. Renowned by the ELR community as the best extreme range platform on the market.

#### CDX-40 SHADOW

#### Dimensions':

49.8" x 4.3" x 8.25" | 126.5 x 10.92 x 21 cm

#### **Dimensions folded':**

41.4" x 5.04" x 8.25" | 105.15 x 12.8 x 21 cm

Weight\*: 18.5 lbs | 8391 grams


With muzzle brake: 19.4 lbs | 8808 grams

\*Without muzzle brake. Based on 29" barrel.











Triple recoil lug system

Available with Skeleton Stock

			TOP RA	IL		ARREL NGTH		TWIS	T RA	TE	PI	THREAD TCH
	CALIBER	30 MOS	8 00 8 N	<u>\$</u> //.	\$\frac{1}{2}		30 00 mg	0000	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	000	18.4	Se Sura
	375 CT	On request	• On request	On request	•	On request	•				•	On request
NEW	375 EnABELR	On request	<ul> <li>On request.</li> </ul>	on	•	•					•	On request
	408 CT	On request	• On request		On request			On				On

# FEATURES / SPECIFICATIONS

- 416 stainless steel, heavy duty 1.600" custom grade bolt action repeater.
- 3 lug bolt with 60° short bolt throw.
   Standard round bolt knob or optional oversized cross hatch bolt knob.
- 1/4 turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable 20, 40 or 60 MOA full length top rail.
- DX2 EVO single/two stage selectable trigger.
- Bartlein 1.350" straight taper fluted match grade barrel with single point cut rifling technology. 29" for military applications, 32" for ultimate long range performance.
- Very low recoil calibers compared to 50 BMG.
- Threaded muzzle for muzzle brake installation. Optional suppressor band for use with a Cadex slip-on suppressor. Easy and unique do-it-yourself rebarreling system.
- Dual Strike chassis system with folding stock.
   Cerakote non-reflective coating.
- Mirage mitigation technology fore-end tube.
- DSSF 7 round magazine offering the longest cartridge overall length in the industry.

See complete rifle stock features at page 31-32 and action features at page 51

# OPTIONAL ITEMS

#### Fit also optional tripod adaptors page 69



Centre accessory rail kit (2)



Centre bipod rail



Buttstock spacer 1 5/16" (#03127-265-K1)



Bean bag rider (#03127-269-K1)



ELR bag rider (#03127-950-K1)



MX1 muzzle brake (#3850-045)

# CDX-50 TREMOR®

he CDX-50 TREMOR®, a 50 caliber Precision Rifle built to Military Spec, is capable of delivering a huge payload accurately while maintaining very manageable recoil. The CDX-50 is a lightweight bolt action rifle that brings new technology to the 50 BMG of years gone by. Don't get fooled by semi-automatic rifles shooting at best 2.5 MOA... This is the ultimate extreme range anti-materiel rifle.

#### CDX-50 TREMOR®

#### Dimensions\*:

51.5" x 4.6" x 8.4" | 130.81 x 11.68 x 21.34 cm

#### Dimensions folded\*:

42.4" x 5.4" x 8.4" | 107.7 x 13.71 x 21.34 cm

Weight\*: 22.6 lbs | 10 251 grams


With muzzle brake: 23.9 lbs | 10 836 grams

\*Without muzzle brake. Based on 29" barrel.











Triple recoil lug system

Available with Skeleton Stock

	ТОР	RAIL	BARREL LENGTH	TWIST RATE	THREAD PITCH	
CALIBER	San Of Sa	\$ \\\ \dot{\phi}{\phi}\\	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2.7.8 8.6.8.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.7.	T JAN SON	
50 BMG	00	On request •	On request	• •	On request	

# FEATURES / SPECIFICATIONS

- 416 stainless steel, heavy duty 1.960" custom grade bolt action repeater.
- 4 lug bolt with 50° ultra-short bolt throw. Standard round bolt knob or optional oversized cross hatch bolt knob.
- 1/4 turn tool-free bolt disassembly for an easy access to the firing pin.
- Interchangeable 20 or 40 MOA full length
- DX2 EVO single/two stage selectable trigger.
- Bartlein 1.680" straight taper fluted match grade barrel with single point cut rifling technology. 29" for military applications, 32" for ultimate long range performance.
- Threaded muzzle for muzzle brake installation. Optional suppressor band for use with a Cadex slip-on suppressor. Easy and unique do-it-yourself rebarreling system.
- Dual Strike chassis system with folding stock. Cerakote non-reflective coating.
- Mirage mitigation technology fore-end tube.
- SSSF 5 round magazine. Easiest 50 BMG magazine change in the industry.

See complete rifle stock features at page 31-32 and action features at page 51

# OPTIONAL ITEMS

#### Fit also optional tripod adaptors page 69



Centre accessory rail kit (2)



(#03127-A019-K1)





(#03127-265-K1)







MX1 muzzle brake (#3850-044)

# PETERSON BRASS

# PETERSON AMMUNITIONS



Peterson Cartridge believes that the foundation of accuracy, begins with precision components and that is what we put into our ammunition line. Cadex Defence has the same philosophy for every weapon that they produce. Peterson Cartridge is proud to announce that Cadex Defence will carry the Peterson Cartridge line of components and ammunition for 2020.








Precision ammunition and precision rifles... **Make every shot count...** 

> **Wyatt Earp said it best** "Speed is fine, accuracy is final"

Peterson Cartridge introduces its new line of ammunition, some tested out up to 1 mile (1609m), for shooters with the gun and inclination to hunt or compete at long distances.

- High-BC bullets
- Powders that are ideally suited for long-distance
- Bench rest primers
- And of course, extremely consistent Peterson casings














Visit the Cadex Defence website to see the complete ammunition and brass offering

HUNTING SERIES —

# TUNDRA STRIKE

he Tundra Strike rifle stock is designed with back country hunters in mind. Unlike other manufacturers out there aiming at the absolute lightest materials available, Cadex oriented this rifle stock towards a perfect balance between weight reduction, rigidity and no compromise on stability.

The Tundra Strike is an affordable rifle stock with the right features at the right place offering unbeatable value for your money. The rifle stock is polymer injected with our special recipe of fibers to produce a lightweight yet extremely stiff rifle stock blank. Within the polymer rifle stock blank is molded in aluminum bedding blocks among which is CNC machined the magazine housing and recoil lug pocket to insure a perfect alignment. This production process is so precise that no bedding compound is required. No need to be a gunsmith to do it, it is a 2 minutes installation process similar to our chassis systems.

Designed to fit the CDX-R7 actions, Rem 700 and clones. No bedding job required.

#### SHORT/LONG ACTION

**Dimensions:** 

30.83" x 1.72" x 5.71" | 78.28 x 4.36 x 14.51 cm

**Weight:** 2.6 lbs | 1179 grams














1 RECOIL PAD

Cadex recoil pad.

2 CHEEK PAD Neoprene cheek pad. 3 SLING STUD Front and rear.

Rubberized grip insert.

5 TRIGGER GUARD


Oversized trigger guard and magazine release for easy manipulation with gloves.

6 AICS MAGAZINE TYPE

Short Action: DSSF 3.055" Long Action: SSSF 3.715", 3.775" and 3.850" CIP

7 FRONT GRIP Rubberized grip insert.

FORE-END INSERTS Sporter and heavy barrel included.



CADEX

# STRIKE NUKE EVO

he Cadex Strike Nuke Evo micro-chassis system is designed for shooters looking for traditional stock ergonomics while benefitting from the advantages of chassis systems. Gen2 improved design with M-LOK technology and high density fiberglass reinforced polymer. The Strike Nuke Evo stock is adaptable to most Rem 700 custom action clones and CDX-R7 Series actions. Cerakote coated.

NEW for 2020, addition of Tikka T3(x) and T3(x) CTR variants.

- 1 RECOIL PAD Adjustable recoil pad height
- LENGTH OF PULL Optional additional spacers to increase the L.O.P. (L.O.P: 13.5"-15.81")
- CHEEK PIECE Tool-free spring loaded up and down cheek piece adjustment. Side to side adjustable.
- 4 QD SLING ATTACHMENT Built-in flush cups (both sides).
- 6 OPTIONAL Monopod rail or Bean bag rider.

1

6 GRIP Optimized grip angle with comfortable thumb rest.

7 TRIGGER GUARD Oversized trigger guard and magazine release for easy manipulation with gloves.

AICS MAG WELL Reinforced polymer.

9 INLETTING

Designed to fit Rem 700 and clones. Also available for Tikka T3(x) and T3(x) CTR

10 MAGAZINE AICS magazine compatible

1 OPTIONAL M-LOK bipod/sling adaptor. 12 OPTIONAL

M-LOK aluminum bipod rail.

TO OPTIONAL Accessory rail kit (2) or flush cup adaptor

M FORE-END TUBE Semi wide ergonomic fore-end.

Standard monopod rail (#02528-012)

OPTIONAL ITEMS


00






(#03127-A173-K1)









For all compatible M-LOK optional accessories visit page 68
















Max. barrel

Dia 1.350" straight tapei

to 1.250"

**Weight:** 8.15 lbs | 3697 grams

# DUAL STRIKE

ltimate sniper system currently in use worldwide by special operations units and long range shooters.





## TOOL-FREE

Fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.57")

2 MONOPOD RAIL

Or optional Bean bag rider

FOLDING BUTTSTOCK

Reverse folding buttstock offers bolt handle protection and ultra-compact transport.

4 GRIP

Finger-grooved Cadex rubberized grip.

5 TRIGGER GUARD

Oversized trigger guard and magazine release for easy manipulation with gloves.

6 DUAL TOP RAIL

ODG

20 MOA full length dual top rail.

7 CHASSIS

Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

8 DETACHABLE BASE

4

Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of aluminum.

9 OPTIONAL

Centre accessory rail kit (2).

10 SPARE SCREWS

Centre bipod rail.

Heavy Duty fore-end tube 3, 6 and 9 o'clock.

1 OPTIONAL

P FORE-END TUBE

providing rail placement at

# OPTIONAL ITEMS

#### Fit also optional tripod adaptors page 69



SHORT ACTION

Weight: 7.27 lbs | 3300 grams

33.5" x 3.1" x 8.13" | 85.09 x 7.87 x 20.65 cm

24.73" x 4.92" x 8.13" | 62.9 x 12.5 x 20.65 cm

8

Multiple interchangeable

magazine sleeves are available to fit most

AICS magazines on the market

**Dimensions:** 

**Dimensions folded:** 

Centre accessory rail kit (2) (#03127-A083-K2)



Centre bipod rail (#03127-A019-K1)



Defiance Rebel only

J.J. Rock Super XL

LONG ACTION

**Weight:** 7.43 lbs | 3372 grams

**Dimensions folded:** 

34.25" x 3.1" x 8.13" | 86.99 x 7.87 x 20.65 cm

25.27" x 4.68" x 8.13" | 64.2 x 11.9 x 20.65 cm

**Dimensions:** 

Buttstock spacer 1 5/16" (#03127-265-K1)



Bean baa rider



ELR bag rider (#03127-950-K1)



Available with Skeleton Stock

24.76" x 5.07" x 8.34" | 62.9 x 12.9 x 21.18 cm

Max. barrel Dia 1.800"

## CONFIGURATIONS Rem 700 Rem 40-XB Mc Millan **PGWDTI** Stiller Tac & Predator\* **SAKO TRG 22/42** Surgeon 591, 1086 & 1581

May also fit many other Wildcat calibers \*Stiller 408 CT (1.45" & 1.60")

# LITE STRIKE

ame ultimate sniper rifle system as the Dual Strike model but with emphasis on weight reduction. Small contour fore-end tube with same rail capabilities.

## 1 pound lighter than the **Dual Strike model**



#### TOOL-FREE

Fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.57")

2 MONOPOD RAIL

Or optional Bean bag rider

3 FOLDING BUTTSTOCK

Reverse folding buttstock offers bolt handle protection and ultra-compact transport.

Finger-grooved Cadex rubberized grip.

TRIGGER GUARD

Oversized trigger guard and magazine release for easy manipulation with gloves.

#### 6 LITE TOP RAIL 20 MOA full length top rail.

Made from aircraft grade 6061-T6

and painted with a military grade

aluminum billets, anodized

non-reflective paint.

7 CHASSIS

adjustment. This allows the platform to maintain zero.

9 OPTIONAL

8 DETACHABLE BASE Provides easy trigger access for maintenance and trigger

Made of aluminum.

4

Centre accessory rail kit (2).

PORE-END TUBE

10 SPARE SCREWS

11 OPTIONAL Centre bipod rail.

> Heavy Duty fore-end tube providing rail placement at 3, 6 and 9 o'clock.

#### SHORT ACTION

#### **Dimensions:**

33.13" x 2.57" x 8" | 84.1 x 6.53 x 20.32 cm

#### **Dimensions folded:**

24.37" x 4.75" x 8" | 61.9 x 12.07 x 20.32 cm

**Weight:** 6.24 lbs | 2831 grams

#### LONG ACTION

#### **Dimensions:**

34.05" x 2.57" x 8" | 86.5 x 6.53 x 20.32 cm

#### **Dimensions folded:**

25.19" x 4.75" x 8" | 64 x 12.07 x 20.32 cm

**Weight:** 6.39 lbs | 2900 grams



Custom Actions CDX-R7 SERIES

Rem 700 and other custom action clones

# CADEX DEFENCE CHASSIS SYSTEM Max. barrel Dia 1.350"

# **CONFIGURATIONS** Cadex R7 Rem 700 Rem 40-XB Savage\* PGWDTI\*\* Stiller Tac & Predator Tikka T3/T3x (AICS mags) Tikka T3/T3x (Factory mags) Tikka T3/T3x CTR May also fit many other Wildcat calibers

\*Savage: 10-11-12-14-16-110-111-114-116 2006 to current generation except 12 target series

\*\* PGWDTI: Requires some permanent modifications to the action

8

Multiple interchangeable magazine sleeves are available to fit most AICS magazines on the market

# OPTIONAL ITEMS

#### Fit also optional tripod adaptors page 69



Centre accessory rail kit (2) (#03127-A083-K2)



Centre bipod rail (#03127-A019-K1)



Buttstock spacer 15/16" (#03127-265-K1)



Bean baa rider (#03127-269-K1)



ELR bag rider (#03127-950-K1)



Available with Skeleton Stock

27.57" x 4.6" x 7.17" | 70.03 x 11.68 x 18.21 cm

Rem 700

Rem 40-XB Savage\*

Tikka T3/T3x (AICS mags)

Tikka T3/T3x (Factory mags) Tikka T3/T3x CTR

Stiller TAC, Pred & Spectre

Surgeon 591 & 1086

Xtreme titanium SA & LA

Rem 700 SA/LA clones



interchangeable magazine sleeves are available to fit most AICS magazines on the market

# LITE COMPETITION

he Lite Competition Series features an open top chassis designed to fit all Remington 700 clone actions and several other models. Perfect for custom actions with integrated top rails. It features a mirage mitigation technology fore-end with M-LOK at 3, 6 and 9 o'clock. This chassis includes all features required by the most demanding competitive shooters including a folding stock mechanism.

Perfect for custom rifle builds and PRS competitions Available for Cadex Custom Actions **CDX-R7 SERIES** Rem 700 and other custom action clones

**SKELETON STOCK** 

Tool-free fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.25")

2 MONOPOD RAIL

3 FOLDING BUTTSTOCK

Or optional Bean bag rider.

Reverse folding buttstock offers bolt handle protection and ultra-compact transport.

Finger-grooved Cadex rubberized grip.

## 5 TRIGGER GUARD

Oversized trigger guard and magazine release for easy manipulation with gloves.

6 OPEN TOP

Allows optic to be mounted directly on the action using traditional scope bases, Picatinny rail or built-in action rail.

Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

#### DETACHABLE BASE

Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of aluminum.

## 9 MAGAZINE

AICS magazine compatible.

12 OPTIONAL Centre bipod rail.

## B OPTIONAL


#### 10 OPTIONAL Centre accessory rail kit (2).

11 SPARE SCREWS

C: M-LOK flush cup adaptor (p.68).

## M-LOK FORE-END TUBE

mirage mitigation technology. Longer tube for even more bipod positioning and stability.



## B: M-LOK aluminum bipod rail.



#### Centre accessory rail kit (2) (#03127-A083-K2)



Centre bipod rail (#03127-A019-K1)



(#03127-265-K1)





Bean baa rider (#03127-269-K1)



Contact Cadex to confirm compatibility

May also fit many other Wildcat calibers \*Savage: 10-11-12-14-16-110-111-114-116 2006 to current generation except 12 target series

ELR bag rider (#03127-950-K1)



Field series 20 MOA top rail

**Dimensions folded:** Weight: 5.61 lbs | 2545 grams

7 **CONFIGURATIONS** 



SHORT ACTION

Weight: 5 lbs | 2268 grams

35.74" x 2.3" x 7.17" | 90.78 x 5.84 x 18.21 cm

26.75" x 4.6" x 7.17" | 67.95 x 11.68 x 18.21 cm

**Dimensions:** 

**Dimensions folded:** 

# OPTIONAL ITEMS

Fit also optional tripod adaptors page 69



For all compatible M-LOK optional accessories visit page 67-68

Buttstock spacer 1 5/16"

# FIELD COMPETITION

he Field Competition Series features an open top chassis designed to fit all Remington 700 clone actions and several other models. Perfect for custom actions with integrated top rail or the CDX-R7 Series action. It features a mirage mitigation technology fore-end with more bipod placement possibilities This chassis includes all features required by the most demanding competitive shooters in an economical non-folding configuration.

**Perfect for custom rifle builds** and long range competition

1

**SKELETON STOCK** 

Tool-free fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.25") Now with cleaning rod opening.

2 MONOPOD RAIL

Or optional Bean bag rider.

inger-grooved Cadex rubberized grip.

TRIGGER GUARD

Oversized trigger guard and magazine release for easy manipulation with gloves.

OPEN TOP

Allows optic to be mounted directly on the action using traditional scope bases, Picatinny rail or built-in action rail.

CHASSIS

Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

7 DETACHABLE BASE

Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of polymer (most models).

8 MAGAZINE

AICS magazine compatible

9 OPTIONAL

Centre accessory rail kit (2).

10 OPTIONAL Centre bipod rail. \*2018 and up

production only

1 OPTIONAL

Flush cup sling adaptor (p.68)

12 M-LOK FORE-END TUBE

M-LOK competition fore-end tube featuring mirage mitigation technology. Longer tube for even more bipod positioning and stability.

B OPTIONAL

3

A: M-LOK bipod/sling adaptor. B: M-LOK aluminum bipod rail. SHORT ACTION

**Dimensions:** 

7

OPTIONAL ITEMS

Centre accessory rail kit (2)

(#03127-A083-K2)

Fit also optional tripod adaptors page 69

For all compatible M-LOK optional

accessories visit page 67-68

35.66" x 2.3" x 7.17" | 90.58 x 5.84 x 18.21 cm

Weight: 4.75 lbs | 2155 grams

LONG ACTION

**Dimensions:** 


36.51" x 2.3" x 7.17" | 92.74 x 5.84 x 18.21 cm

Weight: 5.37 lbs | 2436 grams



Rem 700 and other custom action clones





May also fit many other Wildcat calibers \*Savage: 10-11-12-14-16-110-111-114-116 2006 to current generation except 12 target series

Centre bipod rail (#03127-A019-K1)



Buttstock spacer 1 5/16" (#03127-265-K1)



Bean baa rider (#03127-269-K1)



ELR bag rider (#03127-950-K1)



Field series 20 MOA top rail

Max. barrel

# FIELD TACTICAL

ugged Law Enforcement sniper rifle system with full rail capability and aluminum detachable base. Delivered with full length 20 MOA top rail and accessory rails at 3, 6 and 9 o'clock.





1 SKELETON STOCK

Tool-free fully adjustable stock for length of pull, cheek piece and recoil pad height. (L.O.P.: 12.95" - 14.25") Now with cleaning rod opening.

MONOPOD RAIL

Or optional Bean bag rider.

Finger-grooved Cadex rubberized grip.

## 4 TRIGGER GUARD

Oversized trigger guard and magazine release for easy manipulation with gloves.

G CHASSIS

Made from aircraft grade 6061-T6 aluminum billets, anodized and painted with a military grade non-reflective paint.

## 6 DETACHABLE BASE

Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of aluminum.

7 LITE TOP RAIL 20 MOA full length top rail. 3, 6 and 9 o'clock.

## 8 OPTIONAL

Centre accessory rail kit (2).

## 9 FORE-END TUBE

Small contour fore-end tube providing rail placement at

#### SHORT ACTION

#### **Dimensions:**

34" x 2.57" x 8" | 86.36 x 6.53 x 20.32 cm


Weight: 5.50 lbs | 2494 grams

#### LONG ACTION

#### **Dimensions:**

34.76" x 2.57" x 8" | 88.3 x 6.53 x 20.32 cm

**Weight:** 5.58 lbs | 2531 grams





Multiple interchangeable magazine sleeves are available to fit most

AICS magazines on the market

6



Centre accessory rail kit (2) (#03127-A083-K2)



Buttstock spacer 1 5/16" (#03127-265-K1)



Bean bag rider (#03127-269-K1)



ELR bag rider (#03127-950-K1)



ompact and ultralight shooting platform perfect for urban sniping and varmint hunting. Quick detach buttstock system for ease of transportation. Now Cerakote coated.

The Bull Higher St. (Controller)



Also available with QD Skeleton Stock upgrade

**Fast takedown** shooting platform

## 1 MAGPUL MOE STOCK

Magpul 6-position retractable buttstock. (L.O.P.: 11.0" - 14.25") (Optional cheek riser highly recommended)

## 2 BUTTSTOCK

Ultra-fast takedown push-button mechanism.

Finger-grooved Cadex rubberized grip.

## 4 TRIGGER GUARD

Oversized trigger guard and magazine release for easy manipulation with gloves.

\*Shown with recommended optional cheek rest

#### CHASSIS

Made from aircraft grade 6061-T6 aluminum billets, anodized and coated with Cerakote.

## 6 DETACHABLE BASE

Provides easy trigger access for maintenance and trigger adjustment. This allows the platform to maintain zero. Made of aluminum.

#### 7 LITE TOP RAIL 20 MOA full length top rail.

8 OPTIONAL Centre accessory rail kit (2).

## 9 OPTIONAL

3

Centre bipod rail.

#### 10 FORE-END TUBE

Small contour fore-end tube providing rail placement at 3, 6 and 9 o'clock.

#### SHORT ACTION

#### **Dimensions:**

31.5" x 2.57" x 8" | 80.01 x 6.53 x 20.32 cm Without buttstock: 24.25" x 2.57" x 8" | 61.6 x 6.53 x 20.32 cm

Weight: 4.39 lbs | 1991 grams





SSV

(except if you upgrade with the QD Skeleton Stock)



6

CONFIGURATION	S	\$ 5/3	On Hand	A POST	15 S.	250 Pm	W. William	105. 107.	300 Min	30 (1924)	0.00 July 0.00 J	30. Man	S NO S	15M 00 5	JORUN 33-	20 6 Pulson	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	C 1805
Cadex R7	•				•	•	•	•					•					
Rem 700	•		•	•	•	•	•	•					•					
Tikka T3/T3x (AICS Mag)	•		•	•	•	•	•	•										
Tikka T3/T3x CTR	•		•	•	•	•	•	•										



# OPTIONAL ITEMS



Centre accessory rail kit (2) (#03127-A083-K2)



Centre bipod rail (#03127-A019-K1)



Recommended 0.75" cheek riser (only 4 buttstock positions useable)



Arca tripod adaptor (#03127-960-K1)



RC2 tripod adaptor (#03127-962-K1)

STRIKE SERIES -

# OBSOLETE MODELS

URBAN STRIKE



TACTICAL CORE



FIELD CORE



OT CORE



# **AVAILABLE ON REQUEST UNTIL SUPPLIES LAST**

Contact Cadex Defence for price and availability



# **COMPARISON TABLE**

				BUTTS	госк ѕ	TYLE				CK FEA	TURES	5	то	P RAIL	STYLE	: / c	HASSI	S FEAT	URES		CHAS	SSIS R	AILS &	ATTAC	HMEN
CHASSIS MODELS	ی	John John John	560 SiO4	75 00 N	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40; Justable butt	Ded Desper	150 July 1906.	But Pag in	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,8%   1000 00 00 00 00 00 00 00 00 00 00 00 0		Time of the state	No to (19)	Series Sirios VI	die 292ino 91io	deta d'uminum detachaminum de d'e	***************************************	**************************************					116 000 00 00 00 00 00 00 00 00 00 00 00 0	07 10 00 00 10 00
Dual Strike (STKDL)	•	Optional (folding)			•	•	•	Optional		•	•			•	•	•		Optional	Optional	•	•	•	•	•	
Lite Strike (STKLT)	•	Optional (folding)			•	•	•	Optional	Optional	•	•			•	•	•		Optional	Optional	•	•	•	•	•	
Lite Competition (STKLCP)		• (folding)			•	•	•	Optional	Optional	•		Optional	•	•	•	•		Optional	Optional	Optional	1		Optional	Optional	•
Field Tactical (STKFT)		• (fixed)			•	•	•	Optional	Optional	•	•			•	•	•			Optional	•	•	•	•	•	
Field Competition (STKFCP)		• (fixed)			•	•	•	Optional	Optional	•		Optional	•	•			•		Optional	Optional	1		Optional	Optional	•
Field QD (STKFQD)		(QD)		Optional	•	•	•	Optional	Optional	•	•			•	•	•		Optional	Optional	•	•	•	•	•	
Strike Nuke Evo (STKNUK)			•		•	•	(spacers)	Optional	Optional	Optional	Optional		•			(fixed)	•			Optional	Optional		Optional	Optional	•







# LEFT HANDED MODELS

# **MODULAR SYSTEM**

Available for Remington 700, Stiller, Tikka T3/T3X, Defiance, Xtreme and most Rem 700 clones. (See appropriate chassis spec chart)

# LITE STRIKE

Same ultimate sniper rifle system as the Dual Strike model but with emphasis on weight reduction.

# LITE COMPETITION

Designed to incorporate all features needed by competitive shooters.

# FIELD TACTICAL

Rugged Law Enforcement sniper system with full rail capability and aluminum detachable base.

# FIELD COMPETITION

Same amazing chassis as the Lite Competition but with a fixed stock.

## **DISCONTINUED BUT AVAILABLE ON REQUEST**

# URBAN STRIKE

Compact and ultra-light shooting platform perfect for urban sniping and varmint hunting.

# TACTICAL CORE

Rugged, naked and ready for customizing to shooter's preferences.

# OT CORE

The OT Core is an open top chassis designed to fit actions featuring their proprietary top rail




## TRANSFORM YOUR HUNTING RIFLE INTO A PRECISION RIFLE


- Accuracy improvement
- Increased stability
- Fits any AR style buttstock
- Fits most AR style grips
- Detachable magazine

- Reduces felt recoil
- 20 MOA rail for long distance shots
- Improved ergonomics
- Multiple accessory rails













# **BUTTSTOCK** FEATURES -

# TOOL-FREE ADJUSTABLE BUTTSTOCK



Pinch tabs to adjust cheek piece height



Payarsa folding



# CADEX SKELETON STOCK



# **ACCESSORIES**

## **CADEX RUBBERIZED GRIP**

Part#: 175-00088-BLK

3.38" x 1.8" x 4.13" 8.59 x 4.57 x 10.16 cm

Material: Rubber

Weight: 0.2 lbs | 91 grams

Now featuring the Cadex Defence logo

# SMALL ERGO GRIP



# CADEX RECOIL PAD

THE PLANT	
5	Part#: 175-00087-BLK
CATIO	<b>Dimensions:</b> 1.1" x 1.9" x 5.7" 2.8 x 4.83 x 14.48 cm
SPECIF	Material: Rubber Weight: 0.3 lbs   136 grams
No	w featuring the

Cadex Defence logo

# **AVAILABLE COLORS**

	PRECISION RIFLES		<b>CHASSIS SYSTEM</b>
	CERAKOTE COATINGS		SHERWIN-WILLIAMS
BLK	H-146 GRAPHITE BLACK	BLK	POLANE DEAD FLAT BLACK F63B75301
TAN	H-308 CADEX TAN	TAN	POLANE FLAT DARK EARTH F63TXH6123-8716
ODG	H-232 MAGPUL™ O.D. GREEN	ODG	POLANE O.D. GREEN F63TXG6099-8716
CCV			CERAKOTE COATINGS
SSV	C-293 VORTEX BRONZE	SSV	C-293 VORTEX BRONZE
GRY	C-239 SNIPER GREY	GRY	C-239 SNIPER GREY

\*Some exceptions may apply. Contact Cadex prior to order some Cerakote\*
Special run colors:
H-175 Robin's Egg Blue • H-128 Hunter Orange • H-297 Stormtrooper White

# HYBRID COLORS

(Action receiver, bolt and barrel black + chassis color of your choice)



Hybrid Tan/Black (HTB)



Hybrid Stealth Shadow (HSB)



**Hybrid Green/Black** (HOD)



Hybrid Grey/Black (HGB)











ODG


SSV

3 lug - 60°

# **ACTIONS**

# CDX-R7 SERIES IA

**REM 700 FOOTPRINT** - CUSTOM ACTIONS



system with integrated recoil groove the action uppe ODG section







-

Visit cadexdefence.com to download the barrel shank drawing

# RECEIVER

AVAILABLE SEPARATELY

- Machining: CNC
- Material: Stainless 416
- · Length: (Short Action: 7.85") (Long Action: 8.70")
- · Weight of the action with bolt: 2.45 lbs / 1111 grams (Short Action)
- Diameter: 1.350"
- Thread: 1½16"-18 tpi
- · Hardness: 41-43 HRC
- Deep laser engraving markings

Compatible with any Cadex chassis for R7 actions

Cerakote finish

- .250" hardened steel recoil lug
- · Stainless 0, 20, 30 MOA top rail
- · 8-40 top rail screws
- Heavy duty bolt stop
- · Short Action: AICS DSSF 3.055" Long Action: AICS up to 3.850" CIP
- · Perfect Rem 700 footprint No modification required
- Compatible with the Cadex DX2 Evo trigger or some Rem Style aftermarket triggers



- Machining: CNC
- Material: Stainless 416
- · Cadex heavy duty extractor
- Ejector: Rem style
- · Tool-free bolt disassembly
- Hardness: 43-45 HRC
- Multiple bolt faces available: Type B, C, D

- · Shroud with cocking indicator
- (or optional oversized cross hatch)
- Bolt stop: Cadex design
- bolt throw for ultra-fast cycling







- Round bolt knob standard
- Cadex design cocking piece
- · Spiral fluted 4 lug bolt with 50°

# Triple recoil lug system

**RECEIVER** 

Material: Stainless 416

· Length: 9"

Diameter: 1.550"

Thread: 1½6"-18 tpi

· Hardness: 41-43 HRC

8-40 top rail screws


· Cerakote finish

· Machining: CNC and wire EDM

.350" hardened steel recoil lug

Deep laser engraving markings





Oversize bolt stop and pin

Visit cadexdefence.com to download the barrel shank drawing

Left side

- Unique top rail localization system with integrated recoil groove machined into the action upper section
- Magazine cut out: AICS DSSF or AICS SSSF
- Cadex proprietary footprint
- Compatible with the Cadex DX2 Evo trigger or some Rem Style aftermarket triggers

# BOLT


- Machining: CNC
- · Material: Stainless 416
- · Firing pin: Cadex design with improved locktime

\*Shown with optional oversized cross hatch bolt knob

Replacement firing pin assembly

- Cadex heavy duty extractor
- · Ejector: Rem style
- Easy 1/4 turn tool-free bolt disassembly
- · Hardness: 43-45 HRC
- Bolt stop: Cadex design






- · Shroud: Cadex design with 2 position top safety
- (or optional oversized cross hatch)







· Round bolt knob standard



· Cadex design cocking piece

· Easy firing pin assembly replacement



CDX-MC KRAKEN®

ODG

SSV


GRY

-

3 lug - 60°

3 lug - 60°

# CDX-40 / CDX-50






Visit cadexdefence.com to download the barrel shank drawing

# RECEIVER

AVAILABLE SEPARATELY

- Machining: CNC
- · Material: Stainless 416
- · Length: (40: 10") (50: 11.900")
- Diameter: (40: 1.600") (50: 1.960")
- Thread: (40: 13/16"-18 tpi) (50: 11/2"-18 tpi)
- Hardness: 41-43 HRC
- · 40: .350" hardened steel recoil lug 50: .420" hardened steel recoil lug
- 10-32 top rail screws





- · Includes a 20 MOA stainless steel Picatinny rail
- Oversize bolt stop and pin

Cerakote finish

- Unique top rail localisation system with integrated recoil groove machined into the action upper section
- · Magazine cut out: Cadex SSSF or DSSF
- Cadex proprietary footprint
- · Compatible with the Cadex DX2 Evo trigger or some Rem Style aftermarket triggers
- Deep laser engraving markings

## **BOLT**

- · Machining: CNC
- Material: Stainless 416
- · Firing pin: Cadex design with improved locktime
- · Cadex heavy duty extractor
- · Ejectors: Rem style double ejectors
- Easy 1/4 turn tool-free bolt disassembly
- · Hardness: 43-45 HRC
- · Easy firing pin assembly replacement

- · Shroud: Cadex design with 2 position top safety
- · Round bolt knob standard (or optional oversized cross hatch)
- · Bolt stop: Cadex design
- · Spiral fluted bolt
- Cadex design cocking piece
- Bolt face type E: 375/408 CT
- Bolt face type F: 50 BMG






# RECEIVER

- Machining: CNC
- Material: Stainless 416
- Length: 9.150"
- Thread: 1<sup>3</sup>/<sub>16</sub>"-18 tpi
- · Hardness: 41-43 HRC

- · Cerakote finish



Left side

Mfg: CADEX Inc. CANADA

- Diameter: 1.550"
- .350" integral recoil lug
- · Deep laser engraving markings
- Fits up to 3.850" magazines

- #10-32 top rail screws
- Oversize bolt stop and pin
- Unique top rail localisation system with integrated recoil groove machined into the action upper section
- Magazine cut out: Short action AICS DSSF or Long action AICS SSSF
- Cadex proprietary footprint
- · Compatible with the Cadex DX2 Evo trigger or some Rem Style aftermarket triggers



# BOLT

- Machining: CNC
- · Material: Stainless 416
- · Firing pin: Cadex design with improved locktime

"B" group bolt face (Ø 0.480")

"D" group bolt face (Ø 0.600")


- · Cadex heavy duty extractor
- · Ejector: Rem style
- Easy 1/4 turn tool-free bolt disassembly
- Hardness: 43-45 HRC
- · Bolt stop: Cadex design

· Multiple bolt faces available: Type B, C, D

\*Shown with optional oversized cross hatch bolt knob

- · Shroud: Cadex design with 2 position top safety
- Round bolt knob standard (or optional oversized cross hatch)
- Spiral fluted 3 lug bolt with 60° bolt throw for rapid cycling
- Cadex design cocking piece
- · Easy firing pin assembly replacement












Same firing pin for all calibers



# BEAN BAG RIDER





Bean Bag Rider Part#: 03127-269-K1

3.09" x 1.01" x 0.94" | 7.85 x 2.57 x 2.39 cm

**Weight:** 0.034 lbs | 15 grams

**Material:** Fiber reinforced composite

# ELR BAG RIDER



With the reputation Cadex has in the world of ELR shooting we realized our system was missing a Bag rider specifically designed to work with "f-class" style rear bags. For 2020 we bring you the ELR bag rider.

- Precision machined from 6061-T6 aluminum
- Recessed center to reduce friction and enhance tracking
- Slotted attachment point to allow for precise placement
- · Anodized finished

ELR Bag Rider Part#: 03127-950-K1

4.99" x 1.2" x 0.87" | 12.67 x 3.05 x 2.21 cm

Weight: 0.29 lbs | 132 grams

Material: Aluminum 6061-T6



# - REM STYLE TRIGGERS

## **DX2 EVO** Selectable Single/Two Stage

- First stage permanently set between 6 to 8 ounces at the factory
- Adjustable combined pull weight between 1.5 to 2.5 lbs
- Fast access to the trigger pull adjustment screw located at the bottom of the trigger body
- Adjustable trigger shoe positioning for maximum comfort
- Multiple openings machined into the aluminum body to facilitate dirt cleaning
- Improved crispiness
- Improved internal safety mechanism
- Military grade trigger design

The Cadex DX2 EVO trigger is a Single/Two Stage Trigger capable to be rapidly converted into a Single Stage Trigger by its operator. Its trigger pull weight can be easily adjusted between 1.5 to 2.5 lbs. If you haven't figured out yet if you prefer a Single Stage or Two Stage Trigger, you can't go wrong with the DX2 EVO.

\*Achievable trigger pull weight can be influenced by multiple factors.

## **SPECIFICATIONS**

#### **DX2 Evo Triggers**

Part#: 6119-A002-EVO (Naked variant)

Part#: 6119-A002R7-EVO (With safety)

Part#: 6119-A002S-EVO (With safety and bolt release)

Part#: 6119-A002MC-EVO (For McMillan TAC-50)



# **BOLT KNOBS**



 $(2.49 \times 7.57 \text{ cm})$ 

(2.16 x 7.54 cm)

# **IMPORTANT**

\*\*For older generation rifles. please contact Cadex prior to order any replacement bolt knobs\*\*

\*Green Loctite recommended

- One piece 4140 steel screw-in bolt handle
- 1/4-28 threaded
- A: Oversized cross hatch bolt knob
- D: Rounded knob

BLK TAN ODG

Part#: **3850-325LPD** 

**SPECIFICATIONS** 

**NEW GENERATION** 

All Cadex rifles (2019+)

**Hunting style low profile** 

Part#: 3850-325A - Part#: 3850-325D

slim round operating handle









SSV

# NEOPRENE CHEEK PAD




For CDX-R7 SHP Series rifles and Strike Nuke chassis. (Part#: 03127-693-N18)

For CDX-R7 CRBN, CDX-R7 SPTR rifles and Tundra Strike chassis. (Part#: 3127-772-K1)

For any other Cadex rifles or chassis. (Part#: 03127-693-L18) Right and left kit.





# BARREL SELECTION

In order to offer the best extreme range SUB-MOA precision rifles, we selected some of the best barrels on the market. Every barrel design has its strengths and weaknesses, we coupled each specific barrel to a specific application. The ELR shooter is looking for an heavy and extremely stiff bull barrel capable to give him the extreme range stability that he's looking for. The weekend shooting range enthusiast is looking for the "best bang for your buck" barrel capable of consistently producing tight groups while remaining stable under heat. The back country hunter is looking for a lightweight hunting profiled barrel capable to deliver one or two perfectly placed shot. If you select the right barrel for the right application you won't be disappointed by any of these top of the line pick.



#### CADEX BARRELS (Button rifling)

After years of making barrels from steel blank of various barrel makers, we realized that it was not rocket science and once equipped with the best machines, we'd be able to produce the best barrels. A million dollar investment later, we are producing our own barrels in-house using new state-of-the-art equipment from Unisig USA. We are not using some old refurbished 1950's Pratt & Whitney gun drills like most other barrel makers, we are talking here about the latest technology in deep hole drilling producing the tightest tolerances in the industry. Our barrels are drilled in one single operation, stress relieved for stability, contoured, chambered and fluted on CNC machines, lapped and "air gap" tested for concentricity to finish. Our in-house barrels don't have anything to envy to the barrels that we were producing for years. These are guaranteed to produce sub-MOA groups with any match grade ammo.



#### **BARTLEIN BARRELS** (Single point cut)

Bartlein barrels are known to use the most advanced single point cut rifling process in the industry. Their barrels are top notch and there's a good chance that their performance will outshoot your shooting skills, at least in the early stage of your shooting learning curve. When you buy a Bartlein, you buy the peace of mind. Backed by their great reputation, you know that if something ever goes wrong with your rifle, there's very low chances that it will come from your barrel. We equip some of our rifles, such as the CDX-R7 Competition series, with Bartlein barrel because it's a guarantee of quality.



#### PROOF-RESEARCH BARRELS (Carbon fiber)

Carbon fiber has long been hailed across many industries such as aerospace, as a wonder material making everything lighter and stronger. When employed in a rifle barrel, the benefits extend beyond reducing weight and increasing strength. Proof-Research patented manufacturing process begins with full-profile, match-grade 416R stainless steel barrel blanks that are made in their firearms division. These blanks are then turned down to a significantly reduced profile greatly reducing weight. This reduced contour barrel is then wrapped with high-strength, aerospace-grade carbon fiber impregnated with a proprietary matrix resin. The end result is an aerospace-grade, high-fiber content composite barrel that is stronger, lighter and as accurate as the finest precision steel barrel. Proof-Research Carbon Fiber Barrels are a perfect fit for our new CDX-R7 CRBN hunting rifles.

# BARRELED ACTIONS

Cadex is known to produce the best chassis systems on the market. Our quality has no match among the industry but we understand that some customers may not have the same budget and needs as the military. Some also prefer the feel and look of a good old fashion fiberglass stock even if the build process is way more complex than a bolt-on chassis system. Others prefer to inlet their own wood stocks... This is why Cadex is now offering barreled actions.

Barreled actions are available on request and since variants are almost infinite, we recommend that you contact our customer service department to find answers to your questions. Our staff are both feet in it every day, they will be able to provide you with professional advices to insure the success of your new project.

# **ACTION SELECTION**

1.350" Rem 700 footprint option (standard and magnum calibers)
CDX-R7 Series action. Short or Long action. Ultra-fast 4 lug 50° bolt throw fat bolt design. Perfect for PRS competitions. (see all specs at p.49)

1.550" Heavy Duty option (standard and magnum calibers)
CDX-30/300/33 Series action. Long action. 3 lug 60° short bolt throw Sako style.
Extremely rigid, smooth and stylish. (see all specs at p.50)

#### **1.600" ELR option** (375/408)

CDX-40 Series action. Extra Long action. 3 lug 60° short bolt throw fat bolt design. Compatible with the longest and most reliable 375/408 magazine on the market. (see all specs at p.51)

#### **1.960" Big Bore option** (50)

CDX-50 Series action. Extra Long action. 4 lug 50° short bolt throw fat bolt design. Strongest 50 BMG repeater action on the market due to its single stack magazine. (see all specs at p.51)

## BARREL SELECTION

- Cadex Button Rifling straight taper fluted Match Grade Barrels
- Bartlein Single Point Cut Rifling straight taper fluted Match Grade Barrels
- Proof-Research Carbon Fiber Barrels (for the CDX-R7 Series actions only)

Choose your preferred rifling machining process, twist rate and barrel length, then let us do our magic!



Every action come with an heavy duty recoil lug and a stainless steel pinned top rail offered in various MOA inclines.

# RECOIL MITIGATION



lso available in bead blasted finish on special request only \*Actual design may vary based on the caliber

# SPECIFICATIONS

5/8-24 Part#: 3850-028 (Remington)

Part#: **3850-022** (PGWDTI)
Part#: **3850-024** (Barrett, Desert Tech)

74-24 Part#: 3850-024 (Barrett, Desert Tech)

**7/8-24** Part#: **3850-045** (375/408 CT) **1-14UNF** Part#: **3850-044** (50 BMG)

Material: Stainless Steel 416









# SUPPRESSORS

# SPECIFICATIONS

## **Precision rifle suppressors**

 308 Win/338 Lapua
 (3/4-20)
 Part#: 6426-A003


 375/408 CT
 (7/8-24)
 Part#: 6426-A004

 50 BMG
 (1-14 UNF)
 Part#: 6426-A002

03 SSV GR









## **SPECIFICATIONS**

#### Carbine suppressor 5.56mm

Part#: 6426-A001

\*Attaches to Cadex or Vortex flash hider



## SPECIFICATIONS

Carbine 5.56mm Flash Hider with suppressor adaptor

Part#: 6426-059

## **SPECIFICATIONS**

Titanium compact suppressor (308/338 calibers)

Part#: 6426-A103

Contact Cadex for all informations and specifications

# MX2 TACTICAL MUZZLE BRAKE—



K TAN ODG SSV GR

# **SPECIFICATIONS**

Part#: 3850-228-BLK

5/8-24 internal thread fit up to .30 cal.

Part#: 3850-229-BLK

3/4-24 internal thread fit up to .338 cal.

Material: Stainless Steel 416

The Cadex MX2 Muzzle Brake design comes from the need to offer a muzzle brake small enough to fit inside a compact suppressor design. The end of the muzzle brake is tapered to perfectly align the compact suppressor. The MX2 Tactical Muzzle Brake is lightweight while maintaining enough performance to control the muzzle jump on the rifle. Comes standard on the CDX-R7 SHP rifles.

# MANTA

# SUPPRESSOR COVERS-

# **SPECIFICATIONS**

Cover kit for suppressor Cadex 5.56mm

Part#: 6426-K001

## **SPECIFICATIONS**

Cover kit for suppressor Cadex 308 Win/338 Lapua

Part#: 6426-K003

# **SPECIFICATIONS**

Cover kit for suppressor Cadex 50 BMG

Part#: 6426-K002





Extremely effective mirage reduction device for suppressors.

Available in tan or black.

# HARD CASES

Drag bag 46" Part#: 175-00051-TAN

Interior dimensions: 45" x 12" x 3" | 114.3 x 30.48 x 7.62 cm

**Exterior dimensions:** 

46" x 13.5" x 3.5" | 116.84 x 34.29 x 8.89 cm

**Weight:** 6.5 lbs | 2948 grams

**Drag bag 52"** Part#: 175-00050-TAN

Interior dimensions: 51" x 12" x 3" | 129.54 x 30.48 x 7.62 cm

**Exterior dimensions:** 

52" x 13.5" x 3.5" | 132.08 x 34.29 x 8.89 cm

**Weight:** 6.8 lbs | 3084 grams

Drag bag 62" Part#: 175-00052-TAN

Interior dimensions:

60" x 12" x 3" | 152.4 x 30.48 x 7.62 cm

**Exterior dimensions:** 

62" x 13.5" x 3.5" | 157.48 x 34.29 x 8.89 cm

**Weight:** 7.4 lbs | 3357 grams



- **Accessory pockets** (for spare barrels, tooling, etc.)
- Heavy duty zipper.
- · Double stitched reinforced
- Reinforced carrying handle.
- Integrated backpack straps.
- Integrated tool pouch inside

- Multiple Molle loops for attaching Camo or additional
- Attachment straps to secure the rifle.
- · Protective hood and drag tether.
- 5" Velcro surface.
- Embroidered Cadex and Extreme Range Supremacy® logos



# PADDED RIFLE SLING

EXTREME SUPREMACY

Part#: 3850-K002

39" x 1.57" x 0.2" | 99.06 x 3.9 x 0.5 cm

**Dimensions extended:** 

63" x 1.57" x 0.2" | 160 x 3.9 x 0.5 cm

Weight: 0.4 lbs | 181 grams

## CHAMBER FLAG

Part#: 175-00075-FLG

2.25" x 0.22" x 4.6" 5.71 x 0.56 x 11.68 cm

**Weight:** 0.011 lbs | 5 grams

Material: Plastic







COMPATIBLE CDX RIFLES	BARREL LENGTHS	CASE MODEL	DESCRIPTION	PART NUMBER
CDX-30/300/33 LITE or TAC, CDX-R7 LCP, CDX-R7 FCP, CDX-R7 CPS	16.5", 20", 24", 26", 27"	NANUK 995 TAN	Hard case 52" with cut-out foam for CDX-30/300/33 LITE or TAC, CDX-R7 LCP, CDX-R7 FCP, CDX-R7 CPS. Tan color.	175-00058-TAN
CDX-R7 SHP, CDX-R7 CRBN or CDX-R7 SPTR	16.5", 20", 24", 26", 27"	NANUK 995 TAN	Hard case 52" with cut-out foam for CDX-R7 SHP, CDX-R7 CRBN, CDX-R7 SPTR. Tan color.	175-00058-TAN-R7
CDX-MC KRAKEN	16.5", 20", 24", 26", 27"	STORM IM3300 BLACK	Hard case with cut-out foam, for CDX-MC KRAKEN®. Black color.	175-00068-BLK-F
CDX-40 SHADOW	29" or 32"	STORM IM3300 BLACK	Hard case with cut-out foam for CDX-40 SHADOW.  Black color.	175-00066-BLK-F40
CDV FO TREMOR	29" ONLY	STORM IM3300 BLACK	Hard case with cut-out foam for CDX-50 TREMOR® 29" only. Black color.	175-00066-BLK-F502
CDX-50 TREMOR	29" or 32"	SKB BLACK	MILITARY GRADE hard case with cut-out foam for CDX-50 TREMOR®.  Black color.	175-00066-BLK-F50
CDX-30/300/33 LITE or TAC, CDX-R7 SHP, CDX-R7 CPS, CDX-R7 CRBN, CDX-R7 SPTR, CDX-R7 LCP, CDX-R7 FCP	16.5", 20", 24", 26", 27"	NANUK 995 TAN	Hard case 52" without cut-out foam for CDX-30/300/33 LITE or TAC, CDX-R7 SHP, CDX-R7 LCP, CDX-R7 FCP, CDX-R7 CRBN, CDX-R7 SPTR, CDX-R7 CPS. Tan color. Rifle to be stored in the Cadex drag bag.	175-00057-TAN
CDX-MC KRAKEN®, CDX-40 SHADOW, CDX-50 TREMOR®	29" ONLY	STORM IM3300 BLACK	Hard case without foam for CDX-MC KRAKEN®, CDX-40 SHADOW, CDX-50 TREMOR® 29" only. Black color. Rifle to be stored in the Cadex drag bag.	175-00066-BLK
CDX-50 TREMOR	32" ONLY	SKB BLACK	MILITARY GRADE hard case without foam for CDX-50 TREMOR® 32" only.  Black color. Rifle to be stored in the Cadex drag bag.	175-00082-BLK
CDX-30/300/33 LITE or TAC, CDX-R7 LCP, CDX-R7 FCP	16.5", 20", 24", 26", 27"	_	Nanuk 995 replacement cut-out foam for CDX-30/300/33 LITE or TAC, CDX-R7 LCP, CDX-R7 FCP.	175-00062-K1
CDX-R7 SHP, CDX-R7 CRBN, CDX-R7 SPTR	16.5", 20", 24", 26", 27"	_	Nanuk 995 replacement cut-out foam for CDX-R7 SHP, CDX-R7 CRBN, CDX-R7 SPTR.	175-00095-K1
CDX-MC KRAKEN®	16.5", 20", 24", 26", 27"	_	Storm IM3300 replacement cut-out foam for CDX-MC KRAKEN®.	175-00081-K1
CDX-40 SHADOW	29" or 32"	_	Storm IM3300 replacement cut-out foam for CDX-40 SHADOW.	175-00089-K1
CDV TO TDTMOD®	29" ONLY	_	Storm IM3300 replacement cut-out foam for CDX-50 TREMOR® 29" only.	175-00091-K1
CDX-50 TREMOR®	32" ONLY	_	SKB replacement cut-out foam for CDX-50 TREMOR® 32" only.	175-00084-K1

# **FALCON BIPOD**

The Cadex Falcon Bipod has been designed to provide ultimate stability. It features multiple quick change feet such as claws or spikes that adapt to any terrain. Can be installed on any rifle featuring a bipod rail.

#### **FEATURES:**

- Fast deployment legs without Folds/deploys forward, buttons to push.
- Ultra-tight machining tolerances for maximum stiffness and reduced free play.
- Reversible legs for choice of index or thumb push button operation.
- Easy to operate canting lever. Tilt angle + - 15.5°.

- rearward 45° or standard 90°.
- Standard feet, optional claws or optional spikes.
- Incredibly stable (width from 11" to 14.5").
- Designed to withstand recoil up to 50 BMG.
- Height adjustable from 6.25" to 8".



#### **Falcon Bipod with universal Picatinny mount** Part#: 7431-K012

#### **Falcon Bipod with QD Picatinny mount** Part#: 7431-K015

\*All chassis and rifles with Picatinny rail


**Shortened:** 11.12" x 5.19" x 6.28" | 28.24 x 13.19 x 15.95 cm

**Extended:** 12.99" x 5.19" x 7.9" | 32.99 x 13.19 x 20.07 cm

8.81" x 5.01" x 1.76" | 22.38 x 12.74 x 4.47 cm

1.34 lbs | 608 grams (+ 12 grams for QD)

Material: Aluminum 6061-T6



Long Legs Falcon Bipod with universal Picatinny mount Part#: 7431-K012LG

Long Legs Falcon Bipod with QD Picatinny mount Part#: 7431-K015LG


#### \*All chassis and rifles with Picatinny rail

**Shortened:** 12.98" x 5.19" x 8.09" | 32.97 x 13.19 x 20.55 cm

**Extended:** 16.36" x 5.19" x 11.02" | 41.55 x 13.19 x 28 cm **Folded:** 11.91" x 5.01" x 1.76" | 30.25 x 12.74 x 4.47 cm

1.48 lbs | 671 grams (+ 12 grams for QD)

Material: Aluminum 6061-T6





Leg extension kit (+2" extra length) Part#: 7431-K108-K2

Dimensions:

0.93" x 0.93" x 2.5" | 2.36 x 2.36 x 6.35 cm

**Weight:** 0.16 lbs | 72 grams

Material: Aluminum 6061-T6











# OPTIONAL FEET





Falcon Spikes (#7431-K106-K2)





Falcon Bipod

with QD Picatinny mount

(#7431-K015)



# FALCON LITE BIPOD

# **FALCON LITE SP BIPOD**



**QD** Picatinny mount

The Falcon Lite bipod is the result of an extensive product development project for a military unit. Their snipers were in need of a light bipod, solid, stable and featuring both a panning and canting capability. At less than 400 grams, the Falcon Lite features a quick detach (QD) Picatinny mount, a tensioning lever, telescopic aluminum tube legs and modular feet attachments. This bipod has a very wide footprint spread and some of the tightest machining tolerances on the market, making it the most stable lightweight bipod you'll find. The modular locking feet attachments are a must to adapt to any shooting surfaces.

Falcon Lite Bipod Part#: 7431-K102 \*All chassis and rifles with Picatinny rail **Shortened:** 10.53" x 3.31" x 6.24" | 26.76 x 8.4 x 15.91 cm

**OPTIONAL FEET** 

Material: Aluminum 6061-T6 and 7075-T6

# **Extended:** 13.55" x 3.31" x 8.88" | 32.99 x 8.4 x 22.56 cm 8.43" x 4.49" x 1.74" | 21.41 x 11.41 x 4.41 cm 0.88 lbs | 399 grams







Falcon Spikes (#7431-K106-K2)



Includes a fast dismantle adaptor capable of blocking the panning feature while maintaining the canting feature



The Falcon Lite SP (single pivot) utilizes a smaller head design, allowing for a more compact bipod for competitive PRS shooting. The SP still offers the same great panning and canting capability in a solid light weight package. At less then 400 grams, the Falcon Lite SP features a quick detach (QD) Picatinny mount, a tensioning lever, telescopic aluminum tube legs and modular feet attachments. This bipod has a very wide footprint spread and some of the tightest machining tolerances on the market making it the most stable lightweight bipod you'll find. The modular locking feet attachments are a must to adapt to any shooting surfaces.

Falcon Lite SP Bipod Part#: 7431-K102SP

\*All chassis and rifles with Picatinny rail

**Shortened:** 9.81" x 3.31" x 6.81" | 24.92 x 8.4 x 17.3 cm **Extended:** 12.84" x 3.31" x 9.43" | 32.61 x 8.4 x 23.95 cm **Folded:** 7.58" x 3.79" x 1.84" | 19.25 x 9.63 x 4.67 cm

**Weight:** 0.88 lbs | 399 grams

Material: Aluminum 6061-T6 and 7075-T6

# **OPTIMIZED**

# OPTIONAL FEET



Falcon Claws (#7431-K104-K2)



Falcon Spikes (#7431-K106-K2)



Includes a fast dismantle adaptor capable of blocking the panning feature while maintaining the canting feature





# **COMPARISON TABLE**

#### **FALCON LITE BIPOD** FALCON BIPOD Universal Picatinny QD Picatinny Universal Picatinny QD Picatinny QD Picatinny QD Picatinny mount mount mount mount mount mount MOUNTING OPTIONS Н Ш 6.28" - 7.90" 6.28" - 7.90" 7.70" - 10.63" 6.55" - 9.18" 7.70'' - 10.63''6.24" - 8.88" HEIGHT RANGE (15.95 - 20.07 cm) (15.95 - 20.07 cm) (19.55 - 27 cm) (19.55 - 27 cm) (15.85 - 22.56 cm) (16.64 - 23.32 cm) 1.40 lbs 1.43 lbs 1.34 lbs 1.37 lbs 0.88 lbs 0.88 lbs WEIGHT (608 grams) (620 grams) (636 grams) (647 grams) (399 grams) (399 grams) **OPTIONAL FEET** Claws - Spikes 11.4" - 13.27" 12.9" - 16.35" 12.9" - 16.35" 10.5" - 13.54" 90° FOOTPRINT 11.4" - 13.27" 9.8" - 12.84" (32.77 - 41.53 cm) SPREAD (28.96 - 33.71 cm) (28.96 - 33.71 cm) (32.77 - 41.53 cm) (26.67 - 34.39 cm) (24.89 - 32.61 cm) 0-45-90 0-45-90 0 - 45 - 90 0 - 45 - 90 -0 - 45 - 90 -0 - 45 - 90 -LEG POSITIONS (ANGLE) 135 - 180 135 - 180 135 - 180 135 - 180 135 - 180 135 - 180 TOTAL LEG 5 POSITIONS (ANGLE) **TOTAL LEG** 10 10 9 9 POSITIONS (HEIGHT) CANT ANGLE +/- 15.5° (31° total) +/- 15.5° (31° total) +/- 15.5° (31° total) +/- 15.5° (31° total) +/- 13.5° (27° total) +/- 15° (30° total) +/- 15° (30° total) +/- 15° (30° total) **PAN ANGLE** N/A N/A N/A N/A (lockable) (lockable) Aluminum 6061-T6 Aluminum 6061-T6 MAIN MATERIAL Aluminum 6061-T6 Aluminum 6061-T6 Aluminum 6061-T6 Aluminum 6061-T6 7431-K012 7431-K015 7431-K015LG 7431-K102 7431-K102SP PART NUMBER 7431-K012LG

# UNITIZED SCOPE RINGS

Cadex's Unitized Scope Rings provide a rock solid mount for sniper optics, with multiple applications for flat-top ARs and bolt action rifles.

#### **FEATURES:**

 CNC machined for precise alignment of the front and rear scope bearing surfaces.

- The base incorporates high grade cross lugs and nuts to secure the mount to the weapon rail.
- The dovetail is machined to fit all Mil Std M1913 rails.
- Unitized body ensures that the scope is secure with no twisting of the optical tube assembly and no shifting under heavy recoil.
- Customers may request different ring diameters and heights to fill their particular





Standard rear

R130 (30mm) | R134 (34mm) R135 (35mm)

**Bubble level rear** 



R235 (35mm)

**Docter mount** 




	ASE RT#	HEIGH	SHAMES.	\$ Z	1
1552-	B30SL	1.000"	30mm	SUPER LOW	NEW
1552	-B30L	1.250"	30mm	LOW	
1552-	-B30H	1.500"	30mm	HIGH	
1552-	B34SL	1.000"	34mm	SUPER LOW	NEW
1552	-B34L	1.250"	34mm	LOW	
1552-	-B34H	1.500"	34mm	HIGH	
1552	-B35L	1.250"	35mm	LOW	
1552-	-B35H	1.500"	35mm	HIGH	

Ctanadana forms


	Si	anc	lard	tro	nt
				19	
F	130	(30m	m)   F	134	(34r
		F1:	<b>35</b> (3	5mm)	







F230H (30mm) | F234H (34mm) F235H (35mm)





F330 (30mm) F334 (34mm)



F430 (30mm) F434 (34mm)

## **CUSTOMIZE YOUR SCOPE MOUNT**

Step 1: Select your base Step 2: Select your rear top Step 3: Select your front top





# M-LOK ARCA ELITE SYSTEM









**Arca Elite System Picatinny Rail Kit** Part#: AES-PRK-K1

#### Dimensions:


12.47" x 2.46" x 1.09" | 31.67 x 6.25 x 2.77 cm

Weight: 0.54 lbs | 249 grams

Material: Aluminum 6061-T6







#### **AES RAIL FEATURES:**


- 12.5" length rail section that attaches to any standard M-LOK fore-end (min. 12.5" long).
- Precision machined from solid aluminum 6061-T6 to the tightest tolerances in the industry.
- Built to the RRS standard ARCA rail dimensions to ensure all clamping systems work perfectly.
- Locking serrations are flush to the bottom so they will not interfere with clamping on a tripod.
- Deep locking serrations for positive lock up and guaranteed not to slip under recoil and loading.

#### **AES CLAMP FEATURES:**

- Adjustable tension on the AES Clamp for a perfect fit.
- Machined from solid aluminum 6061-T6 with stainless steel locking pins.
- Cadex's quick throw lever system for lightning fast manipulation.
- Attachment of bipods through Picatinny/1913 rail or sling stud interface.
- The AES clamp can be used on competitors ARCA rails by removing. the stainless steel locking pins.
- All parts available separately or sold in kits:







INSTALL/UNINSTALL

T-NUT LOCKED

### M-LOK bipod/sling adaptor

Part#: 03127-957ML



#### M-LOK Flush cup adapto

competition shooter.

With the growing popularity of PRS style shooting competitions came a huge selection of aftermarket

accessories using the M-LOK technology. With more possible positioning than any other system,

the M-LOK system offers a true benefit for the

From now on, all products featuring an M-LOK logo next to their names will feature this technology. The M-LOK system isn't compatible with Cadex's

previous screw pattern, rails and accessories so make

sure to order M-LOK accessories if your chassis or

rifle features the M-LOK technology.

Part#: 03127-A174ML



## M-LOK 3" accessory rail

Part#: 03127-A078ML



#### M-LOK 3.5" aluminum bipod rail

Part#: 03127-A002ML



#### M-LOK 5" accessory rail

Part#: 03127-A017ML



#### M-LOK 9" bipod rail

Part#: 03127-K015ML





**Arca Elite System Bipod Stud Kit** Part#: AFS-BSK-K1

Dimensions:

12.47" x 2.46" x 1.35" | 31.67 x 6.25 x 3.43 cm

Weight: 0.55 lbs | 250 grams Material: Aluminum 6061-T6

# TRIPOD ADAPTORS

# MODULAR **PICATINNY RAILS**

#### **Arca Tripod Adaptor**

Part#: 03127-960-K1

#### **Dimensions:**

2.1" x 1.5" x 0.21" | 5.33 x 3.81 x 0.53 cm

Weight: 0.06 lbs | 28 grams Material: Aluminum 6061-T6

#### **RC2 Tripod Adaptor** Part#: 03127-962-K1

Dimensions:

2.1" x 1.68" x 0.38" | 5.33 x 4.27 x 0.97 cm

Weight: 0.12 lbs | 54 grams

Material: Aluminum 6061-T6





PRS shooters and snipers share the same challenge in the field. Finding a stable shooting position is often impossible and this is when a ruggedized tripod is a must.

The Cadex Arca & RC2 Adaptors bolt on the lower receiver of most of our rifles and chassis to perfectly balance them on the tripod. When prone isn't an option, this is the way to go.

\*It is critical to use a tripod and tripod head capable to support the weight of the rifle.







3" and 5" Modular Picatinny rails and 3.5" bipod rail are designed to fit on Cadex modular products such as rifles, chassis and shotgun accessories.

#### **FEATURES:**

- Ultra-solid 6061-T6 aluminum.
- Rugged lightweight construction. Mounting screws included.
- The Modular Picatinny rail fits on Strike Chassis, 870 Modular Fore-end Pump Guard and more.



3.5" bipod rail Part#: 03127-A002-K1

#### **Dimensions:**

3.43" x 0.83" x 0.48" | 8.7 x 2.11 x 1.22 cm

**9" bipod rail** Part#: 03127-K015

**Weight:** 0.14 lbs | 63 grams

Material: Aluminum 6061-T6

9.3" x 0.87" x 0.37" | 23.62 x 2.2 x 0.94 cm

Dimensions:

**Weight:** 0.07 lbs | 31 grams

Material: Aluminum 6061-T6

## 3" Modular Picatinny rail

Part#: 03127-A078-K1

#### **Dimensions:**

3.01" x 0.83" x 0.37" | 7.66 x 2.12 x 0.96 cm

**Weight:** 0.05 lbs | 22 grams

Material: Aluminum 6061-T6

#### 5" Modular Picatinny rail Part#: 03127-A017-K1

#### Dimensions:

4.90" x 0.83" x 0.37" | 12.46 x 2.12 x 0.96 cm

**Weight:** 0.07 lbs | 31 grams

Material: Aluminum 6061-T6

# 9" BIPOD RAIL



The Cadex 9" bipod rail allows more mounting positions than a conventional 3.5" bipod rail. It fits most of our chassis and rifle models. Can also be mounted on the side of Cadex rifles and chassis featuring 5 mounting screws.

## COMPATIBLE WITH:

CDX-MC Kraken®, CDX-30/300/33 series rifles. The Dual Strike (not 50 BMG), Lite Strike, Field Tactical and Field QD chassis.

Also fit non M-LOK generation of CDX-R7 Lite Comp, CDX-R7 Field Comp, CDX-R7 Sheepdog/Shepherd rifles and Lite Competition, Field Competition chassis. (Prior to 2018 models)



## **BOTTOM METALS**

#### **Bottom Metal for:**

**CDX-R7 Series Short Action** Mag type: AICS Model: DSSF 3.055" Part#: BMR7-DSSF-3055

**CDX-R7 Series Long Action** Mag type: AICS

Model: SSSF 3.715" to 3.850"

(adiustable) Part#: BMR7-SSSF-3850

### CDX-R7 BOTTOM METAL



Long Action (Adjustable for AICS SSSF 3.715", 3.775" or 3.850" CIP)

#### Compatible magazines (short action):

Accurate mag 00100-0037 / 00100-0041 / 00100-0040 / 00100-0008

Compatible magazines (long action):
Accurate mag 00100-0001 / 00100-0004 / 00100-0023 / 00100-0044 00100-0003 / 00100-0005 / 00100-00022 / 00100-0020

and screws included

\*Also fit Accuracy International AICS and Magpul PMAG

#### **Bottom Metal for:**

CDX-40 Action (375/408 CT) Mag type: Cadex

Model: DSSF 4.725" Part#: BMCDX-DSSF-4725

Stiller 375/408 (1.45" or 1.60")

Mag type: Cadex Model: DSSF 4.725"

Part#: BMSTL14-DSSF-4725 Part#: BMSTL16-DSSF-4725

J.J. Rock Super XL action Mag type: Cadex Model: DSSF 4.725" Part#: BMJJR-DSSF-4725

### **CDX-40 BOTTOM METAL**

Compatible magazine: MAG 4300 (see specs p.73)



Magazine Part#:

4300 sold separately (see page 63)

Drawing and inletting measurements available on request at customerservice@cadexinc.com



and screws included

### **Bottom Metal for:**

CDX-30 Action Mag type: AICS Model: DSSF 3.055" Part#: BMCDX-DSSF-3055

CDX-300 & CDX-33 Actions Mag type: AICS Model: SSSF 3.715" to 3.850" (adjustable) Part#: BMCDX-SSSF-3850

### CDX-30/300/33 BOTTOM METAL

included



CDX-50 BOTTOM METAL

Compatible magazine: MAG 2949 (see specs p.73)

**Bottom Metal for:** 

**CDX-50 Tremor® Action** Mag type: MAG 2949 Model: SSSF 5.790"

Part#: BMCDX-SSSF-5790



Compatible magazines (short action):

Accurate mag 00100-0037 / 00100-0041 / 00100-0040 / 00100-0008

**Compatible magazines (long action):** 

Accurate mag 00100-0001 / 00100-0004 / 00100-0023 / 00100-0044 00100-0003 / 00100-0005 / 00100-00022 / 00100-0020

\*Also fit Accuracy International AICS and Magpul PMAG

### MULTI-CALIBER MAGAZINES ——

### Military grade magazines. Solid anti-corrosion coating. Rigid steel mag body. Easy to clean. • 223 magazines also fit 204 Ruger, 6.8 SPC, 300 Blackout/Whisper

\*Might also fit other specialty calibers with \*\*Works only with the CDX-MC Kraken®

Part#: MAG4309

(for CDX-40 or Stiller

Tac 408 375 EnABELR)

- 308 magazines also fit 22-250 Rem, 243 Win, 6 Creedmoor, 260 Rem, 6.5 Grendel/Creedmoor,
- 300 WSM magazines also fit 270 WSM, 243 WSM, 6.5 PRC
- 300 Win Mag magazines also fit 7mm Rem Mag
- 30-06 magazines can also fit 308 Win fitted with VLD bullets
- 338 Lapua magazines can also fit 300/338 Norma Mag
- 28 Nosler and 300 PRC requires MAG100-0023-CAD

PART #	CALIBER.	A CHO		M. S. N. S.	T. J.	T A A	ŤĘ.
MAG100-0037	223 REM	Short	DSSF	2.375"	3.055"	10	
MAG100-0041	308 WIN	Short	DSSF	2.990"	3.055"	5	
MAG100-0040	308 WIN	Short	DSSF	2.990"	3.055"	10	
MAG100-0008	300 WSM	Short	DSSF	2.990"	3.055"	7	
MAG100-0039	30-06 SPRG	Long	SSSF	3.640"	3.715"	5	9
MAG100-0001	300 WM	Long	SSSF	3.640"	3.715"	5	MA
MAG100-0004	300 WM	Long	SSSF	3.700"	3.775"	5	Ī
MAG100-0023	300 WM	Long	SSSF	3.755"	3.850"	5	H
MAG100-0023- CAD	28 Nosler/ 300 PRC	Long	SSSF	3.755"	3.850"	5	CCURA
MAG100-0044	300 RUM	Long	SSSF	3.640"	3.715"	5	S
MAG100-0003	338 LAP	Long	SSSF	3.640"	3.715"	5	A
MAG100-0005	338 LAP	Long	SSSF	3.700"	3.775"	5	
MAG100-0022	338 LAP	Long	SSSF	3.775"	3.850"	5	
MAG100-0020**	338 LAP	Long	DSSF	3.775"	3.850"	5	
MAG100-0086**	338 LAP	Long	DSSF	3.775"	3.850"	10	

# CADEX MAGAZINES



DSDF Part#: MAG2949 Part#: MAG2538D (for CDX-50 or (for McMillan TAC-50)





The extra wide bottom plate assists in magazine manipulation.

- Rigid magazine body made of metal with an anti-corrosion coating.
- Injection molded follower and bottom plate.
- Easy to clean.

7	PART #	# Sulfiger	Z Z		THE STATE OF THE S	T TONEY	
	MAG4309	375 EnABELR	CDX-40	DSSF	4.625"	4.725"	7
	MAG4300	375/408 CT	CDX-40	DSSF	4.625"	4.725"	7
	MAG2949	50 BMG	CDX-50	SSSF	5.520"	5.790"	5
	MAG2538D	50 BMG	TAC-50	DSDF	5.645"	5.790"	5

## **SLING MOUNTS**

### Monopod rail with flush cup

Part#: 03127-A173-K1

**Dimensions:** 

2.64" x 0.83" x 0.43" | 6.71 x 2.11 x 1.09 cm

**Weight:** 0.053 lbs | 24 grams

Material: Aluminum 6061-T6

### Flush cup sling adaptor

Part#: 03127-A174-K1

**Dimensions:** 

1.44" x 0.75" x 0.33" | 3.67 x 1.91 x 0.86 cm

**Weight:** 0.029 lbs | 13 grams

Material: Aluminum 6061-T6

M-LOK Flush cup sling adaptor

Part#: 03127-A174ML

### **Small Picatinny sling adaptor**

Part#: 1757

1.53" x 0.62" x 0.75" | 3.89 x 1.58 x 1.91 cm

**Weight:** 0.029 lbs | 13 grams

Material: Aluminum 6061-T6

#### VTAC L.U.S.A 4 point sling adaptor Part#: 1398 (NSN: 1005-01-561-0488)

Dimensions:

1.52" x 1.33" x 0.75" | 3.86 x 3.4 x 1.91 cm

**Weight:** 0.051 lbs | 23 grams

Material: Aluminum 6061-T6











The Cadex quick detachable sling swivel mounts

accept all common types of push button QD swivels

available on the market. They are versatile mounts

that allow shooters to vary the location of the sling

Fits all Mil Std quick release sling swivels.

• VTAC L.U.S.A. four sling attachment methods:

- Passing the sling through the sling loop

- Locking type sling swivels for sling studs

- HK hooks and similar quick release devices

- Push button type quick release sling swivels

attachment on their weapon.

Attaches to Mil Std M1913 rails.

**FEATURES:** 

Compact size.

Flush cup sling adaptors to be used with standard push button swivel attachments





## CHASSIS **HARDWARE**

**SPECIFICATIONS** 

**Universal Screw Kit** 

**Material:** Blackened Stainless

Part#: 03127-K013



The Chassis Universal Screw kit contains an assortment of replacement screws to revamp your chassis. If your chassis has seen better days and you'd like to refresh its hardware then this kit is what you are looking for. Contains enough screws to outfit any Cadex Strike chassis.

#### **CONTAINS:**

**SPECIFICATIONS** 

Time-Sert Repair Kit Part#: 03127-K029

**Material:** Stainless

- **2x** Bipod rail screws
- 1x Bipod/Sling stud
- 2x Fore-end tube assy screws 1x Grip assy washers and
- **8x** Modular rail screws
- **4x** Side plate/Boomerang screws (long)
- **6x** Side plate/Boomerang screws (short)
- **4x** #6-48 top rail screws
- **4x** #8-40 top rail screws

You went too fast and cross-threaded a screw? You didn't respect the recommended torque and broke a Time-Sert? This kit is for you.

Ref. Manual

Fig. 17

#### **INCLUDES:**

Ref. Manual

Fig. 15

1x Time-Sert extracter

**6x** Short Time-Serts

1x Time-Sert driver

**6x** Long Time-Serts

\*Red Loctite highly recommended (not included)

You are mechanical inclined and wish to add some Time-Serts where it wasn't designed for? You'll also need:

#### **NOT INCLUDED:**

**1x** Drill #21

1x Helicoil Tap 10-32



Owning a Formula 1 car will immediately make you look good but won't automatically make you win podiums unless you perfect your driving skills.


A Precision Rifle is similar, the rifle is just as good as its shooter's skills. Environmental data gathering, advanced ballistic calculation and wind reading are hard to master. The synergy between the shooter, his rifle, the ammo and the shooting conditions must be absolutely perfect in order to make the shot count.

At Cadex we pride ourselves at manufacturing the absolute best sniper rifle money can buy, but also at being able to train beginner to advanced level shooters. It's not a coincidence that 3 of the 5 longest sniper kills ever recorded have been by Canadian shooters. Latest achievement being done at 3450m (3871 yards). There's no doubt that Canada has some of the best snipers trainers in the world and has perfected this art.

Our team is composed of former military snipers. Our instructors can provide training in Canada or overseas. Their track records vary between Special Forces training, Law Enforcement training up to recreational shooters interested to jump in the PRS/ELR game. Training is offered in English or French at their installations or in the end-users country if needed. We are equipped with the best gear on the market, guns, optics, ammo, steel or electronic targetry, etc.

The dream of hitting a target at extreme range is not far away. If you want to be part of the best you must train with the best. Contact us to be put in contact with our team.

Rob Furlong, former Canadian Sniper and President of Rob Furlong's Marksmanship Academy (RFMA) is looking forward to push your limits.



## **GLASS PUNCH**

## CARBINE PICATINNY RAILS

The Cadex Glass Punch provides users with a rapid means of breaking glass under different tactical conditions. Installs on firearms equipped with Mil Std M1913 rails.

The punch's length ensures it will protrude forward of the firearm muzzle.

#### **FEATURES:**

- Prevents the need to transition to a hand held punch and side-arm.
- Permits the operator to keep two hands on their firearm.
- Incorporates a spring-loaded hammer mechanism activated by pressing the punch against the glass.
- Perfect for short barrel carbines.



#### **Glass Punch**

Part#: 1185

#### **Dimensions:**

7.27" x 1.68" x 1.03" | 18.48 x 4.27 x 2.62 cm

**Weight:** 0.36 lbs | 165 grams **Material:** Aluminum 6061-T6









The Cadex 4.2" and 6" Carbine Picatinny Rails attach to the handguard of the M4/C8 Carbine or M16/C7 rifle to provide a sturdy Picatinny rail for mounting grips, lasers and other accessories. Fit also AR15 equipped with A2 handguard.

#### **FEATURES:**

- Rails can be installed on the top and bottom of the handguard to provide multiple mounting points.
- The rail's base is angled to match the handguard taper.
- Made from Lightweight aluminum.



**4.2" Picatinny rail** Part#: CMR-418-01

#### **Dimensions:**

4.2" x 0.83" x 0.56" | 10.66 x 2.11 x 1.43 cm

Weight: 0.07 lbs | 32 grams

Material: Aluminum 6061-T6

**6" Picatinny rail** Part#: CMR-418-02

#### Dimensions:

6" x 0.83" x 0.56" | 15.24 x 2.11 x 1.43 cm

**Weight:** 0.09 lbs | 43 grams


Material: Aluminum 6061-T6



# ACCURACY INTERNATIONAL AW/AICS FORE-END RAIL








The Cadex MP5 Fore-end Rail provides the operator with a solid base to accessorize the Heckler & Koch MP5.

#### **FEATURES:**

- Three M1913 mounting rails, at 3, 6 and 9 o'clock.
- Provides rigid mounting for lights, lasers, and other accessories.
- Easy installation using existing mounting







upon request.

Permits the sniper to install/remove

• 0 MOA is standard, but other MOAs

are also available on special run.

• Rail interfaces for Remington 700

mounted in the AICS are available

night vision devices without adjusting zero of their primary sniper optic. • Places the sniper optic and attached night vision on the same plane. • Side rails provide excellent zero retention of side-mounted laser.

**Accuracy International** Fore-end Rail Part#: 1272-A002

11.81" x 3.34" x 2.72" | 30 x 8.5 x 6.9 cm

**Weight:** 1.09 lbs | 496 grams Material: Aluminum 6061-T6 \*Improved design allowing more clearance for the bipod and barrel



# M4 EXTENDED FORE-END RAIL-



The Cadex Tri-Rail Mount for the C7/C8, M4/M16 and AR-15 family of small arms provides users with a robust mount for laser pointers, illumination devices and bipods. Mil Std 1913 rails at the 3, 6 and 9 o'clock positions.

#### **FEATURES:**

- The rail reduces heat transferred to attached electro-optics.
- Installation requires no modifications to the
- Removable rails permit the user to reduce the weapon's weight and profile, according to their mission.

C7/C8 & M4/M16 Tri-Rail Mount

3.33" x 2.92" x 2.83" | 8.47 x 7.42 x 7.21 cm

**Weight:** 0.37 lbs | 166 grams Material: Aluminum 6061-T6

Part#: 1220

The Cadex M4 Extended Fore-end Rail provides the user with a world-class mount. It is a light and strong rail system. The Cadex rail extension system is produced out of one solid piece of aluminum 6061-T6 and designed for toughness and durability. Its ergonomic design, with multiple rail configurations, allows for great maneuverability and precision improvement. It meets the Mil Std M1913 for rails.

#### **FEATURES:**

- Fits on Knight's Armament model. May fit other AR models but we can't guarantee a perfect fit.
- 2 built-in flush cups.
- One piece design for toughness and durability.
- Multiple end rail position configurations.
- Ergonomic design for maneuverability
- Allows the operator to extend the handle grip position on the fore-end of the rifle.



M4 Extended Rail

Part#: 4093

**Dimensions:** 

6.34" x 2.19" x 2.3" | 16.1 x 5.56 x 5.84 cm

Weight: 0.6 lbs | 271 grams Material: Aluminum 6061-T6





## FOLDING & STUBBY GRIP-

# AR10/AR15 RECEIVER NOT AVAILABLE IN THE USA

Folding grip Part#: 622-000-BLK 622-000-TAN • 622-000-ODG

#### **Dimensions:**

2.81" x 1.67" x 5.62" | 7.16 x 4.26 x 14.28 cm

#### **Dimensions folded:**

2.4" x 1.67" x 5.68" | 6.09 x 4.26 x 14.42 cm

**Weight:** 0.29 lbs | 131 grams

Material: Nylon



#### **FEATURES:**

- Folds parallel to the barrel to be more compact and provide multiple hand hold options.
- · Fits Mil Std 1913 and Weaver rails.
- Comes in Black, OD Green and Tan.
- Rattle proof self-draining storage compartment for 2 X CR123 (Folding) and 1 x CR123 (Stubby) batteries.
- Ambidextrous design.
- Solid and lightweight.

**HEICATIONS** 

### Stubby grip

Part#: 1979-BLK • 1979-TAN • 1979-ODG

#### Dimension

2.76" x 1.7" x 3.83" | 7.01 x 4.32 x 9.73 cm

Weight: 0.21 lbs | 95 grams


Material: Nylon











#### **FEATURES:**

**Dimensions:** 

- Interchangeable with high quality AR10 (B series only) or AR15 parts.
- The magazine well opening is extended with a large bevel that provides a guide for easier magazine insertion.
- Machined ribs at the front of the magazine well for a secure grip.
- Oversized trigger guard.

**Weight:** 0.74 lbs | 336 grams

Material: Aluminum 7075-T6

**AR10** (B series only) Part#: 1570-003

8.96" x 1.59" x 4.34" | 22.77 x 4.06 x 11.03 cm



AR15 Part#: 1570-001

#### Dimension

7.69" x 1.45" x 4.11" | 19.54 x 3.7 x 10.45 cm

**Weight:** 0.58 lbs | 264 grams

Material: Aluminum 7075-T6

Model CDX-15

**MACHINED FROM A SOLID ALUMINUM BILLET** 

**NO CASTING** 

AR10 Receiver

(B series only - Designed to fit M14 magazines)









AR15 Receiver





## -SHOTGUN BUTTSTOCK ADAPTOR—

## **OPTIC MOUNTS**



**Mossberg Saddle mount** Part#: 6381-TR002

Dimensions: 6.93" x 1.74" x 2.49" | 17.6 x 4.42 x 6.32 cm

**Weight:** 0.28 lbs | 127 grams

Material: Aluminum & Stainless Steel

#### **870 Tactical Buttstock Adaptor** Part#: LB-1486

4.66" x 1.35" x 3.23" | 11.84 x 3.43 x 8.22 cm

Weight: 0.62 lbs | 280 grams

#### **Dimensions with sling mount:**

4.66" x 2.02" x 3.23" | 11.84 x 5.13 x 8.22 cm


Material: Aluminum & Stainless Steel

Quick Detach



**FEATURES:** 

combination in one weapon.



The Cadex Quick Release Buttstock Adaptor for the Remington 870 or the Mossberg 500/590 provides the operator with a versatile combat/breaching shotgun

• The buttstock release is a push button mechanism which provides positive locking of the buttstock with no excess movement.



**Dimensions:** 

**870 Top Rail** Part#: 1486-A010

20.88" x 2.17" x 3.13" | 53.04 x 5.51 x 7.95 cm

**Weight:** 0.73 lbs | 330 grams

Material: Aluminum 6061-T6

### **870 Fixed Buttstock Adaptor** Part#: 1486-037

#### **Dimensions:**

3.45" x 1.35" x 3.24" | 8.76 x 4.87 x 8.23 cm

**Weight:** 0.49 lbs | 220 grams

#### **Dimensions with sling mount:**

3.45" x 2.02" x 3.24" | 8.76 x 5.13 x 8.23 cm

Material: Aluminum & Stainless Steel



#### Mossberg 500/590 Tactical Buttstock Adaptor Part#: LB-6381

5.29" x 1.46" x 3.26" | 13.44 x 3.71 x 8.28 cm

**Weight:** 0.57 lbs | 259 grams

#### Dimensions with sling mount:

5.29" x 2.13" x 3.26" | 13.44 x 5.41 x 8.28 cm

Material: Aluminum & Stainless Steel



### \*Requires the 870 Tactical buttstock adaptor (Part#: LB-1486) to work



## Cadex's rail system takes the Remington 870 shotgun to a new level of versatility, providing a mounting platform that tailors the shotgun to

#### **FEATURES:**

the mission.

- The Mil Std M1913 rails permit the mounting of red dot sights so the shooter can engage targets quickly and accurately.
- Different combinations of iron sights and mini red dot sights can be mounted to achieve a co-witnessed installation.
- Two side rails are included for mounting lasers or other accessories such as any of Cadex's Sling Mounts or Flashlight Mounts.



### MAG CAP DUAL RAIL



#### Mag Cap Dual Rail

Part#: 1486-A012

#### Dimensions:

1.58" x 2.17" x 1.96" | 4.01 x 5.51 x 4.98 cm

**Weight:** 0.22 lbs | 101 grams

Material: Aluminum 6061-T6





Cadex's rail system greatly improves effectiveness of the Remington 870 shotgun, providing a mounting platform which allows users to tailor the shotgun to the mission. The twin M1913 rails permit mounting of flashlights and lasers providing stability and focus when cycling the action of the shotgun.

#### **FEATURES:**

- Reuses the original 870 mag cap.
- Twin M1913 Rails.
- Mounts in conjunction with the barrel lug and magazine cap, no modification required.
- Users can install accessories such as Sling Mounts or Flashlight Mount.

### **PICATINNY**

## **HAND STOP**



Hand Stop Part#: 1164

1.5" x 0.62" x 1.74" | 3.81 x 1.57 x 4.42 cm

**Weight:** 0.07 lbs | 31 grams

Material: Aluminum 6061-T6





The Cadex Hand Stop enhances safe handling of short barreled weapons by preventing the operator's lead hand from moving forward of the muzzle. It also optimizes weapon control and accuracy by providing a tactile indicator of hand position, which permits a repeatable weapon hold.

#### **FEATURES:**

- Adaptable to both Mil Std M1913 and Weaver rails.
- Assists positive retention of the weapon for maximum muzzle control during rapid fire.
- Perfect for shotgun and carbine.

## **FORE-END PUMP**

### Customize your own Shotgun Modular Fore-End Pump

The Cadex Modular Fore-end Pump made from 6061-T6 corrosion resistant aluminum offers a world class ergonomic design allowing you to retrofit most Remington 870 or Mossberg 500/590 pump handle. 24 threaded inserts allow for multiple rail placements in order to customize your shotgun the way you like it.

#### **FEATURES:**

- Made out of aluminum 6061-T6 for maximum resistance.
- Multiple rail positions.
- Ergonomic design.
- Allows you to retrofit easily any hand guard of Remington 870 shotgun.
- Fits from 0 to 7 rails.

Mossberg 500/590 Fore-End Pump Part#: 6381


#### Dimensions:

8.75" x 1.8" x 2.09" | 22.23 x 4.57 x 5.31 cm

**Weight:** 0.63 lbs | 285 grams

Material: Aluminum 6061-T6







5" Part#: 03127-A017-K1



3" Part#: 03127-A078-K1



Optional hand stop (Part#: 5181-HS) (Also fits on #4197 & #6381)

870 MCS Modular

Fore-end Pump also available

(Part#: 5181)

## CADEX NIGHT VISION DIVISION —

## -PHOTONIS NIGHT VISION TUBES -



Cadex has been involved in electro-optic accessories for over twenty years. Over the years our services toward this market has been expanding. Early in 2019 Cadex was awarded the contract to supply the Canadian Army Reserves with 300 monocular night vision devices. These systems were assembled in Saint-Jean-sur-Richelieu, Quebec with support from our two OEM suppliers, Photonis and Theon Sensors. Cadex is proud to announce the implementation of its Electro-Optic Division and is looking forward to working with our valued customers to expand its capabilities.



**THEON ARGUS PANOPTES** 



**ARGUS PANOPTES** 



**ARGUS** 



THEON MIKRON-D



THEON



THEON DAMON



THEON **THERMIS** 



THEON **ARTEMIS** 



THEON **THERMIS** 





### How far can I see with my intensified Night Vision Device?

This is the most commonly asked question by Night Vision Device (NVD) users. One of the most critical "parameters" for Night Vision Devices (NVD) is the Detection/ Recognition/ Identification (DRI) range at various light levels. The further distance the user can see, the faster he can react.

#### **FEATURES:**

- Multi-Mission Night Vision
- · Extended bandwidth

- Autogating (ATG)
- Reduced Halo
- Excellent Life-Time





The 4G standard is the latest technology in intensified night vision. 4G is specifically designed to address the stringent requirements of special forces operators. Only 4G can offer ultra-fast Auto-Gating, the smallest halo and unrivalled spectral range from ultraviolet to near infrared. Gain the unfair advantage in the darkest nights, in all terrain and operations. Get the best DRI\* range and be the first to see.


- Unsurpassed DRI ranges possible by Non ITAR 4G Extremely suitable for Multi Mission Image Intensifiers
- FOM min 2200 and higher
- Out of Band capability, seeing lasers beyond
- · Excellent life time
- Smallest Halo
- Ultra fast Auto-gating
- · Unsurpassed High Light Level Resolution







### NOCTURN



- Seeing in all conditions (Day / Night / Extreme night)
- Seeing far away (zoom capabilities)
- Staying stealth (seeing through windows) Recording / transmitting
- · Easy-to-integrate solutions based on video standards
- · Ruggedized cores adapted to most
- demanding environments (MIL std, rifles...)

## NIGHT VISION BINOCULARS AND MONOCULARS

## **THEON** Advanced Optronics

### **THEON** ARGUS PANOPTES

#### **Advanced Modular Night Vision Binoculars (MNVB)**

- Two Mil Spec versions available: Light Weight (LW) and Fail Safe with 100% shut off mechanism (FS)
- Consist of two Argus MNVM's connected with a bridge
- Ambidextrous operations
- Independent flip away and flip p function (FS version)
- Optional Long Range Laser Illuminator
- Complete range of accessories including 3X magnifiers, sacrificial, antifogging, laser protection filters, camera adapters etc.
- Built in interface for Thermal Clip-On attachment
- Optional Manual Gain Control (MGC)



### **THEON ARGUS**

#### Multi-Purpose Night Vision Monocular (MNVM)

- Two Mil-Spec version available: Light weight (LW) and Fail Safe with 100% shut off mechanism (FS).
- Ambidextrous operations
- Collimated line of sight allows for use as binocular
- · Optional Long Range Laser illuminator
- Complete range of accessories including, 3X or 5X magnifiers, Sacrificial, antifogging, day training, laser protection filters and camera adapters, etc.
- Optional Manual Gain (MGC)



### **THEON MIKRON-D**

#### Mini Dedicated Night Vision Binocular (Mini-NVB)

- Mil-Spec and Light weight
- Utilizes 16mm image intensifier tubes which
- reduces weight and size substantially Optional Manual Gain Control (MGC)
- Integrated IR illuminator
- Independent flip away and flip up function
- Smart Electronics



### THEON NYX

#### **Dedicated Night Vision Binocular (NVB)**

- Lightest NVB in its category
- Optional Manual Gain (MGC)
- Smart Electronics
- Complete range of accessories including 3X magnifiers, sacrificial, antifogging, day training, laser protection filters, camera adapters etc.



### THEON DAMON

#### In Line Afocal Night Sight (CNVD)

- Two versions available: Medium Range (MR) and Long Range (LR)
- Adds Night Vision capability by clip on in front of day optics
- No need to remove day sight allowing the eye relief, shooting position and user muscle memory to remain the same
- No Boresight required
- Optional Manual Gain Control (MGC)
- Simple and quick single throw lever mounting on Picatinny rails



### **THEON ARTEMIS**

#### **Night Vision Stand Alone Weapon Sight (NVWS)**

- Three version available:
- Short Range with 3X magnification (SR)
- Medium Range with 4X magnification (MR)
- Long Range with 6X magnification (LR)
- Ergonomic design, compact and lightweight
- Red illuminated reticle that is field replaceable
- · Rugged aluminum housing
- · High Boresight stability
- · Standard MIL-STD-1913 mount

### **THEON THERMIS**

#### Thermal Weapon Sight (TWS)

- Four version available:
- Short Range (SR)
- Medium Range (MR)
- Long Range (LR)
- Extra Long Rage (ELR)
- Uncooled IR sensor technology for Superior
- image quality
- · Built-in Digital Compass and Inclinometer
- Video Capture
- Image Capture and Storage
- · State of Art Image Enhancement Algorithms
- Energy Efficient (greater than 10 hours)
- · Quick Start Up (less than 3 seconds)
- Rugged Military Design



**Contact Cadex for more information on Night Vision products** 

**Contact Cadex for more information on Night Vision products** 

## LOW PROFILE FLIP UP MOUNT——

## FLIP UP MOUNT-



The Cadex Low Profile Flip Up Mount is a ruggedized aluminum NVG mount that combines lightness to low profile design with a maximum range of adjustability.

#### **FEATURES:**

- Ergonomic "one touch" height adjustment allows operator to adjust height with one hand.
- Low profile follows helmet contour when
- Six position adjustable mounting plate fits numerous facial profiles and helmet mounting systems.
- The Low Profile Flip Up Mount will lock in the upright and down positions.
- If the NVG is bumped or impacted the Low Profile Flip Up Mount will fold and lock in upright position protecting the NVG and operator.

\*Dovetail configuration shown

Part#: 643-5878FK (with Dovetail carriage) Part#: 643-5878-A010 (with Bayonet/PVS carriage)

#### **Dimensions:**

2.89" x 4.58" x 2.87" | 7.34 x 11.63 x 7.29 cm

#### **Dimensions folded:**

**Weight:** 0.4 lbs | 181 grams

### **Low Profile Flip Up Mount**

2.89" x 2.04" x 3.45" | 7.32 x 5.18 x 8.76 cm

Material: Aluminum 6061-T6

Ultra-lightweight and maintenance-free design made out of reinforced nylon to endure desert sand and salt water. Fits a wide variety of helmet designs and is compatible with dovetail or bayonet style NVG interfaces. Cadex offers multiple kits that will adapt to your specific needs.

#### **FEATURES:**

- Lightest Flip Up Mount offered by Cadex.
- Large adjust knobs provide easy adjustments with gloves on.
- Nylon construction allows for silent manipulation of flip up.
- Endures desert sand and salt water.

### Flip Up Mount

Part#: 643-93FK-206 (with Dovetail carriage) Part#: 643-93FK-207 (with Bayonet/PVS carriage)

#### **Dimensions:**

3.48" x 4.23" x 4.71" | 8.85 x 10.76 x 11.97 cm

**Weight:** 0.33 lbs | 151 grams

Material: Nylon ST-801 Black / Aluminum 6061-T6



**MICH Shroud** 

Part#: 643-A214

3.35" x 1.62" x 2.98" | 8.51 x 4.12 x 7.58 cm


**Weight:** 0.13 lbs | 60 grams

Material: Aluminum 6061-T6 / Stainless steel











6 positions adjustable mounting plate








## — FLIP UP MOUNT CONFIGURATIONS —

## UNIVERSAL HELMET STRAP KIT —

# LOW PROFILE FLIP UP MOUNT (ALUMINUM) FLIP UP MOUNT (POLYMER) Part#: 643-93FK-207 Part#: 643-5878FK Part#: 643-5878-A010 Part#: 643-93FK-206 (Dovetail) (PVS/Bayonet) (Dovetail) (PVS/Bayonet)







Side-Mounted Helmet Bracket
 Part#: 1835
 Mil Std M1913 style rail
 Fits numerous military helmets
 Can be fitted to any model of helmet upon request.


## SURVEILLANCE KIT—

## **BUILD YOUR OWN**

	DESCRIPTION TABLE				
2700-KIT5	Surveillance Kit 2700 complete system (Part I/B/C/D/E/F/J)				
2322-В	Surveillance Kit Extension				
2322-C	Surveillance Kit Centre Rail				
2322-D	Spacer for Inverter Cage				
2322-Е	Extra Side Rail for Inverter Cage				
2322-F	3 Rails Inverter Cage (for Leupold Mark 4 12-40x60 & 20-60x80)				
2322-FS60	Hensoldt 3 Rails Cage (for Spotter 45/60)				
2322-I	Surveillance Kit Front Section (2700 Model)				
2322-J	Surveillance Kit Back Section (2700 Model)				
2322-К	Adaptor for Rifle Scope				
2322-P	Inverter Kit to Picatinny Adaptor				
2322-Q	Kestrel Holder (see page 99)				









**P** INVERTER KIT TO SURVEILLANCE KIT FRONT SECTION One quick adjust button for your night optic plus

a precise micro adjustment wheel means you can

achieve the perfect fit.

**FRONT** 



**PICATINNY ADAPTOR** 



**B** SURVEILLANCE KIT EXTENSION

The extension is recommended for mounting night vision device at the front of the spotting scope.

G SURVEILLANCE KIT CENTRE RAIL

Multiple tripod mounts allow you to balance your gear on the tripod base and equally distribute the weight along the Surveillance Kit.

### **1** 3 RAILS INVERTER CAGE

The Inverter Cage includes a unique spotting scope cradle that ensures the chassis and other mounted accessories are stable and aligned. It also allows the scope to float within the inverter as it is the scope's only point of attachment providing a secure connection between your spotting scope and the surveillance chassis. Can fit up to 5 rails.

### **E** EXTRA SIDE RAIL FOR INVERTER CAGE

Optional rails also available for mounted accessories.



#### Ability to mount accessory rails for LRF, Red Dot, Weather station, etc.

Spotter 45/60

• Compatible with complete surveillance kit or as a standard alone unit

**Hensoldt 3 Rails Cage for** 

• Offering additionnal protection

2322-FS60

• Allows a perfect alignment for camera, spotting scope and night vision or thermal imaging

D SPACER FOR INVERTER CAGE



The camera mount is equipped with a horizontal (left/right) adjustment for a precise fit. With the click of a button your camera's height is adjusted to match your spotting scope. If finer adjustment is needed, simply use the micro adjustment wheel and the perfect fit is achieved.



### SURVEILLANCE KIT — —

## SURVEILLANCE KIT MOUNTING ADAPTORS

Cadex offers a wide variety of surveillance kits. Customers may request other mounting options to fill their particular requirements. Specially designed for the sniper or surveillance team, the Surveillance Kit decreases the amount of weight carried. The Surveillance Kit is easy to manipulate during extreme cold weather conditions and in darkness.

FOLDS AT 45°

The Cadex Surveillance Kit is convenient and easy to operate. Its adjustment system allows the operator to easily fine tune the component's placement. The Surveillance Kit's pivoting camera mount allows the operator to set up for photographic surveillance in a matter of seconds. Sighting scope inversion means your head is not the most visible point in your sighting system.

#### **FEATURES:**

- Easy to operate even with gloves.
- No tools required.
- Folds and dismantles for transportation.
- Designed for the Leupold Mark4 12-40X60 and 20-60X80 spotting scopes. Also available for the Hensoldt Spotter 45/60.

### Surveillance Kit

Part#: 2700-KIT5 (Complete System)

**Dimensions:** 

30.19" x 4.91" x 11.42" | 76.67 x 12.48 x 29.01 cm

**Weight:** 4.54 lbs | 2061 grams Material: Aluminum 6061-T6



### The Cadex Surveillance Kit offers endless possibilities when it comes to mounting accessories. Each year new electronic devices are hitting the market and they all require their own mounting interface. This is why Cadex is constantly adding new Adaptor Blocks to its selection of mounting Bases.

Step #1 is to select the BASE type that you are planning to use, then combine it with the appropriate ADAPTOR BLOCK that you require (step #2).

#### BASES (STEP #1) 1683-A077-K1 RC2 Tripod Adaptor Base 1683-A078-K1 Arca Adaptor Base **1683-A085-K1** Picatinny Adaptor Base (nut) 1683-A080-K1 QD Picatinny Adaptor Base **1683-A082-K1** Picatinny Adaptor Base (thumbscrew) **ADAPTOR BLOCKS** (STEP #2) **1683-A067-K1** Adaptor Block for Vectronix PLRF15C 1683-A068-K1 Adaptor Block for Safran JIM LR 1683-A069-K1 | Adaptor Block for Vectronix Vector IV 1683-A070-K1 Adaptor Block for Vectronix Vector PLRF25C BT 1683-A071-K1 Adaptor Block for Vectronix Vector 21 Nite **1683-A072-K1** Adaptor Block for Swarovski 60x Spotting scope **1683-A073-K1** Adaptor Block for Leupold 40x Gold Ring Spotting scope 1683-A083-K1 Adaptor Block for Canon Camera 1683-A084-K1 | Adaptor Block for Coral-CR-C AN/PAS 503 **UNIVERSAL BASES** 1683-A074-K1 Universal RC2 Tripod Base 1683-A076-K1 Universal Arca Rail Base

### **STEP #1** (CHOOSE YOUR BASE)



(RC2 type)





(Quick Detach type)



(Thumbscrew type)

### **STEP #2** (CHOOSE YOUR ADAPTOR BLOCK)



1683-A067-K1 1683-A068-K1





1683-A070-K1





1683-A072-K1



1683-A083-K1



1683-A084-K1

### UNIVERSAL BASES

1683-A073-K1



1683-A074-K1

1683-A076-K1

If a proprietary mounting block doesn't exist for your electronic device, you can request a new block to be developped or use one of the following Universal Bases. These bases feature 3 pressure screws to block the rotation.









## **SOLO SIGHT MOUNT-**

## **SOLO SIGHT MOUNT -**



### INTERFACES WITH:











The SOLO sight mount dramatically enhances the fighting capabilities of the soldier during day and night conditions. The system is the world's premier military off-the-shelf sight mounting solution. It is designed to enhance the sighting capabilities of NATO-standard weapons such as:

- The M2 .50 cal (12.7mm) Heavy Machine gun
- The 40mm MK19 Grenade Machine gun
- The 40mm Heckler & Koch Grenade

  Machine Gun

The SOLO platform integrates up to three sight modules in a wide variety of configurations and provides both day and night sight capabilities.

The system allows for a rapid switch from active to passive target acquisition mode.

During firing, the operator adjusts the range with one hand while the other is free to control the weapon. An illuminated range dial permits the operator to rapidly set the range for a quick engagement, day or night.

CIFICATION

SOLO Sight Mount Part#: 724-940

#### Dimensions:

16.21" x 8.64" x 7.16" | 41.17 x 21.94 x 18.2 cm

Weight: 10.45 lbs | 4740 grams
Material: Aluminum 6061-T6

The SOLO mount incorporates a precise mechanical spin drift compensation for 40mm high velocity grenades. The SOLO also has a unique integral mount buffer system, which allows the operator to keep an eye on the sight and also protects the optical modules by absorbing 88% of harsh peak recoil forces.

#### **FEATURES:**

- Accommodates up to 4 day/ night electro-optic devices.
- Increases lethality of both 40mm and .50 cal platforms.
- 40mm mechanical spin drift compensation.
- 88% absorption of peak recoil forces.
- Illuminated Range Dial.
- Customizable configurations.



The SOLO Sight Mount converts a zone-spreading machine gun into a precise target engagement tool with one round one hit capability at extreme ranges.












## **KOLOS SIGHT MOUNT-**

## QUICK DETACH BRACKETS-



■ The KOLOS Sight Mount converts a zone-spreading machine gun into a precise target engagement tool with one round one hit capability at extreme ranges.





The KOLOS Sight Mount significantly enhances day and night fighting capabilities of the .50 Caliber M2 Machine Gun, 40mm MK19. With the KOLOS mount, the gunner is able to rapidly transition from active to passive target acquisition methods to produce maximum effective fire on the target.

Because of the KOLOS mount buffer system, the gunner can keep his eye against the sight eye cup during firing to maintain the sight picture.

#### **FEATURES:**

- Low profile buffering of optics systems.
- Accommodates up to 4 day/night electro-optic devices.
- Increases lethality of .50 cal platforms.
- 88% absorption of peak recoil forces.
- Customizable configurations.

### **KOLOS Sight Mount**

Part#: 2607

12.27" x 5.78" x 2.78" | 31.17 x 14.68 x 7.06 cm

Weight: 4.52 lbs | 2050 grams Material: Aluminum 6061-T6

### **QD Bracket, Male Interface SOLO**

Part#: 00573-A222

**Dimensions:** 

6.9" x 1.69" x 2.41" | 17.52 x 4.29 x 6.12 cm

**Weight:** 0.71 lbs | 322 grams Material: Aluminum 6061-T6



### **QD Bracket, M2 Interface SOLO**

Part#: 00573-A219

**Dimensions:** 

7.54" x 3.7" x 1.6" | 19.15 x 9.4 x 4.06 cm

**Weight:** 0.73 lbs | 332 grams Material: Aluminum 6061-T6



### QD Bracket, MK19 Interface SOLO

Part#: 00573-A221

**Dimensions:** 

7.51" x 2.42" x 3.52" | 19.08 x 6.15 x 8.94 cm

**Weight:** 1.05 lbs | 476 grams Material: Aluminum 6061-T6



#### Fixed Bracket, MK19 Interface SOLO Part#: 00573-A223

7.38" x 1.58" x 3.03" | 18.75 x 4.01 x 7.7 cm

Weight: 1 lbs | 457 grams Material: Aluminum 6061-T6



### The Quick Detach Bracket is a mount interface for the SOLO and KOLOS which provides for "no tool" mounting on both the M2 12.7mm (.50cal) machine gun and the 40mm GMG (AGL).

#### **FEATURES:**

- Allows the user to remove and install the SOLO/KOLOS from their weapon with complete return to zero.
- · Quick Detach Bracket installation does not require any modifications to the weapons.
- Does not interfere with normal function or handling drills.
- All versions of the SOLO already in service can be retrofitted with this mount.



### QD Bracket, 40mm Male/Female HK GMG (C16) Part#: 00573-A011

5.48" x 5.14" x 0.99" | 13.92 x 13.06 x 2.51 cm

**Weight:** 1.77 lbs | 803 grams




# CM2 QUICK RELEASE BRACKET —

The Cadex Recoil Rail provide electro-optic devices with protection from firing shock of hard recoiling weapons, such as the M2 .50 caliber machine gun.

The Cadex Recoil Rail uses a patented buffer system to absorb approximately 30% of the peak recoil forces which would otherwise be transferred to the mounted optic.

#### **FEATURES:**

- Absorbs approximately 30% of peak recoil
- Returns the electro-optic to its original position after firing.
- Increases life expectancy of electro-optic devices.
- Can be used as bipod rail to improve follow up shots.
- Custom interfaces available for a variety of
- Reduces the blur effect of iron sights when firing in full automatic mode.



### **Recoil Rail**

Part#: RR-2337

6.1" x 1.73" x 0.39" | 15.5 x 4.4 x 1.01 cm

Weight: 0.41 lbs | 187 grams Material: Aluminum 6061-T6

#### 60mm BSMe Mortar Recoil Rail Part#: RR-2337-A007


#### Dimensions:


6" x 1.75" x 1" | 15.2 x 4.4 x 2.5 cm

**Weight:** 0.4 lbs | 184 grams

Material: Aluminum 6061-T6







The Cadex CM2 Quick Release Bracket provides users with a solid optics mount for the M2 12.7mm (.50 cal) Heavy Machine Gun.

#### **FEATURES:**

- A 7.5" Mil Std M1913 Picatinny rail for secure optics mounting.
- Quick detach installation does not require any modification to the
- Made from a single piece of lightweight aluminum 6005-T6.
- Tabs are made from a reinforced acetal to improve sliding and locking capabilities.
- Reinforced composite tabs also ensure that they are break-proof and will not wear out over time.
- A stainless steel screw secures the tabs to the Quick Release Bracket aluminum



#### **CM2 Quick Release Bracket** Part#: 2905-A002

9.06" x 4.13" x 3.94" | 23 x 10.5 x 10 cm

**Weight:** 1.6 lbs | 726 grams

Material: Aluminum 6005-T6







A Quick Release Bracket for the M2 is also available with Recoil Rail. Part#: 2905-A002RR

# - C9/M249 BUTTSTOCK ADAPTOR —





The Cadex Buttstock Adaptor allows the fitting of issued and aftermarket M4/C8 carbine buttstocks to the C9/M249\* light machine gun so that the user can tailor their length of pull and eye relief as required.

#### **FEATURES:**

- Mounts by using the existing take down pins.
- Accommodates a wide variety of M4/C8 carbine buttstocks.
- Allows organizations to use the same buttstock and sling plate components for their carbine and light machine gun fleets, simplifying spare parts and training requirements.

\*Warning: Fits only on C9/M249 models equipped with a hydraulic buffering system





C9/M249 Buttstock Adaptor Part#: 536

#### Dimensions:

2.3" x 2.06" x 3.65" | 5.84 x 5.25 x 9.29 cm

**Weight:** 0.32 lbs | 145 grams

Material: Aluminum 6061-T6

# **DUAL RAIL**

#### **SPECIFICATIONS**

**C9/M249 Dual Rail** Part#: 578

#### **Dimensions:**

5.15" x 3.76" x 3.2" | 13.08 x 9.57 x 8.13 cm

**Weight:** 0.53 lbs | 241 grams

Material: Aluminum 6061-T6







C9/M249

## TRI-RAIL

### **FEATURES:**

other weapon accessories.

 Minimizes heat transfer to the gunner's hand when firing at high rate

The Cadex Tri-Rail for the C9, M249 and FN Minimi LMGs provides the gunner a solid mount for lights, aiming lasers and

The Cadex Dual Rail for the C9, M249 and FN Minimi Light Machine Guns provides the user with a versatile, lightweight mount for laser pointers

• Mil Std M1913 rails at the 3 and

to attached electro-optics.

Reduces heat and vibration transferred

· Provides excellent zero retention of

• Clamps to the weapon receiver and

indexes with the machine gun's

and illumination devices.

9 o'clock positions.

mounted devices.

front mount bushing.

**FEATURES:** 

- Provides three Mil Std M1913 rails, at 3. 6 and 9 o'clock.
- The side rail location is optimized to place aiming lasers in the same horizontal plane as the barrel axis.
- Keeps accessories mounted close to the weapon's center of gravity.



**C9/M249 Tri-Rail** Part#: 1212

#### **Dimensions:**

10.98" x 2.66" x 3.89" | 27.9 x 6.78 x 9.89 cm

**Weight:** 1.06 lbs | 482 grams


Material: Aluminum 6061-T6



Removable heat protection



# C6/M240 **DUAL RAIL**





The Cadex C6 Buttstock provides the operator with a world-class fully adjustable precision buttstock. Designed in such way as to enhance shooting comfort, resulting in field precision. Easily adjustable for the length of pull. This new C6 Buttstock is entirely compatible with the existing C6 Buttstock which makes it simple to retrofit the existing one. Ergonomic design for easy maneuverability and precision improvement, it extends (2 inch travel) / collapses without any tools.

#### **FEATURES:**

- Easy to retrofit existing C6.
- Extends (2 inch travel) /collapses without any tools.
- Ergonomic design for easy maneuverability.
- Made of aluminum 6061-T6 with some components made of fiber reinforced composite.
- Ambidextrous.
- Up/down cheek piece adjustment.
- Forward/rearward cheek piece adjustment.

C6 Buttstock Part#: 4016

#### **Dimensions:**

8.66" x 2.08" x 5.56" | 22 x 5.28 x 14.12 cm

#### Dimensions extended:

10.66" x 2.08" x 7.76" | 27.08 x 5.28 x 19.71 cm

Weight approx.: 2.2 lbs | 998 grams

**Material:** Aluminum 6061-T6

The Cadex Dual Rail for the C6, M240 and MAG
58 Machine Guns provides users with a robust
mount for laser pointers and illumination devices.

#### **FEATURES:**

- Mil Std M1913 rails at the 3 and 9 o'clock positions. Optional positioning at 6 o'clock and 45° angle.
- Reduces heat and vibration transferred to attached electro-optics.
- Provides excellent zero retention of mounted devices.
- Configurable rails.
- Optional 6 o'clock rail positioning for mounting a folding grip.


**C6/M240 Dual Rail** Part#: 1166-2

#### **Dimensions:**

6.14" x 3.52" x 1.89" | 15.5 x 8.95 x 4.81 cm


**Weight:** 0.63 lbs | 285 grams

Material: Aluminum 6061-T6












## C16 COVER LATCH & HANDLE —

## M2 FIRE



Extended Cocking Handle (Compatible with HK GMG only)



C16 Cover Latch



### C16 Cover Latch

Part#: 5119-A001

#### Dimensions.

10.66" x 3.57" x 3.26" | 27.08 x 9.07 x 8.28 cm

**Weight:** 1.86 lbs | 844 grams

Material: Aluminum / Stainless / Delrin

**Extended Cocking Handle** Part#: 5119-A050

#### **Dimensions:**

5.23" x 4.6" x 1.44" | 13.28 x 11.68 x 3.66 cm

**Weight:** 0.69 lbs | 313 grams

Material: Aluminum / Stainless / Delrin

Cadex Cover Latch assembly was designed for mission success. Built from 6061-T6 Aluminum, Delrin and Stainless steel.

#### **FEATURES:**

- Cover Latch assembly is easily indexed during complex operations both day and night.
- Single handed manual operation.
- Operator friendly for gun drills loading unloading.
- Installs in minutes on the existing cover. No modifications required.

Cadex's M2 Front Interface Rail Equipment (M2 FIRE) rail system increases the target acquisition and engagement capabilities of the .50 caliber M2 Heavy Barrel machine gun.

#### **FEATURES:**

- Clamps to the barrel support of the M2HB weapon.
- Provides three Picatinny rails, at 3, 6 and 9 o'clock.
- Provides a solid mount for heavy weapon spotlights and aiming/illumination lasers.
- Does not affect normal function of the weapon, including barrel changes.
- Machined channels protect device cables.



#### Dimensions

22.74" x 4.35" x 7.08" | 57.78 x 11.04 x 17.98 cm

Weight: 5.47 lbs | 2480 grams
Material: Aluminum 6061-T6





### Optional Top Rail Part#: 1626-A002

- The optional top rail assembly provides a mounting surface for reflex sights.
- Does not interfere with weapon's iron sights.

#### MOUNTABLE ACCESSORIES:







112

## 37MM LAUNCHING CUP

# BREACHING MULTI-TOOLS



Cadex 37mm Launching Cup is ideal for less lethal and crowd control situations. The Launching Cup is used in conjunction with a 37mm ballistic cartridge. The Cadex Launching Cup has a unique venting system which enables the operator to launch a hand deployed chemical grenade at graduated distances of 40, 60 and 100 m.

#### **FEATURES:**

- Allows for delivery of payload to extended ranges.
- May be used for denying access, cordons and channeling ops.
- A valuable tool to create distance and opportunity.

TIONS

37mm Launching Cup Part#: 4340

Dimensions:

2.61" x 1.42" | 6.63 x 3.6 cm

**Weight:** 1.44 lbs | 652 grams

Material: Aluminum 6061-T6

#### \*Required thread pitch drawing available on request










The Cadex Telescopic Tactical Breaching Multi-Tool is one of the most powerful breaching tools available. A combination of breaching hammer, halligan tool, hinge breaker and expedient ram. The Cadex Tactical Breaching Multi-Tool provides superior capabilities over traditional single use tools. Recently upgraded after ten years of service, the improved TBH allows the user to adapt their equipment to the mission at hand.

#### **FEATURES:**

- Its unique design incorporates the functionality of multiple tools, in a simple package. Carry one or carry five?
- Its telescopic design makes it very compact to carry. It can be used collapsed or extended.
- Can be interchanged between the hinge breaker or the optional "brake and rake tip".
- CQB Tactical Breaching Multi-Tool also available for use in restricted confines or as a secondary team tool.
- Replacement parts available on request:
- Hammer head: #580-048
- Hammer fork: #580-026



**CQB** Part#: 580-A009

#### **Dimensions:**

9" x 2.5" x 16.24" | 22.86 x 6.35 x 41.27 cm **Extended:** 22.24" | 56.51 cm

**Weight:** 12.14 lbs | 5507 grams

**TBH** Part#: 580-A005


#### **Dimensions:**

9" x 2.5" x 23" | 22.86 x 6.35 x 58.42 cm **Extended:** 33.12" | 84.13 cm

**Weight:** 16.83 lbs | 7636 grams

Material: Aluminum/Steel (Tube) AISI 1045 Hardened Steel (Head and Fork)







# CLIMBING HOOKS 4" & 7"———

## CLIMBING HOOK 14"



The Cadex Short (4") and Long (7") Assault Climbing Hook (SACH) provides the entry teams with an extremely versatile tool for vertical methods of entry in scenarios where it is not practical to use the larger Cadex extra Long Assault Climbing Hook.

#### **FEATURES:**

- Designed for use with an extension pole system to securely fix assault ladders in place on the wide variety of surfaces encountered during operations.
- Can be hand-emplaced.
- Carbide spikes ensure proper hook grip.
- Folds for easy transport and storage.

#### **Short Climbing Hook 4**"

Part#: SH-1234

#### **Dimensions:**

1.97" x 2.35" x 4.67" | 5.02 x 5.97 x 11.87 cm

Static hook capacity: 1300 lbs | 589 670 grams

**Weight:** 0.78 lbs | 355 grams

Material: Aeronautical Aluminum (Frame) Carbide (Spike)









**Long Climbing Hook 7"** Part#: LH-1234

#### Dimensions:

2.03" x 2.35" x 6.9" | 5.16 x 5.97 x 17.53 cm

**Static hook capacity:** 1300 lbs | 589 670 grams

**Weight:** 1.1 lbs | 497 grams

Material: Aeronautical Aluminum (Frame) Carbide (Spike)

The Cadex Extra Long Assault Climbing Hook provides the entry teams with a versatile tool for use with pole systems to securely position assault ladders on irregularly shaped or rounded surfaces. It opens to multiple angles to provide three surfaces, allowing the hook to grab the face, top and rear of differently shaped surfaces.

#### **FEATURES:**

- Designed for use with an existing pole system to securely fix assault ladders in place on the wide variety of surfaces encountered during
- Can be employed with or without carabiners.
- Can be hand emplaced.
- The replaceable stainless steel spikes are extremely resistant to wear or breakage.
- Folds for easy transport and storage.
- · Ideal for mud walls.



Each hook comes with 3 sets of hardened spikes in the following lengths:

(12.7mm)

(19.1mm)

1 1/2"

#### **Extra Long Climbing Hook 14"** Part#: DH-1867

#### **Dimensions:**

3.45" x 3.35" x 10.74" | 8.76 x 8.51 x 27.28 cm

Static hook capacity: 1000 lbs | 453 592 grams


Weight: 2.43 lbs | 1100 grams

Material: Aluminum 7075-T6 (Frame) Stainless Steel (Spike)









## **POLE LADDER**

## **POLE LADDER**







The Cadex Pole Ladder provides a secure rigid method of entry. A standard kit includes one hook, four pole sections and two half pole sections for over 25 feet of portable climbing power.

Custom kits can easily be built to suit the needs of the mission.

The kit's transport bag holds all five sections as well as the hook (transport bag is optional).

The Cadex Pole Ladder System is a modular ladder designed to provide assault personnel with a tool for rapid vessel entry and ability to scale most obstacles or buildings.

The hook is a strong, lightweight assembly easily folded by pressing the releases on each side of the hook.

Featuring stainless steel spikes and 8" of clearance the hook will attach securely to most surfaces. Different spike lengths are available.

The pole sections and hook assemble quickly, making this ladder extremely portable and compact for transport to the mission.

#### **FEATURES:**

- Modular design allows for custom kits suited to the needs of the mission.
- Pole tensile static load capacity is 2500 lbs.
- Hook has 8 inches of clearance.
- Large anti-slip step with good finger clearance.



### Pole Ladder transport bag



Non-Skid leg cover





**Dimensions (Hook - Extended):** 12" x 6.1" x 15" | 30.5 x 15.5 x 38.1 cm

Weight (Hook): 6 lbs | 2721 grams

Dimensions (Pole section):

12.3" x 3.2" x 64.45" | 31.24 x 8.13 x 163.7 cm

**Dimensions (Half Pole section):** 12.3" x 3.2" x 33.95" | 31.24 x 8.13 x 86.23 cm

Weight (Pole): 7 lbs | 3175 grams

Material (Hook & Pole): Aeronautical Aluminum

Material (Spikes): Stainless Steel







# PROMOTIONAL MATERIAL-



The Cadex Ladder Reel gives the user the capability to rapidly deploy their cable-type assault ladder. Its small size permits the ladder to be stowed in a compact package for transport to the entry site and also provides the user with a quick recovery system for their ladders.

#### **FEATURES:**

- Provides the user tangle-free ladder deployment.
- Prevents cable ladders from becoming kinked, helping extend ladder life.
- Knurling on the handles provides a non-slip holding surface for positive control when in use.
- Holds up to 15 meters of cable type ladders, such as the Yates Special Ops Ladder.

Ladder Reel Part#: LR-995

**Dimensions:** 

18.75" x 11.75" | 47.62 x 29.84 cm

**Weight:** 8.6 lbs | 3900 grams

Aluminum 6061-T6 / Black Acetal Composite

### SHOW STAND

- Modular design allows for custom kits suited to the needs of the dealer.
- Can fit up to five brackets, shelvings or chassis.
- Designed to work with complete rifles.





### T-SHIRT / PATCHES / STICKERS




### CADEX CAP

• Black cap with embroidered "Cadex Defence" logo on the front and "Extreme Range Supremacy" on the back.



### M2 CRADLE MOUNT ———

### MG VEHICLE ARM NOT AVAILABLE IN NORTH AMERICA



**MAXIMUM ELEVATION RANGE** 

M2 Cradle Mount Part#: 6987-A100


#### Dimensions:

20" x 13.75" x 15" | 50.8 x 34.93 x 38.1 cm

**Weight:** 50.1 lbs | 22 725 grams

**Material:** Steel / Cerakote paint





The Cadex M2 Cradle Mount has been developed to provide an easy to operate affordable mounting solution for the Browning M2.

- A- Micro adjustable elevation system with 1 mil increment per click.
- B- 2-point balanced mounting system.
  SOLO Optic enhancement package ready
- C- Blackened stainless steel Machine Gun mounting pins.
- D- User-friendly threaded traverse locking mechanism.
- E- Responsive clutch locking elevation mechanism.
- F- Standard military ammo box plate.
- G- Standard M2 pintle adaptor.
- H- Mark 93 Adaptor Kit M240/M249.
- I- M249 ammo box adaptor plate.

B C C



The Cadex MG Vehicle Arm attaches to the multi-position MG support using its ACMAT pintle. It allows the mounting of a machine gun at two different locations, either at the end of the arm or at its center section using the NATO pintle. A fast release button is used to lock/unlock the MG pintle instead of the traditional push pin. Two tension adjustment knobs are used to restrain free movement of the machine gun depending on its weight. The MG Vehicle Arm is a low profile system that can deploy in a couple of seconds for fast target engagement and can fold rapidly for transport. This is the ultimate MG mount and no other arm offers as much adjustability

#### MG Vehicle Arm Part#: 5573-A120

\_\_\_\_

### Dimensions:

15.25" x 5.68" x 8.84" | 38.74 x 14.43 x 22.45 cm

**Weight:** 13.1 lbs | 5942 grams

Material: Manganese Phosphate Steel /

Aluminum 6061-T6

### Multi-Position MG Support Part#: 5573-A111

Part#: 55/3-A11

#### Dimensions:

4.94" x 3.8" x 38.57" | 12.55 x 9.65 x 97.97 cm

**Weight:** 6.78 lbs | 3075 grams

Material: Manganese Phosphate Steel



## SNIPER AERIAL PLATFORM

For more information on these products, please contact Cadex's LE Sales Representative



# Contrary to popular beliefs, shooting with accuracy from an aerial platform is not obscure science chalked up to luck, but rather science.

The Cadex Sniper Aerial Platform proposes a sniping solution composed of two distinct systems, which can greatly improve the hit rate on a target.

The first device is a PIVOTING GUN SUPPORT mounted on an
 existent aircraft attachment point allowing the shooter to rest
 his rifle and be able to move it around as he wishes.

The second device is an ADJUSTABLE CLIP-ON SCOPE RAIL capable to be adjusted "on the fly" based on the speed of the aircraft. By using this device, the shooter does not need to do some reticle hold-off since the firing solution (dope) is built-in the rail. The shooter can now engage the target with the scope reticle aimed at center mass without the need to compensate.

Point of aim, point of impact!

It is one thing to own the solution to every airborne sniper's problem but it's another to master its use in the field. This is why Sniper Quebec Shooting School has spent years in the field developing and perfecting the expertise. Sniper Quebec can provide an extensive training to law Enforcement Agencies looking for a key-in-hand solution. Contact Cadex Defence to be in contact with Mr. Mario Dutil.



# -CADEX RECREATIONAL PRODUCTS

### **MODIFICATIONS & UPGRADES**

















CADEX Armor, a division of CADEX Inc., is a leading international specialist in the development, design and supply of defensive and inconspicuous armored security vehicles.

These special armored vehicles provide full "peace of mind" mobile protection for government officials, law enforcement personnel, security agencies, as well as private organizations and VIPs concerned about the violent threats of today's hostile urban environment.

Extreme care has been taken in the design and build of each of our armored vehicles to ensure that there is a perfect balance of complete ballistic and blast protection while maintaining a superior on/off road performance.

The Management team of CADEX Armor, consists of industry experts with decades of experience in the automotive and armoring industry. Our understanding of client safety needs and knowledge of new ballistic materials have helped us bring to market what we believe is a truly better and stronger built Armored Security Vehicle.

#### **Mr. Kemal Gursoy**

**CADEX ARMOR Project Specialist** 

kemal@cadexinc.com

### VISIT <u>CADEXARMOR.COM</u> FOR MORE INFORMATION





# **CEN B6+**

### MERCEDES BENZ SPRINTER 3500 HD VIP

# HTA-1 ARMORED PERSONNEL CARRIER





ERPINITED 2500 HEAVY DUTY CHASSIS

SPRINTER 3500 HEAVY DUTY CHASSIS
3.0 V6 DIESEL AUTOMATIC TRANSMISSION - EXTRA LONG WHEELBASE, HIGH ROOF



TV, DVD, MICROWAVE, COFFEE MACHINE



VIP 7 PASSENGER CONFIGURATION: HEATED, VENTILATED, MASSAGE SEATS, EXTRA REAR INDEPENDENT A/C UNIT.











# CADEX R&D SOLUTIONS







#### + EXPERTISE

Cadex has worked with both conventional military and Special Forces, successfully delivering our products to a broad range of customers worldwide. Cadex works with its customers in a team approach to identify the mission requirements in order to meet their specific needs.

#### + INNOVATION

Cadex's design and manufacturing team ensures the customer has access to leading edge technology.

#### + DESIGN

When creating the design, Cadex's R&D department works seamlessly with the production department to ensure the manufactured item meets the customer's requirements no matter the complexity.

#### + SOLUTION

Cadex's R&D department's initial design is quickly turned into a prototype for customer evaluation. Cadex can use its 3D printing, molding and machining capabilities to produce a broad range of prototypes.

#### + MANUFACTURE

Cadex can call upon its in-house capabilities to produce a broad range of products. This includes weapon components, tactical breaching equipment, gun stocks, recoil management systems and precision mounts for electro-optic systems.

#### + DELIVERY

Cadex provides the edge needed when you need it most. Our equipment is in service worldwide.

#### + SUPPORT

With Cadex every product comes complete with knowledgeable customer support. Our quick and efficient staff is known worldwide for its legendary quality of service as well as its uncompromising discretion.









### Message from the president

"For over 20 years, Cadex has designed and manufactured an extensive line of high quality and premium products for Special Operations, Military, Law Enforcement and Civilians across the globe. In each field of operation, we bring to you a team of specialized and dedicated professionals. Ready to guide you forward and best supporting your multiple mission requirements. We would like to thank our long standing customer base for their ongoing trust and support."

#### If you appreciate Cadex products, please take a minute to let us know at

customerservice@cadexinc.com

#### Follow us!











**Serge Dextraze** 

President/CEO

**Patrice Picard** Sales Director Canada Office: 1-888-348-6774 Cell: 514-821-7983 patrice@cadexinc.com



**Robert Pettorsson** US Sales and Marketing Manager Cell: 623.810.6591 robert.p@cadexinc.com



**Darryl Miller** Military, Law Enforcement & Commercial Sales **USA Office: Swanton** Cell: 770-713-6354 darryl@cadexinc.com



**Ryan McLean** Canada Office Customer Service Representative Canada Office: 450-348-6774 customerservice@cadexinc.com



**Vincent Roy** Canada Office Customer Service Representative Canada Office: 450-348-6774 customerservice@cadexinc.com

### **CUSTOMER'S PICTURES**

Do not hesitate to send us pictures of your builds at: <u>marketing@cadexinc.com</u> so that we can showcase them on our website and social media! And thanks a lot to those who already did!







\*\*In case of disparity between the catalog and the website, the information presented on the website has priority\*\*



### EXTREME RANGE SUPREMACY®



# CADEX DEFENCE

755 ave. Montrichard,
Saint-Jean-sur-Richelieu, QC, Canada, J2X 5K8
Tel: 450-348-6774 • Fax: 450-348-7157
Toll free: 1 888 348-6774

# CADEX DEFENSE CORP

107 Robin Hood Dr, Swanton, VT 05488, United States Tel: 802-466-4003 • Fax: 450-348-7157 Toll free: 1 888 348-6774

WWW.CADEXDEFENCE.COM