



Ultimate Training Munitions

*As **real** as it gets...*



TRAINING AMMUNITION | FIREARM CONVERSIONS | PERSONAL PROTECTIVE EQUIPMENT | PORTABLE TRAINING FACILITY

UTMWORLDWIDE.COM







Beretta® and the various Beretta model designations are registered trademarks of Beretta U.S.A. Corp.  
 Colt® and the various Colt model designations are registered trademarks of Colt's Manufacturing Company, LLC.  
 Sig Sauer® and the various Sig Sauer model designations are registered trademarks of Sig Sauer, Inc.  
 H&K® and the various H&K model designations are registered trademarks of Heckler & Koch, Inc.  
 Glock® and the various Glock model designations are registered trademarks of Glock, Inc.  
 FN Herstal® and Browning® and the various model designations are registered trademarks of FN Herstal S.A. and Browning International S.A.  
 Smith & Wesson® and the various Smith & Wesson model designations are registered trademarks of Smith & Wesson Corp.  
 Walther® and the various Walther model designations are registered trademarks of Walther Arms, Inc.  
 Steyr® and the various Steyr model designations are registered trademarks of Steyr Arms, Inc.  
 ST Kinetics® and the various model designations are registered trademarks of Singapore Technologies Engineering Ltd.  
 Tavor® and the various model designations are registered trademarks of IWI US, Inc.  
 CZ and the various model designations are registered trademarks of CZ-USA, Inc.  
 HS Produkt and the various model designations are registered trademarks of HS Produkt, d.o.o.  
 HOLOSUN and the various model designations are registered trademarks of Holosun Technologies, Inc.  
 Trijicon and the various model designations are registered trademarks of Trijicon, Inc.

UTM makes no claim to any rights in those marks.





*As **real** as it gets...*

Personal Protective Equipment,  
Portable Training Facility,  
and more . . .

## TRAINING AMMUNITION

Man Marking Round (MMR)	page 3-6
Battlefield Blank Round (BBR)	page 7-8
Silent Blank Round (SBR)	page 9-10
Non-Marking Round (NMR)	page 11
UTX® Marking Round	page 12
Target Bullet Round (TBR)	page 13

## MAGAZINES

page 14

## FIREARM CONVERSIONS

About/Safety Features	page 15
Firearm Conversions	page 16-22

## SHOOTING ENTHUSIASTS

page 23-24

## PERSONAL PROTECTIVE EQUIPMENT

page 25-30

## PORTABLE TRAINING FACILITY

page 31-32

## INDEX

page 33

UTM assumes no responsibility for injuries, loss or damage resulting from misuse of any of its products.

*When converting back to live-fire ammunition, ensure that the chamber and bore have been cleaned, cleared of all debris, objects or projectiles and inspected before firing a live round. Failure to ensure the barrel is free from obstruction could result in damage to the barrel and/or injury to the operator.*



Appropriate hearing and eye protection (safety glasses or goggles) is mandatory

## WARNING

**KEEP AMMUNITION OUT OF REACH OF CHILDREN**

CATALOG CODE: **UTM-2001-US**





## MAN MARKING ROUND (MMR)

Non-Lethal Ammunition for Realistic, Force-on-Force Training

- ▶ The United States Military rated UTM 5.56mm Man Marking Rounds (MMR), both loose and linked, as 99.8% reliable!

### PURPOSE:

- For force-on-force, close quarter battles (CQB) and 360 degree shooting
- Adds stress and realism to training
- Provides physical stimulus and visual indication upon "hits"
- Training "As real as it gets" without using live ammunition

### FEATURES:

- Non toxic, inert color compound marks on glancing hits
- Assortment of marking colors available
- No plastic shavings or bore build up
- Driving band technology for improved accuracy
- Projectiles are resistant to breakage while loading a magazine and chambering



 **UTM MAN MARKING ROUND (MMR)**



## TRUSTED WORLDWIDE BY MILITARIES, LAW ENFORCEMENT AND PROFESSIONALS

The Man Marking Round (MMR) enables militaries, law enforcement personnel, and professional trainers to conduct the most realistic, non-lethal training possible. Trusted by militaries worldwide, utilized by professionals everywhere, UTM's Man Marking Rounds are extremely accurate, mark on glancing hits, and are sure to surpass expectations. Using your weapon and its accessories makes this the best way to train.

## BENEFITS OF USING UTM'S FIREARM CONVERSIONS & TRAINING AMMUNITION:


- Use YOUR firearm and accessories such as lights, lasers and optics
- Consistent velocities
- Unmatched accuracy
- Realistic recoil
- Extremely reliable
- Shoot virtually anywhere, without the need for a live-fire range
- Normal functioning and cycling of the weapon including bolt or slide lock-back
- Matches live-fire cyclic rates
- Minimal fouling of the firearm
- 6 year shelf life on training ammunition
- Lead free options
- Low emissions and minimal environmental impact

### ► UTM 5.56mm Man Marking Round

- Chosen as the sole supplier for United States Military Services for over 10 years

### ► The ULTIMATE in Accuracy

- 5.56mm caliber performs a 1.97" group at 27 yards
- 9mm a 1.97" group at 11 yards



## COMPONENTS OF A UTM MAN MARKING PROJECTILE

- 1 An aerodynamic, cruciform dome made of injection molded plastic
- 2 Non-toxic, inert marking compound
- 3 Inertia applicator ball expels the marking compound even on glancing hits
- 4 Driving band utilizes the barrel's rifling for increased accuracy

## PROJECTILE MASS WEIGHT (MMR)

9mm	UTX®	5.56mm	7.62x39mm	7.62x51mm
6.9gr/0.45g	8.0gr/0.52g	6.9gr/0.45g	8.0gr/0.52g	8.0gr/0.52g





## MAN MARKING ROUND (MMR)



NON-TOX

### 9mm MMR

Man Marking Round

- ▶ Velocity: 335 fps (102m/sec)
- ▶ Noise Level: Peak 129dB
- ▶ Accuracy: 1.97" at 11yds (50mm at 10m)
- ▶ Standoff Distance: 10" (0.25m)
- ▶ Avg Muzzle Energy: 1.7 ft/lbs (2.3 Joules)

RED	BLUE	GREEN	YELLOW
01-0976	01-0977	01-0978	01-0979

9mm SMG MMR (SUBMACHINE GUN)			
RED	BLUE	GREEN	YELLOW
01-0981	01-0982	01-0983	01-0984

### 5.56mm MMR

Man Marking Round

- ▶ Velocity: 375fps (114m/sec)
- ▶ Noise Level: Peak 123dB
- ▶ Accuracy: 1.97" at 27yds (50mm at 25m)
- ▶ Standoff Distance: 30" (0.75m)
- ▶ Avg Muzzle Energy: 2.2ft/lbs (2.9 Joules)

RED	BLUE	GREEN	YELLOW
01-0971	01-0972	01-0973	01-0974



NON-TOX

### 5.56mm FNC/SIG 551 MMR

Man Marking Round

For use with  
FN FNC and SIG 551

- ▶ Velocity: 375fps (114m/sec)
- ▶ Noise Level: Peak 123dB
- ▶ Accuracy: 1.97" at 27yds (50mm at 25m)
- ▶ Standoff Distance: 30" (0.75m)
- ▶ Avg Muzzle Energy: 2.2ft/lbs (2.9 Joules)

NON-TOX

RED	BLUE	GREEN	YELLOW
01-0753	01-0754	01-0755	01-0756



### 5.56mm MMR

Man Marking Round

US MILITARY  
CONTRACTS  
ONLY

LOOSE M1042		
COLOR	NSN	DODIC
BLUE	1305-01-536-5822	AB09
RED	1305-01-536-5827	AB10
YELLOW	1305-01-536-5829	AB11

LINKED M1071		
COLOR	NSN	DODIC
BLUE	1305-01-537-1521	AB16
RED	1305-01-537-1522	AB17
YELLOW	1305-01-536-9289	AB15





### .38 Special MMR

Man Marking Round

- ▶ Velocity: 335fps (102m/sec)
- ▶ Noise Level: Peak 132dB
- ▶ Accuracy: 1.97" at 11yds (50mm at 10m)
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: 1.7ft/lbs (2.3 Joules)

RED	BLUE
01-0787	01-0788



### 4.6mm MMR

Man Marking Round

- ▶ Velocity: 335fps (102m/sec)
- ▶ Noise Level: Peak 128dB
- ▶ Accuracy: 1.00" at 11yds (25mm at 10m)
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: 1.7ft/lbs (2.3 Joules)

RED	BLUE	GREEN	YELLOW
01-0910	01-0911	01-0912	01-0913



### 5.7mm MMR

Man Marking Round

- ▶ Velocity: 335fps (102m/sec)
- ▶ Noise Level: Peak 128dB
- ▶ Accuracy:
  - FN Five-seveN: 1.97" at 22yds (50mm at 20m)
  - FN P90: 1.00" at 11yds (25mm at 10m)
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: 1.7ft/lbs (2.3 Joules)

RED	BLUE	GREEN	YELLOW
01-0727	01-0728	01-0729	01-0730



### 5.56mm RVR

Reduced Velocity Round

- ▶ Velocity: 300fps (91m/sec)
- ▶ Noise Level: Peak 126dB
- ▶ Accuracy: 1.97" at 16yds (50mm at 15m)
- ▶ Standoff Distance: 10" (0.25m)
- ▶ Avg Muzzle Energy: 1.4ft/lbs (1.9 Joules)



NON-TOX

IDEAL FOR CQB

RED	BLUE	GREEN	YELLOW
01-0815	01-0816	01-0817	01-0818



### 5.56mm Linked MMR

Man Marking Round

- ▶ Velocity: 375fps (114m/sec)
- ▶ Noise Level: Peak 123dB
- ▶ Accuracy: 1.97" at 27yds (50mm at 25m)
- ▶ Standoff Distance: 30" (0.75m)
- ▶ Avg Muzzle Energy: 2.2ft/lbs (2.9 Joules)

NON-TOX

\*For use with FN M249 (SAW) machine gun

RED	BLUE	GREEN	YELLOW
01-3260	01-3261	01-3262	01-3263



### 7.62x39mm MMR

Man Marking Round

- ▶ Velocity: 375fps (114m/sec)
- ▶ Noise Level: Peak 131dB
- ▶ Accuracy: 1.97" at 27yds (50mm at 25m)
- ▶ Standoff Distance: 30" (0.75m)
- ▶ Avg Muzzle Energy: 2.2ft/lbs (2.9 Joules)

RED	BLUE	GREEN	YELLOW
01-3067	01-3068	01-3069	01-3070



### 7.62x51mm MMR

Man Marking Round

- ▶ Velocity: 375fps (114m/sec)
- ▶ Noise Level: Peak 132dB
- ▶ Accuracy: 1.97" at 27yds (50mm at 25m)
- ▶ Standoff Distance: 3ft (1m)
- ▶ Avg Muzzle Energy: 2.5ft/lbs (3.4 Joules)

RED	BLUE	GREEN	YELLOW
01-3063	01-3064	01-3065	01-3066



### 7.62x51mm Linked MMR

Man Marking Round

- ▶ Velocity: 375fps (114m/sec)
- ▶ Accuracy: 1.97" at 27yds (50mm at 25m)
- ▶ Standoff Distance: 3ft (1m)
- ▶ Avg Muzzle Energy: 2.5ft/lbs (3.4 Joules)

RED	BLUE	GREEN	YELLOW
01-3075	01-3076	01-3077	01-3078



#### RELATED PRODUCTS



AR-15/M16/M4  
BLUE MAGAZINE  
page 14



HELMET  
page 23



**UTM®****BATTLEFIELD BLANK ROUND (BBR)**

A Noisy Blank for Safe and Realistic Training

**PURPOSE:**

- Simulates the sound of gunfire during scenario training such as "active shooter" tactical drills
- Run scenarios and drills without having to gear up
- Introduce new shooters to the handling and operations of a firearm

**FEATURES:**

- Provides a realistic report or "bang"
- No blank firing adapter (BFA) required
- No heat or flame emitted
- 18" stand-off distance

**UTM BATTLEFIELD BLANK ROUND (BBR)**



**9mm BBR**

Battlefield Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 148dB
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: Not Applicable



01-3090

**9mm UTX® BBR**

Battlefield Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 148dB
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: Not Applicable



01-3131

**5.56mm BBR**

Battlefield Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 144dB
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: Not Applicable



01-0963

**5.56mm LBBR**

Loud Battlefield Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 151dB
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: Not Applicable



01-3268

**5.56mm Linked LBBR**

Loud Battlefield Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 151dB
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: Not Applicable



01-3270

**7.62x39mm LBBR**

Battlefield Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 151dB
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: Not Applicable



01-3093

**7.62x51mm LBBR**

Battlefield Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 151dB
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: Not Applicable



01-3271

**7.62x51mm Linked LBBR**

Battlefield Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 151dB
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: Not Applicable



01-3272





## SILENT BLANK ROUND (SBR)

The Ultimate in Safety, with No Noise or Emissions

### PURPOSE:

- Practicing gun retention and weapon take-aways
- CQB in administrative areas
- Replace the red gun for defensive tactics
- Develop shooting fundamentals at home or in the classroom
- Dry fire alternative

### FEATURES:

- Safe for contact shots
- No noise or emissions
- Recoil, ejection and slide lock back
- No blank firing adapter (BFA) required
- No hearing protection required

## 9mm SBR

Silent Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 0 (at Muzzle)
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 0" (0m)
- ▶ Avg Muzzle Energy: Not Applicable

01-3089



## 5.56mm SBR

Silent Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 0 (at Muzzle)
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 0" (0m)
- ▶ Avg Muzzle Energy: Not Applicable

01-0856



## 5.56mm Linked SBR

Silent Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 0 (at Muzzle)
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 0" (0m)
- ▶ Avg Muzzle Energy: Not Applicable

01-0770



## 7.62x39mm SBR

Silent Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 0 (at Muzzle)
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 0" (0m)
- ▶ Avg Muzzle Energy: Not Applicable

01-3096



## 7.62x51mm SBR

Silent Blank Round

- ▶ Velocity: Not Applicable
- ▶ Noise Level: 0 (at Muzzle)
- ▶ Accuracy: Not Applicable
- ▶ Standoff Distance: 0" (0m)
- ▶ Avg Muzzle Energy: Not Applicable

01-3095







## NON-MARKING ROUND (NMR)

Force-on-Force Training Round with No Marking Compound

### PURPOSE:

- A non-marking round designed for force-on-force, close quarter battles (CQB) and 360 degree shooting
- Adds physical stimulus upon "hits"
- Improves accuracy and marksmanship skills

### FEATURES:

- Non-marking; ideal for force-on-force training in full uniform or while training with field gear
- Same use as Man Marking Rounds with no clean up



#### 4.6mm NMR

Non-Marking Round

- ▶ Velocity: 335fps (102m/sec)
- ▶ Noise Level: Peak 128dB
- ▶ Accuracy: 1.00" at 11yds (25mm at 10m)
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: 1.7ft/lbs (2.3 Joules)



01-3296

#### 5.7mm NMR

Non-Marking Round

- ▶ Velocity: 335fps (102m/sec)
- ▶ Noise Level: 128dB
- ▶ Accuracy: 1.00" at 11yds (25mm at 10m)
- ▶ Standoff Distance: 18" (0.5m)
- ▶ Avg Muzzle Energy: 1.7ft/lbs (2.3 Joules)



NON-TOX

01-3273

#### 9mm NMR

Non-Marking Round

- ▶ Velocity: 335 fps (102m/sec)
- ▶ Noise Level: 129dB
- ▶ Accuracy: 1.97" at 11yds (50mm at 10m)
- ▶ Standoff Distance: 10" (0.25m)
- ▶ Avg Muzzle Energy: 1.7 ft/lbs (2.3 Joules)



01-3100

NON-TOX

#### 5.56mm NMR

Non-Marking Round

- ▶ Velocity: 375fps (114m/sec)
- ▶ Noise Level: 123dB
- ▶ Accuracy: 1.97" at 27yds (50mm at 25m)
- ▶ Standoff Distance: 30" (0.75m)
- ▶ Avg Muzzle Energy: 2.2ft/lbs (2.9 Joules)



01-3097

NON-TOX

 **UTM** NON-MARKING ROUND (NMR)



## UTX<sup>®</sup> MARKING ROUND

Marking Round for Existing Firearm Conversions

### PURPOSE:

- For use with your existing firearm conversion
- For force-on-force, close quarter battles (CQB) and 360 degree shooting

### FEATURES:

- No plastic shavings or bore build up
- Driving band technology for improved accuracy
- Inertia ball expels marking compound even on glancing hits
- Flawless reliability
- Projectiles are resistant to breakage while loading a magazine, and chambering



TRAINING AMMUNITION

UTX<sup>®</sup> MARKING ROUND

### RELATED PRODUCT




9MM UTX<sup>®</sup> BBR  
page 8

### 9mm UTX<sup>®</sup> Marking Round

- ▶ Velocity: 370fps (113m/sec)
- ▶ Noise Level: 121dB
- ▶ Accuracy: 3.0" at 8.2yds (75mm at 7.5m)
- ▶ Standoff Distance: 10" (0.25m)
- ▶ Avg Muzzle Energy: 2.4ft/lbs (3.3 Joules)

RED	BLUE	GREEN	YELLOW
01-3101	01-3102	01-3103	01-3104



NON-TOX

 **UTM** UTX<sup>®</sup> MARKING ROUND





## TARGET BULLET ROUND (TBR)

Live Fire Alternative for Target Shooting

Not for force-on-force training,  
LETHAL (850fps)

### PURPOSE:

- For use in live fire shoot house
- Alternative qualifier round

### FEATURES:

- Safety Feature: TBRs only fire using a red TBR conversion
- Single round will not penetrate a 3/4" sheet of plywood
- No damage to bullet traps and minimal damage to infrastructures



#### 5.56mm TBR

Target Bullet Round

- ▶ Velocity: 850fps (259m/sec)
- ▶ Noise Level: 134dB
- ▶ Accuracy: 0.98" at 27yds (25mm at 25m)
- ▶ Maximum Effective Range: Approx. 82yds/75m
- ▶ Avg Muzzle Energy: 10.6ft/lbs (14.4 Joules)

01-3125

(5.56mm FNC/SIG 551 TBR)

01-3056



#### 5.56mm Linked TBR

Target Bullet Round

- ▶ Velocity: 850fps (259m/sec)
- ▶ Noise Level: 134dB
- ▶ Accuracy: 0.98" at 27yds (25mm at 25m)
- ▶ Maximum Effective Range: Approx. 82yds/75m
- ▶ Avg Muzzle Energy: 10.6ft/lbs (14.4 Joules)

01-3047





## MAGAZINES

Improved Feeding and Safety



Intended for use  
with MMR and blank rounds

Intended for use  
with TBR rounds

### AR-15/M16/M4 MAGAZINES

- ▶ 30 Round Capacity (5.56 cal)
- ▶ Provides visual cue that the rifle is in training mode
- ▶ Industrial strength plastic

AR-15 UNIVERSAL BLUE MAGAZINE
-------------------------------

02-2849
---------

SCAR BLUE MAGAZINE
--------------------

02-2825
---------

AR-15/M16/M4 RED MAGAZINE
---------------------------

02-2820
---------



### M249 SAW DRUM

- ▶ 200 Round Capacity
- ▶ Detachable Lid
- ▶ Solid Polymer Construction

14-0786
---------



### MP5 TRAINING MAGAZINE

- ▶ 30 Round Capacity (9mm)
- ▶ Made in Germany
- ▶ UTM Laser Engraved

14-5267
---------



### P90 TRAINING MAGAZINE

- ▶ 50 Round Capacity (5.7x28mm)
- ▶ Semi-transparent
- ▶ OEM Spec

01-2489
---------



# FIREARM CONVERSIONS

OVER 150 FIREARM  
CONVERSIONS AVAILABLE

- ▶ Convert YOUR firearm within seconds
- ▶ Live round lock-out or off set firing pin as a safety feature
- ▶ Available for the widest breadth of firearms
- ▶ Tested and proven to be safe and reliable
- ▶ Operates under direct blowback
- ▶ Compatible with existing accessories such as lights, lasers and optics

## RIFLES:

AR-15/M16/M4, AK-47, H&K, SCAR, and many more

## SEMI-AUTO PISTOLS

## REVOLVERS

## BULL-PUPS and CARBINES

## SUBMACHINE GUNS


## BELT FED MACHINE GUNS

For video tutorials on how to install a conversion, visit UTM's website:




## The **ULTIMATE** in **SAFETY** ...

### PISTOL CONVERSIONS



UTM pistol conversions won't allow a live round to fully seat into the barrel, leaving the pistol out of battery and impossible to fire.

### RIFLE CONVERSIONS



- Off set firing pin in UTM rifle conversions discharge only rim-fire rounds; a live, center-fire round will not fire.



A live 5.56mm round that was struck by a UTM rim-fire/off set firing pin, missing the center-fire primer

When an AR-15/M4 UTM conversion is installed, the dust cover will not close. This is a visual confirmation that the firearm is safe.







UTM AR-15/M4 magazines are shorter than conventional magazines. Blue has become the industry standard for easily identifying a training firearm.





**Over 60% of ALL US Law Enforcement Officers carry a Glock. UTM offers the Training Solution for the most popular Glock models!**

PISTOLS	CONVERSIONS FOR AMMUNITION TYPES				
	 MARKING   NON-MARKING	 BLANKS	APPROVED RED DOTS	INCLUDED IN KIT	REQUIRED MAGAZINE
Glock 17 Gen 1-4	01-2373	01-2374		Slide, Barrel, Recoil Spring, Buffer	G17 9mm
Glock 17 Gen 5 MOS Kit P2	01-3600**	01-3680**	Trijicon RMR HOLOSUN Series 407, 507	Slide, Barrel, Recoil Spring, Buffer, Glock MOS Adapter Plate #2	
Glock 22 / 31 Gen 1-4	01-2549	01-2377		Slide, Barrel, R Spring, 1 Mag	
Glock 17T Gen 1-3	01-2041	01-2265		Barrel	
Glock 17T Gen 4	01-3220	01-3225		Barrel, Extractor	
Glock 19 Gen 1-4	01-2709	01-2782		Slide, Barrel, Recoil Spring	G19 9mm
Glock 23 Gen 1-4	01-2871	01-2872		Slide, Barrel, Recoil Spring, 1 Mag	
Glock 17/22/31 Gen 1-4 Barrel Only*	01-2543*	01-2546*		Barrel*	
Glock 17 Gen 5 Barrel Only*	01-3645*	01-3650*		Barrel*	
Glock 19/23 Gen 1-4 Barrel Only*	01-2707*	01-2708*		Barrel*	
					
H&K UMP 9mm	01-2470	01-2830		Adapter, Recoil Spring, Liner	UMP 9mm
H&K P2000 9mm	01-2006	01-2271		Barrel, Recoil Spring	P2000 9mm
H&K P30	01-2700	01-2701		Barrel, Recoil Spring	H&K P30 9mm
H&K USP 9mm	01-2001	01-2208		Barrel, Recoil Spring	USP 9mm
H&K USP Compact 9mm	01-2004	01-2268		Barrel, Recoil Spring	USP Compact 9mm

\*"Barrel Only" kits can only be used if a full kit that includes slide has been purchased previously.







\*\*Compatible with Red Dot systems weighing less than 42 grams (including batteries). Systems weighing more than 42 grams are not recommended to be used.




SMITH & WESSON M&P  
9MM MMR KIT  
P/N: 01-2774



UTM offers an array of Training Solutions for the ergonomic, Smith & Wesson M&P line.

PISTOLS		CONVERSIONS FOR AMMUNITION TYPES			
<div><div>H&amp;K VP9/SFP9 MMR KIT P/N: 01-3655</div></div>		<div><div>MARKING   NON-MARKING</div></div>	<div><div>BLANKS</div></div>	<div>INCLUDED IN KIT</div>	<div>REQUIRED MAGAZINE</div>
H&K MP5 Kit	01-2013**	01-2211	Liner, (1 Mag - Blank Only)	14-5267 (Blank Only)	
H&K MP5 SD Kit	01-2274	01-2275	Liner, (1 Mag - Blank Only)	14-5267 (Blank Only)	
H&K MP5K Kit	01-2171**		Liner	MP5 9mm	
H&K VP9 Kit	01-3655	01-3665	Slide, Barrel	VP9 9mm	
H&K SFP9 Kit	01-3760	01-3770	Slide, Barrel	SFP 9mm	
H&K VP9/SFP9 Barrel Only*	01-3670*	01-3675*	Barrel*		
<div></div>					
Colt SMG Blank Kit	**Requires Universal Insertion Tool 01-2047	01-2072**	01-2950	Liner, Setting Gauge	Colt SMG 9mm
<div></div>					
FN Browning HP 9mm Kit	01-2452	01-2236	Barrel	Browning HP 9mm	
FN FiveSeven Kit	01-2400		Slide, Barrel, R Spring	FiveSeven 9mm	
FN P90 Kit	***Requires FN P90 Insertion Tool 01-2075	01-2074***	Barrel, 1 Mag	01-2489	





\*"Barrel Only" kits can only be used if a full kit that includes slide has been purchased previously.



BERETTA APX MMR KIT  
P/N: 01-3610



SMITH & WESSON M&P 9MM BLANK KIT  
P/N: 01-2777


PISTOLS		CONVERSIONS FOR AMMUNITION TYPES			
		 <b>MARKING   NON-MARKING</b>	 <b>BLANKS</b>	<b>INCLUDED IN KIT</b>	<b>REQUIRED MAGAZINE</b>
Beretta CX4 Kit	**Requires FN P90 Insertion Tool 01-2047	01-2740**		Liner	CX4 9mm
Beretta 92FS Kit		01-2008	01-2233	Barrel	92FS 9mm
Beretta PX4 Kit		01-2720	01-2770	Barrel	PX4 9mm
Beretta APX Kit		01-3610	01-3640	Slide, Barrel, Take Down Lever	APX 9mm
Beretta APX Barrel Only*		01-3685*	01-3690*	Barrel*	APX 9mm
					
SIG Sauer P320 Compact/Carry 9mm Kit		01-3236	01-3293	Slide, Barrel	P320 Compact 9mm
SIG Sauer P320 Compact .40 Kit		01-3380	01-3435	Slide, Barrel, 1 Mag	P320 Compact 9mm
SIG Sauer P320 Carry .40 Kit		01-3400	01-3405	Slide, Barrel, 1 Mag	P320 Full 9mm
SIG Sauer P320 Full 9mm Kit		01-3312	01-3305	Slide, Barrel	P320 Full 9mm
SIG Sauer P320 Full .40 Kit		01-3390	01-3430	Slide, Barrel, 1 Mag	P320 Full 9mm
SIG Sauer P320 Barrel Only* (Compatible as Alternate Barrel for all Kits)		01-3311*	01-3310*	Barrel*	
SIG Sauer P226 9mm Kit		01-2411	01-2421	Barrel	P226 9mm
SIG Sauer P226 .40/.357 Kit		01-2858	01-2841	Barrel, R Spring, Extractor, 1 Mag	P226 9mm
SIG Sauer P228/P229 9mm Kit		01-2166	01-2245	Barrel	P228/P229 9mm
SIG Sauer P229 .40/.357 Kit		01-2814	01-2914	Barrel, R Spring, Extractor, 1 Mag	P228/P229 9mm
SIG Sauer P229 E2 9mm Kit		01-3211	01-3215	Barrel	P229 E2 9mm
SIG Sauer SP2022 FoF 9mm Kit		01-2358	01-2368	Barrel, Recoil Spring	P2022 9mm
SIG Sauer SP2022 PRO 9mm Kit		01-2177	01-2251	Barrel	P2022 Pro 9mm
SIG Sauer MPX Kit		01-3420	01-3425	Bolt, Liner	MPX 9mm

\*"Barrel Only" kits can only be used if a full kit that includes slide has been purchased previously.












*UTM is proud to supply  
the US Army Modular  
Handgun Training Solution*









SIG SAUER P320 COMPACT/CARRY 9MM MMR KIT  
P/N: 01-3236

PISTOLS	CONVERSIONS FOR AMMUNITION TYPES			
	 <b>MARKING   NON-MARKING</b>	  <b>BLANKS</b>	INCLUDED IN KIT	REQUIRED MAGAZINE
 <b>Smith &amp; Wesson®</b> S&W .38 Special MMR Kit S&W M&P (Gen 1.0) 9mm Kit S&W M&P (Gen 1.0) .40 Kit S&W M&P Barrel Only *	01-2257 01-2774 01-2776 01-2775*	01-2777 01-2773 01-2778*	Liner Slide, Barrel Slide, Barrel, 1 Mag Barrel*	M&P 9mm M&P 9mm
 Walther P99Q Blank Kit Walther P99Q Barrel Only *	01-2364 01-2365*	01-2394 01-2395*	Slide, Barrel Barrel*	P99Q 9mm
 CZ P-10 C Kit CZ P-10 F Kit CZ P-10 Barrel Only*	01-3720 01-3735 01-3880	01-3730 01-3745 01-3885	Slide, Barrel Slide, Barrel Barrel*	P10C 9mm P10F 9mm
 HS Produkt XDM-9 3.8 Kit	01-3830		Slide, Barrel	XDM 9mm

\*"Barrel Only" kits can only be used if a full kit that includes slide has been purchased previously.














**Nearly 1 in 5 of the 500 Million Firearms Worldwide is an AK-47. UTM offers the Ultimate Training Solution.**

RIFLES	CONVERSIONS FOR AMMUNITION TYPES				
	<div></div> <div>MARKING   NON-MARKING   BLANKS</div>	<div></div> <div>TARGET ROUND</div>	INCLUDED IN KIT	RECOMMENDED MAGAZINE	MAGAZINES INCLUDED
AR-15 5.56 Series Kit	01-3900		Bolt Only	02-2849	
AR-15 5.56 Series Kit and Magazine	01-3910	01-2159	Bolt, Magazine	02-2849 MMR/Blank 02-2820 TBR	1
AR-15 300 BLK MMR/Blank Kit <i>**Requires 300 BLK Insertion Tool 01-4130</i>	01-3915**		Bolt, Magazine	02-2849	
AK-47 Training Weapon Semi-Auto	01-3230		Rifle, For Training Ammunition Only	7.62 x 39	
AK-47 Training Weapon Fully Auto	01-2603		Rifle, For Training Ammunition Only		
AK-47 Customer Supplied Weapon Semi-Auto	01-3230CS		Conversion of Customer Supplied Rifle		
<div> <b>FN HERSTAL</b></div>					
FN M240 Kit	01-2885		Bolt / Discriminator		
MK99 Twin M240 Mount - Ejection Adapter	01-3810		Ejection Accessory		
FN MK48 Kit	01-3805		Bolt / Discriminator		
FN M249 Kit	01-2010	01-2183	Bolt / Discriminator		
FN SCAR MK16 Kit and Magazines	01-2767	01-3590	Bolt/Amplifier/Mags	02-2825 MMR/Blank 02-2820 TBR	7
FN SCAR MK16 Bolt Only	01-2550		Bolt/Amplifier	02-2825	
FN SCAR MK17 Kit and Magazines*	01-2760	01-2791	Bolt/Amplifier/Mags	02-2825 MMR/Blank 02-2820 TBR	7
FN SCAR MK17 Bolt Only*	01-2766	01-2792	Bolt/Amplifier	02-2825 MMR/Blank 02-2820 TBR	

\*FN SCAR MK17 must be fitted with 5.56mm FN Conversion Kit (Purchased separately from FN)



RIFLES	CONVERSIONS FOR AMMUNITION TYPES				
	    MARKING   NON-MARKING   BLANKS	 TARGET ROUND	INCLUDED IN KIT	RECOMMENDED MAGAZINE	MAGAZINES INCLUDED
H&K G36 Kit	01-2120	01-2197	Bolt		
H&K 416 Kit	01-3910	01-2920	Bolt, Magazines	02-2849 MMR/Blank 02-2820 TBR	1
H&K 417 Kit	01-2786		Bolt		
					
Tavor MMR/Blank Kit	01-2884		Bolt, Magazine	02-2849	1
					
SIG Sauer MCX Kit	01-3251		Bolt, Magazine	02-2849	1
SIG Sauer MCX 300 BLK Kit <i>**Requires 300 BLK Insertion Tool 01-4130</i>	01-3630**		Bolt, Mag, Liner	02-2849	1
SIG Sauer 516 Kit	01-3910	01-2930	Bolt, Magazine	02-2849 MMR/Blank 02-2820 TBR	1
SIG Sauer 551/553 Kit	01-2328	01-2338	Adapter		
SIG Sauer 552 Kit	01-2174	01-2204	Adapter		
					
Steyr Aug Barrel Only	01-2624		Barrel		
Steyr Aug LH Kit	01-2620		Barrel, Bolt		
Steyr Aug LH MMR/Blank Bolt Only	01-2625		Bolt		
Steyr Aug RH Kit	01-2063		Barrel, Bolt		
Steyr Aug RH MMR/Blank Bolt Only	01-2623		Bolt		
					
SAR21 MMR/Blank Kit	01-2492		Adapter		
					
Beretta ARX-160 A1/A2 MMR/Blank Kit	01-2865		Adapter		
					
CZ Bren 2 5.56 MMR/Blank Kit	01-3700				
CZ Bren 2 7.62 MMR/Blank Kit	01-3710				



UTM AMMO  
& CONVERSIONS  
WORK IN BOTH  
DI & PISTON  
AR-15/M4s

## AR-15/M16/M4

AR-15 5.56 MMR/Blank Kit <sup>⌘</sup>	01-3900
AR-15 5.56 MMR/Blank Kit and Magazine <sup>⌘</sup>	01-3910
AR-15/M16/M4 Series TBR Kit and Magazine <sup>⌘</sup>	01-2159

<sup>⌘</sup> Semi and full-auto compatible

## RIFLE BARREL CLEARING TOOL

Rifle Barrel Clearing Tool	02-3860
----------------------------	---------



AR-15/M16/M4 SERIES MMR/BLANK KIT AND MAGAZINE  
P/N: 01-3910

- ▶ MMR/Blank Conversions will NOT fire a live or UTM TBR round
- ▶ No gunsmithing
- ▶ One for one bolt carrier group exchange
- ▶ 3mm off set firing pin
- ▶ Blue visual indicator
- ▶ Converts in seconds



AR-15/M16/M4 SERIES TBR KIT AND MAGAZINE  
P/N: 01-2159

- ▶ TBR Conversions will NOT fire a live round
- ▶ Recessed primer on TBR rounds
- ▶ Extended firing pin on TBR bolt
- ▶ 3mm off set firing pin
- ▶ Red visual indicator
- ▶ Not for force-on-force ammunition

## CCMCK COMBO KITS



### CCMCK M4 KIT

- ▶ M4/M16 MMR/Blank Kit
- ▶ Berry Compliant Face Mask

01-0916



### CCMCK M249 KIT

- ▶ M249 SAW MMR/Blank Kit
- ▶ Berry Compliant Face Mask

01-0917







LIVE FIRE EXPERIENCE,  
WITHOUT THE LIVE FIRE RANGE™



## SHOOTING ENTHUSIASTS

For Target Shooting and Personal Protection Training



NON-TOX

### 9mm Target Shooting Ammunition

- ▶ For use in 9mm/.40/.357 pistols
- ▶ No need for a live fire range
- ▶ Non-toxic and environment friendly
- ▶ Ideal for concealed carry training
- ▶ Realistic function and recoil, low noise; great for new shooters

01-3123



NON-TOX

### 5.56/.223 Target Shooting Ammunition

- ▶ Perfect for your AR-15/M4 UTM conversion
- ▶ No need for a live fire range
- ▶ Shoot at home or in your yard
- ▶ Non-toxic and environment friendly
- ▶ Realistic function and recoil, low noise; great for new shooters

01-3099

AR-15 CONVERSION



- ▶ AR-15/M4 Firearm Conversion (.223/5.56 caliber)

01-2523

FIREARM CONVERSIONS

10 Round Magazine (AR-15)	14-5218
Beretta 92FS Kit	01-2988
Glock 17 Gen 1-4 Conversion	01-2978
H&K USP Compact Conversion	01-2983
SIG Sauer MCX Conversion	01-3505
SIG Sauer P226 9mm Conversion	01-2994
SIG Sauer P228/P229 9mm Conversion	01-2993
SIG Sauer P229 9mm Conversion (E2)	01-3410
SIG Sauer P320 Compact/Carry 9mm Conversion	01-3500



AR-15 BASIC SHOOTING KIT

- ▶ AR-15/M4 firearm conversion (.223/5.56 caliber)
- ▶ 10 round magazine
- ▶ .223/5.56 UTM Target Ammunition
- ▶ UTM projectile puller

01-2519



TARGET & HOLDER KIT

- ▶ Portable, 20" x 20" nylon target holder
- ▶ Accommodates UTM 11.5" replaceable targets
- ▶ Stops all UTM projectile rounds other than TBR
- ▶ Target size: 11.5" x 11.5"

01-3209



AR-15 TARGET SHOOTING KIT

- ▶ AR-15/M4 firearm conversion (.223/5.56 caliber)
- ▶ 10 round magazine
- ▶ .223/5.56 UTM Target Ammunition
- ▶ UTM Target and Holder Kit
- ▶ Cleaning kit and projectile puller

01-2599

REPLACEMENT TARGETS

01-2669





# PERSONAL PROTECTIVE EQUIPMENT (PPE)

The Ultimate in Force-on-Force Protective Equipment

## 1 HELMET

### HEAD PROTECTION

- ▶ Can be worn with sunglasses or prescription eyewear
- ▶ 180° degree visibility
- ▶ Ventilation ports to aid in anti-fogging
- ▶ Includes sweatband and neck wraps

## UTM PPE

- ▶ Lightweight and Breathable
- ▶ Provides Protection during force-on-force without sacrificing range of motion
- ▶ Easily adjustable and allows access to duty gear
- ▶ Role player or officer specific versions available
- ▶ Full face shield, non-fogging helmet

## 9 PROTECTIVE GLOVES

### DESIGNED FOR "FORCE ON FORCE" TRAINING

- ▶ Velcro Wrist Adjustment
- ▶ Flexible Polymer Armor
- ▶ Unrestricted Trigger Finger

## 6 ROLE PLAYER JACKET

### FULL MOVEMENT, LONGER LENGTH

- ▶ Breathable nylon mesh
- ▶ Cushion padding
- ▶ Front zipper
- ▶ Includes 2 team identifier red & green vests
- ▶ Opening in collar accommodates hydration pack drinking tube, mouthpiece holder in front

### FULL LENGTH JACKET FOR MAXIMUM PROTECTION

### TRAINING HELMET DESIGN MAXIMIZES AIR-FLOW AND HAS ANTI-FOGGING LENS

### JACKETS CONTAIN MULTIPLE POCKETS FOR CONCEALING SECONDARY WEAPONS AND SPARE MAGAZINES





## 2 TRAINING HELMET

### HEAD PROTECTION

- ▶ Solid one-piece, non-reflective plastic helmet
- ▶ NLTA ballistic protection against all UTM rounds
- ▶ Forehead band adjusts over 4" to fit various head sizes
- ▶ Requires UTM Facemask w/ Integrated Goggles

## 3 FACE MASK WITH INTEGRATED GOGGLES

### FOR USE WITH UTM BALLISTIC TRAINING HELMET

- ▶ Ventilation ports to aid in anti-fogging
- ▶ Sewn-in goggles to avoid gaps
- ▶ Thick Neoprene for maximum protection
- ▶ For use with ballistic helmets
- ▶ Optional Berry Compliant



## 4 FACE MASK

### FOR HIGH CUT COMBAT HELMET

- ▶ Designed for SOCOM and high-cut style helmets
- ▶ Communication headset compatible
- ▶ Hook-n-loop top to assure no exposed skin between integrated goggles and helmet
- ▶ Right and left microphone outlets
- ▶ Ventilation ports to aid in anti-fogging
- ▶ Optional Berry Compliant

## 5 JACKET

### FOR LAW ENFORCEMENT

- ▶ Side hook & loop fasteners for size adjustment
- ▶ Breathable nylon mesh, cushion padding
- ▶ Front zipper
- ▶ Includes patches
- ▶ Full face shield, non-fogging helmet

**JACKET DESIGNED FOR EASY ACCESS TO A DUTY BELT AND SIDE ARM**

**AGENCY PATCHES CAN BE WORN ON FRONT AND BACK**

**JACKETS CONTAIN MULTIPLE POCKETS FOR CARRYING SPARE MAGAZINES**

## 7 LEGGINGS

### WITH GROIN PROTECTOR

- ▶ Adjustable fit to various leg sizes
- ▶ Includes integrated, padded groin protector
- ▶ Two large front pockets





## PERSONAL PROTECTIVE EQUIPMENT (PPE)

The Ultimate in Force-on-Force Protective Equipment



- ▶ 180 degree visibility
- ▶ Ventilation ports to aid in anti-fogging
- ▶ Includes sweatband and neck wraps
- ▶ Passes the high velocity impact tests of ANSI/ISEA Z87.1-2015
- ▶ Ability to see and read facial expressions
- ▶ Face shield flips up for debriefing
- ▶ Magnetic closure system for easy on/off
- ▶ Can be worn with eyewear or sunglasses
- ▶ Optional Cooling Fan sold separately

### 1 HELMET

#### REPLACEMENT PARTS

HELMET
69-HELMET-BLACK

HELMET NECK WRAP KIT	HELMET FACE SHIELD	HEADGEAR/HARDWARE	COOLING FAN
501020	65006	501019	69-0601



#### HELMET CHIN GUARD WITH INTEGRATED COOLING FAN

- ▶ Replaces chin guard provided with UTM Helmet shown above
- ▶ 3-position switch operates fan from OFF to LOW to HIGH speed
- ▶ No replacement batteries are required as fan operates off a rechargeable battery
- ▶ USB-C charging cable included

69-0601



### 2 TRAINING HELMET

- ▶ Solid one-piece, non-reflective plastic helmet
- ▶ NLTA ballistic protection against all UTM rounds
- ▶ Forehead band adjusts over 4" to fit various head sizes
- ▶ Inner padded suspension allows for a free-floating helmet
- ▶ Easy to find and operate chin strap release

69-0336



### 3 FACE MASKS

- For use with ballistic/UTM Training Helmet
- Thick Neoprene for maximum protection
- Ventilation ports to aid in anti-fogging
- Optional Berry Compliant



FACE MASK	
69-0304N	69-0304□

FACE MASK W/ INTEGRATED GOGGLES	
69-0590N	69-0590□□

□ Berry Compliant and CCMCK US Military Approved  
 □ Passes the high velocity impact tests of ANSI/ISEA Z87.1-2015



HEAD PROTECTOR	
69-0600N	69-0600□

(Face Mask w/ Integrated Goggles & Training Helmet)  
 □ Berry Compliant

#### CHIN STRAP EXTENDER

69-0591

### 4 FACE MASK FOR HIGH CUT COMBAT HELMET



(Microphone and helmet shown for illustration; not included)

- Designed for elite military and law enforcement professionals
- For use with high-cut style communication helmets
- Right and left microphone outlets
- Won't interfere with night vision optic shrouds
- Hook-n-loop top to assure no exposed skin between integrated goggles and helmet
- Ventilation ports to aid in anti-fogging
- Passes the high velocity impact tests of ANSI/ISEA Z87.1-2015
- Sewn in goggles to avoid gaps
- Thick Neoprene for maximum protection

FACE MASK FOR HIGH CUT COMBAT HELMET	
69-0595N	69-0595□

□ Berry Compliant





UTM'S PPE APPAREL has been vigorously tested to meet the highest of standards. Full body, non-lethal training ammunition ballistic protection with performance, comfort and mobility!

FULL  
MOVEMENT,  
FULL  
PROTECTION

- ▶ Breathable, nylon mesh
- ▶ Impact absorbing cushioning in high hit areas
- ▶ Multitude of carrying pockets
- ▶ Hook and loop fastener sides allow for a wide range of sizes

## 5 LAW ENFORCEMENT JACKET NAVY

Law Enforcement Jacket includes a hook and loop "Police" and UTM patch. The jacket is designed for easy access to a duty belt and side arm.



SHORTER FOR  
EASY ACCESS TO  
DUTY BELT

LAW ENFORCEMENT JACKET NAVY	
MED/LARGE	LARGE/X-LARGE
69-LEJKT-NV-M/L	69-LEJKT-NV-L/XL

## 6 ROLE PLAYER JACKET TAN

UTM's Role Player Jacket Tan is longer in length and includes two team identifier vests.



RED & GREEN  
TEAM VESTS  
INCLUDED

ROLE PLAYER JACKET TAN	
MED/LARGE	LARGE/X-LARGE
69-RPJKT-TAN-M/L	69-RPJKT-TAN-L/XL

Jackets contain multiple pockets for carrying spare magazines and secondary weapons.

Opening in collar accommodates hydration pack drinking tube, mouthpiece holder in front.

(Jackets shown with magazines and handgun to show use of pockets; items not included)





## GROIN PROTECTOR

- ▶ Padded mesh
- ▶ Center strap secures to back of belt to keep protector in place

69-GP-BLACKN

69-GP-BLACK<sup>□</sup>

<sup>□</sup> Berry Compliant



## 7 LEGGINGS W/ GROIN PROTECTOR

- ▶ Adjustable fit to various leg sizes
- ▶ Includes integrated, padded groin protector
- ▶ Two large front pockets

69-LEG-BLACK



## 8 PROTECTIVE GLOVES

- ▶ Polymer armored and nylon mesh to provide maximum comfort and protection
- ▶ Reinforced palms made of genuine leather for excellent grip and longevity

MEDIUM	LARGE	X-LARGE
69-0310-M	69-0310-L	69-0310-XL








## PORTABLE TRAINING FACILITY (PTF)

A Portable, Versatile and Easy to Set Up Training Facility



Lightweight, yet durable aluminum components are fully connectable.



UTM'S Portable Training Facility stores conveniently in roomy, ergonomic travel bags.



UTM's exclusive Portable Training Facility (PTF), is engineered to be the most versatile, portable shoot house available.

- ▶ Unlimited configurations
- ▶ Quick, easy set up and disassembly
- ▶ Average set up less than one hour with two people
- ▶ Break the typical floor plan memorization
- ▶ Generously mapped with hook and loop fasteners for joining walls, attaching roofs, windows, or hanging targets
- ▶ Transparent and/or shoot through windows
- ▶ Optional ceiling package available for low light training and/or better containment of projectiles

Can be used in a variety of training programs including door entry, hallways, cover management, cornering, UTM firearm range drills and much more.

## PTF Package Contains:

- ▶ 12 Solid Wall Panels (8'x8')
- ▶ 20 Right Angle, 20 Five-Way Unions, 36 Straight Unions, 8 Short and 82 Long Poles
- ▶ 2 Functioning, Hinged Doors
- ▶ 2 Window/Door Panels\*
- ▶ 2 Transparent Window Panels
- ▶ 4 Hook and Loop Fastener Lined, Large Target Holders
- ▶ 100 Bungee Cords for Securing Panels to Framing
- ▶ 23 Slip-on Rubber Feet
- ▶ 50 Hold-down Stakes
- ▶ 5 Travel/Storage Duffel Bags

\*Window/door panels can also create open, shoot through windows

PTF CEILING PACKAGE	PTF CEILING PACKAGE BC
PTF11CPNLP6	PTF11CPNLP6-B <sup>□</sup>

<sup>□</sup> Berry Compliant

PORTABLE TRAINING FACILITY	PORTABLE TRAINING FACILITY BC
PTF-TAN	PTF-TAN-B <sup>□</sup>

<sup>□</sup> Berry Compliant



01-0727	page 6
01-0728	page 6
01-0729	page 6
01-0730	page 6
01-0753	page 5
01-0754	page 5
01-0755	page 5
01-0756	page 5
01-0770	page 10
01-0787	page 6
01-0788	page 6
01-0815	page 6
01-0816	page 6
01-0817	page 6
01-0818	page 6
01-0856	page 10
01-0910	page 6
01-0911	page 6
01-0912	page 6
01-0913	page 6
01-0916	page 22
01-0917	page 22
01-0963	page 8
01-0971	page 5
01-0972	page 5
01-0973	page 5
01-0974	page 5
01-0976	page 5
01-0977	page 5
01-0978	page 5
01-0979	page 5
01-0981	page 5
01-0982	page 5
01-0983	page 5
01-0984	page 5
01-2001	page 16
01-2004	page 16
01-2006	page 16
01-2008	page 18
01-2010	page 20
01-2013	page 17
01-2041	page 16
01-2047	page 20

01-2063	page 21
01-2072	page 17
01-2074	page 17
01-2075	page 17
01-2120	page 21
01-2159	page 22
01-2166	page 18
01-2171	page 17
01-2174	page 21
01-2177	page 18
01-2183	page 20
01-2197	page 21
01-2204	page 21
01-2208	page 16
01-2211	page 17
01-2233	page 18
01-2236	page 17
01-2245	page 18
01-2251	page 18
01-2257	page 19
01-2265	page 16
01-2268	page 16
01-2271	page 16
01-2274	page 17
01-2275	page 17
01-2328	page 21
01-2338	page 21
01-2358	page 18
01-2364	page 19
01-2365	page 19
01-2368	page 18
01-2373	page 16
01-2374	page 16
01-2377	page 16
01-2394	page 19
01-2395	page 19
01-2400	page 17
01-2411	page 18
01-2421	page 18
01-2452	page 17
01-2470	page 16
01-2489	page 14
01-2492	page 21

01-2519	page 24
01-2523	page 22
01-2543	page 16
01-2546	page 16
01-2549	page 16
01-2550	page 20
01-2599	page 24
01-2603	page 20
01-2620	page 21
01-2623	page 21
01-2624	page 21
01-2625	page 21
01-2669	page 28
01-2700	page 16
01-2707	page 16
01-2701	page 16
01-2708	page 16
01-2709	page 16
01-2710	page 18
01-2720	page 18
01-2740	page 18
01-2760	page 20
01-2766	page 20
01-2767	page 20
01-2770	page 18
01-2773	page 19
01-2774	page 19
01-2775	page 19
01-2776	page 19
01-2777	page 19
01-2778	page 19
01-2782	page 16
01-2786	page 21
01-2791	page 20
01-2792	page 20
01-2814	page 18
01-2830	page 16
01-2841	page 18
01-2858	page 18
01-2865	page 21
01-2871	page 16
01-2872	page 16
01-2884	page 21

01-2885	page 20
01-2914	page 18
01-2920	page 21
01-2930	page 21
01-2950	page 17
01-2978	page 24
01-2983	page 24
01-2988	page 24
01-2993	page 24
01-2994	page 24
01-3047	page 13
01-3056	page 13
01-3063	page 6
01-3064	page 6
01-3065	page 6
01-3066	page 6
01-3067	page 6
01-3068	page 6
01-3069	page 6
01-3070	page 6
01-3075	page 6
01-3076	page 6
01-3077	page 6
01-3078	page 6
01-3089	page 10
01-3090	page 8
01-3093	page 8
01-3095	page 10
01-3096	page 10
01-3097	page 11
01-3099	page 23
01-3100	page 11
01-3101	page 12
01-3102	page 12
01-3103	page 12
01-3104	page 12
01-3123	page 23
01-3125	page 13
01-3209	page 24
01-3211	page 18
01-3215	page 18
01-3220	page 16
01-3225	page 16

01-3230	page 20
01-3230CS	page 20
01-3236	page 18
01-3251	page 21
01-3260	page 6
01-3261	page 6
01-3262	page 6
01-3263	page 6
01-3268	page 8
01-3270	page 8
01-3271	page 8
01-3272	page 8
01-3273	page 11
01-3293	page 18
01-3296	page 11
01-3305	page 18
01-3306	page 19
01-3307	page 19
01-3310	page 18
01-3311	page 18
01-3312	page 18
01-3380	page 18
01-3390	page 18
01-3400	page 18
01-3405	page 18
01-3410	page 24
01-3420	page 18
01-3425	page 18
01-3430	page 18
01-3435	page 18
01-3500	page 24
01-3505	page 24
01-3590	page 20
01-3600	page 16
01-3610	page 18
01-3630	page 21
01-3640	page 18
01-3645	page 16
01-3650	page 16
01-3655	page 17
01-3665	page 17
01-3670	page 17
01-3675	page 17

01-3680	page 16
01-3685	page 18
01-3690	page 18
01-3700	page 21
01-3710	page 21
01-3720	page 19
01-3730	page 19
01-3735	page 19
01-3745	page 19
01-3760	page 17
01-3770	page 17
01-3805	page 20
01-3810	page 20
01-3830	page 19
01-3880	page 19
01-3885	page 19
01-3900	page 22
01-3910	page 22
01-3915	page 20
02-2820	page 14
02-2825	page 14
02-2849	page 14
02-3860	page 22
14-0786	page 14
14-5218	page 24
14-5267	page 14
501019	page 27
501020	page 27
65006	page 27
69-0304	page 28
69-0304N	page 28
69-0310-L	page 30
69-0310-M	page 30
69-0310-XL	page 30
69-0336	page 27
69-0590	page 28
69-0590N	page 28
69-0591	page 28
69-0595	page 28
69-0595N	page 28
69-0600	page 28
69-0600N	page 28
69-0601	page 27

69-GP-BLACK	page 30
69-GP-BLACKN	page 30
69-HELMET-BLACK	page 27
69-LEG-BLACK	page 30
69-LEJKT-NV-L/XL	page 29
69-LEJKT-NV-M/L	page 29
69-RPJKT-TAN-L/XL	page 29
69-RPJKT-TAN-M/L	page 29
PTF11CPNLP6	page 32
PTF11CPNLP6-B	page 32
PTF-TAN	page 32
PTF-TAN-B	page 32



Information contained in this publication is provided only for your convenience and is subject to change without notice. UTM MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, STATUTORY OR OTHERWISE, RELATED TO THE INFORMATION, INCLUDING BUT NOT LIMITED TO ITS CONDITION, QUALITY, PERFORMANCE, MERCHANTABILITY OR FITNESS FOR PURPOSE. UTM disclaims all liability arising from this information and its use. Use of UTM's products is entirely at the buyer's risk, and the buyer agrees to defend, indemnify and hold harmless UTM from any and all damages, claims, suits, or expenses resulting from such use. No licenses are conveyed, implicitly or otherwise, under any UTM intellectual property rights.



*As **real** as it gets...*





*As **real** as it gets...*



55 Readington Road  
North Branch, New Jersey 08876  
United States of America  
(908) 725-9000 | (877) 886-7233  
[sales@UTMusa.com](mailto:sales@UTMusa.com)

1555 North Central Ave  
Brownsville, Texas 78521

Hampstead Avenue  
Mildenhall, Suffolk, IP28 7AS  
International  
+44 1638 711003  
[sales@UTMworldwide.com](mailto:sales@UTMworldwide.com)